

Trend A Class



The bestseller in the Dethleffs model programme has been completely revised: Modern design, extensive standard equipment and practical new functions make the Trend the undisputed price/performance winner. A special comfort feature is the stepless IsoProtect living area floor, which extends from the driver's cab to the bathroom. With the large pull-down bed in the driver's cab, there are always two additional, comfortable sleeping berths on board the Trend Integrated as standard, which do not take up any space during the day.

Technical info


Overall length, approx.	699 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Saros



+ Upholstery Yoko

○



+ Heron partial faux leather upholstery

○

Wood décor



+ Wood décor Ashton

○ optionally available

Plus factors

- + Lifetime Smart superstructure - with wood-free, GRP-clad underbody
- + Exclusive rear design with top-entry rear wall, ShapeLine LED tail lights and 3rd brake light integrated into the rear spoiler
- + Large rear garage can be loaded on both sides, one-hand operation of the garage doors, lighting, 230 V socket and sturdy lashing rails
- + 70 cm wide habitation door with convenient coupe entrance
- + Level Iso-Protect comfort flooring in the living area without landings or steps
- + New overhead locker concept with handleless fronts and large storage volume incl. AirPlus overhead locker rear ventilation
- + Pull-down bed in the cab as standard
- + Sleeping area: Outstanding sleeping comfort with 150 mm thick Evopore cold foam mattresses



Trend A Class

Technical info



Trend A Class		I 6817 EB	I 6877	I 7057 EB	I 7057 DBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final	Euro 6d Final	Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	699	699	740	740
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	300 ¹⁾	300 ¹⁾	300 ¹⁾	300 ¹⁾
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3800	3800	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	196 x 150	196 x 150	196 x 150	196 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm		210 x 118 - 80 ○	210 x 118 - 80 ○	
Bed dimension: Rear bed, L x W, approx.	cm	207 x 80 / 194 x 80 / 211 x 192 ○	212 x 162	214 x 80 / 212 x 80 / 211 x 201 ○	195 x 150
Sleeping berths standard / max.		4	4 / 5 ○	4 / 5 ○	4
Standard engine		140 Multijet 3	140 Multijet 3	140 Multijet 3	140 Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	△	2920 (2774 to 3066)*	2945 (2798 to 3092)*	2980 (2831 to 3129)*
Manufacturer-specified mass for optional equipment*	kg	△	244	215	180
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4 - 5 ○	4 - 5 ○	4
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15) / 137 (15) ○	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	85 x 65 / 85 x 110 ○	85 x 110	90 x 75 / 90 x 110 ○	90 x 110




* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend A Class

Technical info



Trend A Class		I 6817 EB	I 6877	I 7057 EB	I 7057 DBL
Measurement storage opening right (W x H)	cm	85 x 65 / 85 x 110 ○	85 x 110	90 x 75 / 90 x 110 ○	90 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend A Class

Technical info



Trend A Class		I 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform
Emission standards		Euro 6d Final
Overall length, approx.	cm	740
Overall width, approx.	cm	233
Overall height, approx.	cm	300 ¹⁾
Headroom in living area, approx.	cm	205
Towable load braked/unbraked	kg	2000 / 750
Wheelbase, approx.	mm	4035
Bed dimension: Front bed, L x W, approx.	cm	196 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	
Bed dimension: Rear bed, L x W, approx.	cm	211 x 80 / 207 x 80 / 211 x 198 ○
Sleeping berths standard / max.		4
Standard engine		140 Multijet 3
kW (bhp)		103 (140)
Mass in running order (+/-5%)*	kg	2980 (2831 to 3129)*
Manufacturer-specified mass for optional equipment*	kg	180
Technically permissible maximum laden mass*	kg	3499
Permitted number of seats (including driver)*		4
Refrigerator volume (thereof freezer), approx.	l	137 (15) / 137 (15) ○
Waste water tank, approx.	l	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	116 / 20
Measurement storage opening left (W x H)	cm	90 x 75 / 90 x 110 ○
Measurement storage opening right (W x H)	cm	90 x 75 / 90 x 110 ○

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Zum Zeitpunkt der Veröffentlichung nicht bekannt



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
Fiat chassis					
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	●	●	●	●	●
Steel rims 15" (215/70 R15C) incl. full wheel covers	●	●	●	●	●
Fiat chassis features					
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	●	●	●	●	●
Anti-theft device	●	●	●	●	●
Automatic Brake Assist after a collision	●	●	●	●	●
Captain seats: integrated headrests, two armrests, swivel function	●	●	●	●	●
Crosswind Assist	●	●	●	●	●
Cruise control	●	●	●	●	●
Cup holder in the centre of the dashboard	●	●	●	●	●
Diesel tank 75 litre incl. 19L AdBlue tank	●	●	●	●	●
Driver and passenger airbags	●	●	●	●	●
Driver and passenger detection	●	●	●	●	●
Driver's cab manual A/C	●	●	●	●	●
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	●	●	●	●	●
Front-wheel drive	●	●	●	●	●
GRP lightweight leaf spring	●	●	●	●	●
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat	●	●	●	●	●
Leather steering wheel and gear knob with leather sleeve	●	●	●	●	●
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	●	●	●	●	●
Pleated blinds in the windscreen and side windows of the driver's cab for the best insulation and privacy	●	●	●	●	●
Trailer Stability Assist	●	●	●	●	●
Tyre inflation kit and towing eye	●	●	●	●	●
Widened rear axle	●	●	●	●	●
Exterior features					
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	●	●	●	●	●
70 cm wide habitation door	●	●	●	●	●
Bedroom window right and left	●	●	●	●	●
Driver's cab door left	●	●	●	●	●
EPS insulation	●	●	●	●	●
Even Iso-Protect comfort floor in the living area without landings	●	●	●	●	●
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	●	●	●	●	●
Flyscreen habitation door	●	●	●	●	●
GRP roof	●	●	●	●	●
Habitation access with comfortable coupe entrance	●	●	●	●	●
Habitation access with comfortable, wide, electric step	●	●	●	●	●
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	●	●	●	●	●
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	●	●	●	●	●
Panoramic skylight 75x105 cm in the lounge	●	●	●	●	●
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	●	●	●	●	●
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	●	●	●	●	●
Exterior design					
Exterior body painted in white	●	●	●	●	●
Interior design					
Upholstery Saros	●	●	●	●	●
Wood décor Ashton	●	●	●	●	●
Textile equipment					
Fixed beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	●	●	●	●	●
Furniture layouts					
AirPlus overhead locker rear ventilation to avoid condensation	●	●	●	●	●

Standard equipment

	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
Comfortable lounge seating group with 2 folding seats incl. 3-point belts incl. Isofix and free-standing, rigid table base	—	—	—	●	●
Double bed high in the rear, transverse	—	●	—	—	—
Floor-to-ceiling closet with pull-out step for convenient access to the bed	—	●	—	—	—
Floor-to-ceiling wooden sliding door to the bedroom	—	—	●	●	●
Height-adjustable double bed	—	—	—	●	—
Low single-beds for comfortable access and high headroom	●	—	●	—	●
Manual pull-down bed in the driver's cab	●	●	●	●	●
Modern entrance shelf with practical storage compartments and tension straps	●	●	●	●	●
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	—	●	—	—	—
Overhead locker doors with soft-close function	●	●	●	●	●
Overhead lockers in the rear area	●	—	●	—	●
Seating area with mountable and extendible table and two integrated 3-point seatbelts	●	●	●	—	—
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●
Two practical tension nets under the overhead locker in the rear bed	●	●	●	●	●
Wardrobe to the left and right of the queen-size bed	—	—	—	●	—
Kitchen					
Fridge (137 l)	●	●	●	●	●
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	●	●	●	●	●
Kitchen backsplash with spice rule	●	●	●	●	●
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	●	●	●	●	●
Bathroom					
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	●	●	●	●	●
Large bathroom with separate shower and toilet with locking door to the lounge	—	—	●	●	●
Heating					
Digital control element for hot-air heating	●	●	●	●	●
Gas hot-air heating 6kW with hot-water boiler	●	●	●	●	●
Heating in the seating unit for optimum heat distribution, built-in	●	●	●	●	●
Electrical installation					
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	●	●	●	●	●
Awning light 12 V	●	●	●	●	●
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	●	●	●	●	●
Functional lighting (surface-mounted and recessed spotlights)	●	●	●	●	●
LED lighting throughout the vehicle	●	●	●	●	●
Leisure battery AGM, 95 Ah	●	●	●	●	●
Number of sockets 1x 12V, 7x 230V, 4x USB	●	●	●	●	●
On-board control panel	●	●	●	●	●
Spotlights in the roof lining above the habitation door	●	●	●	●	●
Water supply					
Fresh water tank in insulated and heated area	●	●	●	●	●
Submersible pump	●	●	●	●	●
Gas supply					
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	●	●	●	●	●

PACKAGES TREND A CLASS

Package	Package X (awning 4.5 m) (13734)	Package X (5m awning) (13734)	Package One (4.5m awning) (13732)	Package One (5m awning) (13732)	Package Two (4.5m awning) (13733)	Package Two (5m awning) (13733)
Integrated single-lens reversing camera	x	x	x	x	x	x
Omnistor cassette awning 4.5 m (manual)	x		x		x	
Omnistor cassette awning 5.0 m (manual)		x		x		x
Flat-screen TV bracket			x	x	x	x
Automatic HD satellite system 65 Twin			x	x	x	x
Flat screen 22" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver)			x	x		
Flat screen 32" HD TV (incl. DVD player, HDMI, DVB-S2 satellite receiver and terrestrial DVB-T2 receiver)					x	x
Additional weight (kg)*	39	41	55.5	57.5	58.5	60.5

Package	Family Package I 6817, 7057 EB (13849)	Family Package I 6877 (13849)	Family Package I 7057 EBL (13849)	Family Package I 7057 DBL (13849)
Habitation door with window incl. blackout and central locking (incl. cab door)	x	x	x	x
Light Moments: Indirect ambient lighting above the overhead lockers	x	x	x	x
Light Moments: Indirect wall surface ambient lighting	x	x	x	x
Light Moments: illuminated kitchen splashback	x	x	x	x
Light Moments: Indirect lighting in the bathroom with illuminated shower panel	x	x	x	x
Preparation for radio system incl. sound package in the driver's cabin	x	x	x	x
DAB+ radio antenna mounted on the roof	x	x	x	x
Light Moments: Entrance segment with indirect lighting	x	x	x	x
Light Moments: Clad seat chest side with indirect lighting	x	x		
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	x	x		
Option to convert single beds to double bed	x		x	
Additional weight (kg)*	27.7	20.2	18.2	10.7



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Winter Comfort Package ALDE (13736)	Winter Comfort Package ALDE (13736)
Switch for water pump	x	x
Insulated under-floor pipes	x	x
Insulated waste water tank	x	x
Waste water tank and pipes electrically heated	x	x
Hot-water carpet for the driver's cab	x	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	x	
XPS insulation	x	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		x
XPS insulation		x
Additional weight (kg)*	68.7	75.7

Package	Winter Comfort Package hot-air heating (13735)	Winter Comfort Package hot-air heating (13735)
Switch for water pump	x	x
Insulated under-floor pipes	x	x
Insulated waste water tank	x	x
Waste water tank and pipes electrically heated	x	x
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	x	x
XPS insulation	x	
XPS insulation		x
Additional weight (kg)*	26.2	27.2

Package	Chassis Package (13848)	GT Package (13850)
Dashboard with aluminium application	x	x
Driver's cab automatic A/C	x	x
Electric parking brake	x	x
Diesel tank 90 litre incl. 19L AdBlue tank	x	x
Steering wheel with control elements	x	x
Alloy wheel Fiat 16 "	x	x
LED daytime running lights	x	x
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens		x
Exterior design GT (rear light moulding with black diffuser, extended stickers, skidplate "red")		x
Additional weight (kg)*	25.5	27.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first reversing camera

Pre-wiring for second reversing camera

Additional weight (kg)*

7.6

△ Zum Zeitpunkt der Veröffentlichung nicht bekannt



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
Fiat chassis								
Alloy wheel Fiat 16 "	CH-P, GT-P	20	8922	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 140 (2.2 l / 103 kW / 140 hp), 9-speed torque converter automatic transmission	—	35	140A	○	○	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 6-speed manual transmission	—	0	180S	—	—	○	○	○
Fiat Ducato Light low platform (3,499 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 9-speed torque converter automatic transmission	—	35	180A	○	○	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 6-speed manual transmission	—	40	M180S	—	—	○	○	○
Fiat Ducato Maxi low platform (4,250 kg), Multijet 180 (2.2 l / 132 kW / 180 hp), 9-speed torque converter automatic transmission	—	40	M180A	○	○	○	○	○
Weight upgrade								
Weight upgrade 3,650 kg	—	0	10769	○	○	○	○	○
Fiat chassis features								
Additional seat ¹³⁾	—	14.5	435	—	○	○	—	—
Rear corner steadies (2 pieces)	—	6	390	○	○	○	○	○
Reinforced spring for front axle	—	3.75	1889	○	○	○	○	○
Tow bar (check permissible gross towing weight for trailer operation)	—	65	273	○	○	—	—	—
Tow bar (check permissible gross towing weight for trailer operation)	—	66	273	—	—	○	○	○
Exterior features								
Bike rack for 3 bikes (lowerable)	—	20.7	7482	○	○	○	○	○
Bike rack for 3 bikes (rear)	—	10.5	938	○	○	○	○	○
Double floor in rear garage	—	12	1890	—	—	○	○	○
Double floor in rear garage	—	13	1890	○	○	—	—	—
Roof vent with fan	—	1.5	7507	○	○	○	○	○
Stable, double-glazed flush-fitting windows with integrated blinds and flyscreens	GT-P	1	415	○	○	○	○	○
Interior design								
Heron partial faux leather upholstery	—	0	13726	○	○	○	○	○
Upholstery Yoko	—	0	13725	○	○	○	○	○
Textile equipment								
Carpet, loose	—	6.2	851	○	—	—	—	—
Carpet, loose	—	5.5	851	—	○	—	—	—
Carpet, loose	—	7.1	851	—	—	○	—	—
Carpet, loose	—	7.5	851	—	—	—	—	○
Carpet, loose	—	8.5	851	—	—	—	○	—
Furniture layouts								
Bed convert for seating lounge transverse	—	5.5	1944	—	○	—	—	—
Bed convert for seating lounge transverse	—	8	1944	—	—	○	—	—
High-level single beds incl. comfortable access via steps	—	13	652	○	—	—	—	—
High-level single beds incl. comfortable access via steps	—	10.5	652	—	—	○	—	○
ISOFIX child seat bracket for third and fourth seat facing direction of travel	—	4	8125	○	○	○	—	—
Option to convert single beds to double bed	FA-P	7.5	1883	○	—	○	—	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
Kitchen								
Fridge (137 l) with integrated oven	—	12	290	—	—	○	—	—
Fridge (137 l) with integrated oven	—	11	290	—	—	—	○	○
Bathroom								
Additional window in bathroom	—	5	372	○	○	○	○	○
Shower grid	—	2	1657	○	○	○	○	○
Multimedia								
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel	—	3.65	9582	○	○	○	○	○
Second reversing camera in rear moulding	—	1	11541	○	○	○	○	○
Heating								
Floor heating electric (partial) ¹⁰⁾	—	5	763	○	○	○	○	○
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	WI-KO	1	330	○	○	○	○	○
Heat exchanger for hot-water heating ¹⁸⁾	—	7.5	565	○	○	○	○	○
Hot-water carpet for the driver's cab ¹⁸⁾	WI-KO	3.5	6709	○	○	○	○	○
Hot-water floor heating ¹⁸⁾	—	11	1603	○	○	○	○	○
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	40	761	○	○	—	—	—
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	WI-KO	46	761	—	—	○	○	○
Electrical installation								
2nd Leisure battery Dual Battery System (Lithium), 140 Ah ¹¹⁾	—	19	13968	○	○	○	○	○
Second leisure battery AGM, 95 Ah	—	27	830	○	○	○	○	○
Solar power system 100 watt	—	12.6	922	○	○	○	○	○
Water supply								
Insulated waste water tank	WI-KO	11	13742	○	○	○	○	○
Outdoor shower (cold water)	—	0.5	793	○	○	○	○	○
Switch for water pump	WI-KO	0.2	397	○	○	○	○	○
Gas supply								
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	—	2.5	1577	○	○	○	○	○
Safety								
2 kg fire extinguisher	—	4	1878	○	○	○	○	○
Safe	—	4.7	13739	○	○	○	○	○
Smoke detector	—	0.2	1891	○	○	○	○	○
Packages								
Chassis Package	—	25.5	13848	○	○	○	○	○
Family Package I 6817, 7057 EB	—	27.7	13849	○	—	○	—	—
Family Package I 6877	—	20.2	13849	—	○	—	—	—
Family Package I 7057 DBL	—	10.7	13849	—	—	—	○	—
Family Package I 7057 EBL	—	18.2	13849	—	—	—	—	○
GT Package	—	27.5	13850	○	○	○	○	○
Package One (4.5m awning)	—	55.5	13732	○	○	—	—	—



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Optional equipment**

	Included in package	Additional weight (kg)*	Code	I 6817 EB	I 6877	I 7057 EB	I 7057 DBL	I 7057 EBL
Package One (5m awning)	—	57.5	13732	—	—	○	○	○
Package Two (4.5m awning)	—	58.5	13733	○	○	—	—	—
Package Two (5m awning)	—	60.5	13733	—	—	○	○	○
Package X (5m awning)	—	41	13734	—	—	○	○	○
Package X (awning 4.5 m)	—	39	13734	○	○	—	—	—
Pre-wiring kit	—	7.6	11350	○	○	○	○	○
Winter Comfort Package ALDE	—	68.7	13736	○	○	—	—	—
Winter Comfort Package ALDE	—	75.7	13736	—	—	○	○	○
Winter Comfort Package hot-air heating	—	26.2	13735	○	○	—	—	—
Winter Comfort Package hot-air heating	—	27.2	13735	—	—	○	○	○
Miscellaneous								
Registration documents (CoC papers)	—	0	15152	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory ▲ Zum Zeitpunkt der Veröffentlichung nicht bekannt

CH-P Chassis Package GT-P GT Package FA-P Family Package WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.