


# Caravans 2025

## Technical Information

Valid from August 1st, 2024



# Dethleffs Plus Factors –

## Explanation of symbols

In the Dethleffs caravans, there are a lot of smart ideas and standard features for more safety and comfort. Here we present the most important ones with the corresponding symbols which can be found on the pages of the vehicle. More detailed information can be found at: [www.dethleffs.com/plus-factors](http://www.dethleffs.com/plus-factors).

### Family benefits



**Happy family:** Layouts with bunk beds – ideal for families. Up to three bunk beds available as an option.



**Practical refrigerator** with large volume and separate freezer compartment (details see technical data)

### Added equipment



**Winter expert!** Winter-proof caravans thanks to optional Winter Comfort Packages (option)



**Agile travelling** – with caravans that go up to 100 km/h



**For a healthy room climate:** Optimum ventilation of the overhead lockers avoids condensation



**System Information Unit:** The SIU control unit incl. the sensors for displaying the vehicle leveling and the battery voltage are installed as standard (further sensors optionally available via Dethleffs Original Accessories)

### Added comfort



**Inviting:** 70 cm wide XXL entrance door



**SleepWell:** Fixed beds with 7-zone mattresses with ergonomic wooden slatted bed frames



**More room:** Fold-away lower bunk bed for more storage or greater playground (dep. on model)



**Practical pull-down bed** for easy stowage above the seating group (depending on model)



**More legroom:** One-leg telescopic table with easy lowering function for converting the lounge to bed (depending on model)

### Added safety



**Vehicle roof** made of robust GRP – protects from unusual weather conditions



**Roof, front and rear** made of robust GRP



**Better safe than sorry:** Benefit from Safety Packages for more safety on the road (option)



**Safety on the road:** Brand chassis from safety experts



**Safety clutch:** Stabilises rolling and pitching movements



**Safety on the road:** Thanks to the outstanding deceleration values and automated re-adjustment




# IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR CARAVAN

When purchasing a caravan, it is especially important to select not only an appealing design, but also the right layout. Weight also plays an essential role here. Family, friends, optional equipment, accessories, and baggage – there should be enough space for all of this. At the same time, there are legal and technical limits for configuration and loading. Each caravan is designed for a certain weight which must not be exceeded during travel. This raises a question for caravan buyers: How should I configure my vehicle to accommodate baggage and accessories according to my needs without causing the vehicle to exceed this maximum weight? To help you make this decision, we have provided you some information below that is particularly important when selecting your vehicle from our product range:

## 1. The technically permissible maximum laden mass...

... is a value specified by the manufacturer which the vehicle must not exceed. Based on the layout, Dethleffs specifies an upper limit for the vehicle, which can vary from layout to layout (e.g. 1,600 kg, 1,700 kg). You will find the corresponding specification for each layout in the technical data.




Caravans		460 EL	470 ER	470 FR	500 QSK
Sleeping berths standard / max.		3	3	4	5/6 ○
● Technically permissible maximum laden mass*	kg	1500	1500	1500	1500
Manufacturer-specified mass for optional equipment*	kg	180	188	158	96
● Mass in running order (± 5 %)*	kg	1235 (1173 to 1297)*	1225 (1164 to 1286)*	1245 (1183 to 1307)*	1295 (1130 to 1360)*

## 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value specified in the sales documents. The permissible tolerance is ± 5%. The permissible range in kilograms is stated in parentheses after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trading partner of the weighing result of your vehicle for forwarding to you. For detailed explanations of the mass in running order and the effect of tolerances on the minimum payload and the payload, please refer to the “Legal notes” section.

### 3. The standard sleeping berths...

... are specified by the manufacturer and shown in the sales documents. The number of sleeping berths can be increased (e.g. 3-person bunk bed) or, if required, reduced (e.g. sideboard instead of seating group) by selecting optional equipment.



Caravans		460 EL	470 ER	470 FR	500 QSK
● Sleeping berths standard / max.		3	3	4	5/6 ○
Technically permissible maximum laden mass*	kg	1500	1500	1500	1500
● Manufacturer-specified mass for optional equipment*	kg	180	188	158	96
Mass in running order ((± 5 %)*	kg	1235 (1173 to 1297)*	1225 (1164 to 1286)*	1245 (1183 to 1307)*	1295 (1130 to 1360)*

### 4. The mass for optional equipment specified by the manufacturer...

... is a value set for each layout by Dethleffs for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, we will check together with your trading partner and you whether we should, for example, increase the load capacity of the vehicle or remove optional equipment before delivering the vehicle. For detailed explanations of the effects of the tolerances on the minimum payload and the payload, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Price	Additional weight (kg)*	Code	460 EL	470 ER	470 FR
<b>Bathroom</b>							
Bathroom in alternative design	-	399,-	4	604	-	-	-
<b>Multimedia</b>							
Multifunctional external connection, 12 V, 220 V, TV and SAT	-	1.129,-	10	1049	-	○	○
Flat screen TV 22" incl. DVD player and receiver	-	999,-	3.5	1103	○	○	○

### 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the payload. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the mass for optional equipment specified by the manufacturer.



# INDEX CARAVANS

<b>IMPORTANT INFORMATION</b>	REGARDING THE SELECTION OF YOUR CARAVAN .....	3
<b>c'joy</b>	c'joy .....	6
<b>c'go &amp; c'go up</b>	c'go & c'go up.....	12
<b>Camper®</b>	Camper® .....	22
<b>Nomad</b>	Nomad.....	35
<b>Beduin Scandinavia</b>	Beduin Scandinavia.....	48
<b>LEGAL NOTES ON</b>	WEIGHT-RELATED INFORMATION .....	56
	TECHNICAL INFORMATION / FOOTNOTES.....	58

# c'joy

## Perfect for beginners

The c'joy has everything you need to experience great freedom. Thanks to its compact dimensions and low weight, it is also suitable for small cars and, depending on the towing vehicle, can also be driven with a class B driving licence. Nevertheless, it offers enough space - and that for up to 6 people - depending on the model. This makes holidays fun!

## Upholstery



+ Upholstery Timor



+ Upholstery Kapan

○

## Wood décor



+ Wood décor Tindari Bora

○ optionally available

## Technical info

Overall length, approx.	622 - 714 cm
Overall width, approx.	212 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Plus factors

- + Don't be afraid of narrow passages: with a width of just 212 cm, it is very easy to ride
- + Real lightweight: With the appropriate towing vehicle, a class B driving licence is often sufficient
- + Protects you from bad weather: roof, front and rear made of robust GRP
- + The perfect entry-level caravan: attractively priced and everything you need inside and out
- + You don't have to do without anything: The large storage compartments there is room for everything you need



# c'joy

## Technical info



c'joy		410 LK	420 QSH	460 LE	480 FSH	480 QLK
Standard chassis		Lightweight chassis, 1100 kg	Lightweight chassis, 1100 kg	Lightweight chassis, 1200 kg	Lightweight chassis, 1200 kg	Lightweight chassis, 1200 kg
Overall length, approx.	cm	622	625	675	708	714
Body length approx.	cm	499	503	553	593	593
Overall width, approx.	cm	212	212	212	212	212
Overall height, approx.	cm	265	265	265	265	265
Circumferential dimension awning approx.	cm	914	918	968	1008	1008
Headroom in living area, approx.	cm	198	198	198	198	198
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	190 x 140 - 115	195 x 150	190 x 100 - 90	200 x 160	190 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm		170 x 90 - 80		170 x 90	190 x 120
Bed dimension: Rear bed, L x W, approx.	cm	190 x 65 / 190 x 70 / 2x 190 x 70 ○ / 190 x 60 ○		200 x 80 / 195 x 80 / 200 - 195 x 190 ○		190 x 60 / 190 x 70 / 2x 190 x 60 ○ / 190 x 70 ○
Sleeping berths standard / max.		4 / 5 ○	3	3	3	5 / 6 ○
Mass in running order (+/-5%)*	kg	950 (903 to 998)*	920 (874 to 966)*	960 (912 to 1008)*	1025 (974 to 1076)*	1065 (1012 to 1118)*
Manufacturer-specified mass for optional equipment*	kg	60	100	155	86	126
Technically permissible maximum laden mass*	kg	1100	1100	1200	1200	1300
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	131,5 (15)	131,5 (15)	83 (8,2)	131,5 (15)	131,5 (15)
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	12 / 12	12 / 12	12 / 12	12 / 12	12 / 12
Sockets: 12 V / 230 V / USB		0 / 3 / 0	0 / 3 / 0	0 / 3 / 0	0 / 3 / 0	0 / 2 / 0

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.



# Standard equipment

	410 LK	420 QSH	460 LE	480 FSH	480 QLK
<b>Chassis</b>					
Chassis galvanised, with overrun braking system and automatic reverse	●	●	●	●	●
Tyres on steel wheels 185 R14 C 8 PR, up to and including 1.600 kg	●	●	●	●	●
<b>Chassis features</b>					
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●
<b>Exterior features</b>					
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●
Front, rear and roof made of robust GRP	●	●	●	●	●
Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●
Two-piece entrance door	●	●	●	●	●
<b>Exterior design</b>					
Sides in hammer finish, white	●	●	●	●	●
<b>Access locker doors</b>					
Access locker door rear right side 560x1150 mm	●	—	—	—	●
<b>Interior design</b>					
Upholstery Timor	●	●	●	●	●
Wood décor Tindari Bora	●	●	●	●	●
<b>Textile equipment</b>					
7-zones cold foam mattress single bed, left side, standard	—	—	●	—	—
7-zones cold foam mattress single bed, right side, standard	—	—	●	—	—
Cold foam double bed mattress	—	●	—	●	●
<b>Furniture layouts</b>					
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	●	—	—	—	●
Bunk beds with safety net and ladder	●	—	—	—	●
Seating lounge converts to bed	●	●	●	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●
<b>Kitchen</b>					
Practical 3-flames cooker with manual ignition	●	●	●	●	●
Spacious fridge with 83 liters volume and 8.2 liters freezer compartment	—	—	●	—	—
Spacious refrigerator with 131.5 litre capacity and 15 litre freezer compartment	●	●	—	●	●
<b>Bathroom</b>					
Shapely washbasin	●	●	●	●	●
Shower tray	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●
<b>Heating</b>					
Gas heating S 3004 with automatic ignition	●	●	●	●	●
<b>Electrical installation</b>					
Awning light 12V	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●
<b>Water supply</b>					
Electric water supply	●	●	●	●	●
Fresh water canister 12 l	●	●	●	●	●
<b>Miscellaneous</b>					
SIU-ready (preparation for SIU control unit)	●	●	●	●	●

# Packages c'joy

Package	Dynamic Package (13094)	Dynamic Package (13274)	Dynamic Package (13275)
Safety coupling	x	x	x
Shock absorbers	x	x	x
Fresh water tank 44 l	x	x	x
Mobile 22 l waste water tank	x	x	x
Spare wheel carrier in gas locker	x	x	x
Access locker door front right side 1000x420 mm	x		
Access locker door rear right side 1000x420 mm		x	
Access locker door front right side 750x300 mm			x
Additional weight (kg)*	28.1	28.1	28.1

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	x	x
Battery charger	x	x
Central 12V main switch	x	x
Voltage display	x	x
Fan 12V for S 3004	x	
Additional weight (kg)*	31	29

Touring Package (9243)	
Hot water supply	
Hot air system	
Skylight 700 x 500 mm	
Flyscreen door	
Additional weight (kg)*	13

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	410 LK	420 QSH	460 LE	480 FSH	480 QLK
<b>Chassis</b>								
17" alloy wheels in Dethleffs design (single axle)	—	1	11608	○	○	○	○	○
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	—	1	836	○	○	○	○	○
<b>Weight upgrade</b>								
Weight upgrade to 1.200 kg (without chassis change)	—	0	134	○	○	—	—	—
Weight upgrade to 1.300 kg (without chassis change)	—	0	135	—	○	—	—	—
Weight upgrade to 1.360 kg (without chassis change)	—	0	9619	○	○	○	○	○
Weight upgrade to 1.500 kg	—	20	136	—	○	—	—	—
Weight upgrade to 1.500 kg	—	0	136	—	—	—	○	○
<b>Chassis features</b>								
Draw bar cover	—	2.5	13098	○	○	○	○	○
ETS Plus stabilisation system	—	5.3	10764	○	○	○	○	○
Safety coupling <sup>1)</sup>	—	15.7	13096	○	○	○	○	○
Shock absorbers <sup>1)</sup>	—	0.4	13097	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	—	○	—	○	○
Spare tyre with alloy wheel 215/60 R17 C LI 109	—	24.1	11540	○	○	○	○	○
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	—	○	—	○	○
Wheel trims for 14" tyres	—	0.5	276	○	○	○	○	○
<b>Exterior features</b>								
Flyscreen door	—	3	360	○	○	○	○	○
Front window	—	3	982	●	○	●	○	○
Kitchen window, sliding (change of window shape)	—	3	6406	○	○	○	○	○
Opening window in bathroom	—	2	1028	○	○	○	○	○
Rear window	—	4	1108	—	—	○	—	—
Skylight 700 x 500 mm	—	8	11575	○	○	○	○	○
Spare wheel carrier in gas locker	—	1	432	○	○	○	○	○
<b>Access locker doors</b>								
Access locker door front left side 1000x420 mm	—	2	6415	—	○	—	—	○
Access locker door front right side 1000x420 mm	—	2	6416	—	○	—	○	○
Access locker door front right side 750x300 mm	—	2	6420	○	—	—	—	—
Access locker door rear left side 1000x420 mm	—	2	6417	—	—	○	—	—
Access locker door rear right side 1000x420 mm	—	2	6418	—	—	○	—	—
<b>Interior design</b>								
Upholstery Kapan	—	0	13226	○	○	○	○	○
<b>Furniture layouts</b>								
Bunk bed with 3 sleeping berths, not foldable	—	21	200	○	—	—	—	○
Single beds convert to double bed	—	6	685	—	—	○	—	—
<b>Multimedia</b>								
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○
<b>Heating</b>								
Fan 12V for S 3004	—	2	177	○	○	○	○	○
Hot air system	—	0	142	○	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	410 LK	420 QSH	460 LE	480 FSH	480 QLK
<b>Air Conditioning</b>								
Pre-wiring for A/C	—	3.5	172	○	○	○	○	○
<b>Electrical installation</b>								
Additional lighting through LED spotlights	—	2	9692	○	○	○	○	○
USB port for spotlight bar	—	0.5	9989	○	○	○	○	○
<b>Water supply</b>								
Fresh water tank 44 l	—	6	9240	○	○	○	○	○
Hot water supply	—	2	123	○	○	○	○	○
Mobile 22 l waste water tank	—	3	367	○	○	○	○	○
Shower equipment with shower fittings and curtain	—	3	1097	○	○	○	○	○
<b>Gas supply</b>								
Gas detection system	—	0.5	10058	○	○	○	○	○
<b>Packages</b>								
Autonomy Package I <sup>3)</sup>	—	31	10011	○	○	○	○	○
Autonomy Package II	—	29	10012	○	○	○	○	○
Dynamic Package <sup>2)</sup>	—	28.1	13094	—	○	—	○	○
Dynamic Package <sup>2)</sup>	—	28.1	13274	—	—	○	—	—
Dynamic Package <sup>2)</sup>	—	28.1	13275	○	—	—	—	—
Touring Package	—	13	9243	○	○	○	○	○
<b>Miscellaneous</b>								
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed


value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# c'go & c'go up

## Caravans to go

The c'go makes you want to pack your bags and go on tour right away. Be inspired by the modern interior and feel at home, no matter where your journey takes you. In addition, the c'go has a wide choice of layouts: from the small compact to the spacious family caravan. Only the c'go up promises more freedom with its clever pull-down bed above the seating group, making it the ideal travel companion and particularly popular with young couples and small families. When do we leave?

## Upholstery



+ Upholstery Ronda




+ Upholstery Estepona



+ Upholstery Manilva

## Wood décor



+ WEB Alaska White

optionally available

## Technical info

Overall length, approx.	631 - 803 cm
Overall width, approx.	220 - 250 cm
Overall height, approx.	261 - 271 cm
Headroom in living area, approx.	198 - 208 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + Lightweight: So light, in many cases you can even tow it with a class B driving licence (depending on the towing vehicle)
- + Something for everyone: thanks to the large selection of layouts
- + Protects you from bad weather: roof, front and rear made of robust GRP
- + Fresh look: chic, modern interior design and a stylish selection of upholstery to suit individual tastes
- + c'go up with standard fold-down bed (200 x 140 cm lying surface) above the seating group



# c'go & c'go up

## Technical info



c'go & c'go up		415 QL	475 EL	475 FR	495 FR
Standard chassis		Lightweight chassis, 1200 kg	Lightweight chassis, 1300 kg	Lightweight chassis, 1300 kg	Lightweight chassis, 1360 kg
Overall length, approx.	cm	631	676	680	725
Body length approx.	cm	498	552	558	588
Overall width, approx.	cm	220	230	230	230
Overall height, approx.	cm	261	261	261	261
Circumferential dimension awning approx.	cm	902	955	962	992
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	200 x 135	210 x 85 / 185 x 85 / 200 x 190 ○	205 x 144 - 110	200 x 145 - 110
Bed dimension: Central / middle bed, L X W, approx.	cm				
Bed dimension: Rear bed, L x W, approx.	cm	200 x 130 - 100	210 x 105	212 x 132 - 149	210 x 150 - 130
Sleeping berths standard / max.		3	3	4	4
Mass in running order (+/-5%)*	kg	1005 (955 to 1055)*	1125 (1069 to 1181)*	1135 (1078 to 1192)*	1160 (1102 to 1218)*
Manufacturer-specified mass for optional equipment*	kg	115	90	69	101
Technically permissible maximum laden mass*	kg	1200	1300	1300	1360
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	78 (11)	78 (11)	137 (15)	137 (15)
Waste water tank, approx.	l	23	23	23	23
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	44 / 15	44 / 15	44 / 15	44 / 15
Sockets: 12 V / 230 V / USB		0 / 5 / 0	0 / 5 / 0	0 / 5 / 0	0 / 5 / 0




\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# ć'go & ć'go up

## Technical info



ć'go & ć'go up		495 QSK	565 FMK	up 465 KR	up 525 KR
Standard chassis		Lightweight chassis, 1360 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	714	803	682	756
Body length approx.	cm	587	672	551	623
Overall width, approx.	cm	230	250	230	230
Overall height, approx.	cm	261	261	271	271
Circumferential dimension awning approx.	cm	990	1086	968	1040
Headroom in living area, approx.	cm	198	198	208	208
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	210 x 135	205 x 165 - 130	2x 210 x 95	205 x 75 / 200 x 75 / 175 x 90 - 80
Bed dimension: Central / middle bed, L X W, approx.	cm	190 x 90	200 x 110		
Bed dimension: Rear bed, L x W, approx.	cm	2x 210 x 75 / 3x 210 x 75 ○	2x 200 x 80 / 2x 200 x 80 ○ / 200 x 70 ○	200 x 145 / 210 x 170 - 160	200 x 145 / 212 x 170 - 160
Sleeping berths standard / max.		5 / 6 ○	5 / 6 ○	6	7
Mass in running order (+/-5%)*	kg	1165 (1107 to 1223)*	1370 (1302 to 1439)*	1230 (1169 to 1292)*	1340 (1273 to 1407)*
Manufacturer-specified mass for optional equipment*	kg	86	113	155	128
Technically permissible maximum laden mass*	kg	1360	1600	1500	1600
Heating		S 3004, 3.5 kW Gas	S 5004, 6 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	23	23	23	23
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	44 / 15	44 / 15	44 / 15	44 / 15
Sockets: 12 V / 230 V / USB		0 / 5 / 0	0 / 6 / 0	0 / 5 / 0	0 / 6 / 0

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	415 QL	475 EL	475 FR	495 FR	495 QSK	565 FMK	up 465 KR	up 525 KR
<b>Chassis</b>								
Tyres on steel wheels 185 R14 C 8 PR, up to and including 1.600 kg	●	●	●	●	●	●	●	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●	●	●
<b>Chassis features</b>								
AAA self-adjusting brake	—	—	—	—	—	—	●	●
ACS stabiliser	●	●	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●	●	●
Lightweight zinc-plated corner steadies	●	●	●	●	●	●	●	●
Octagon shock absorber	●	●	●	●	●	●	●	●
<b>Exterior features</b>								
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●	●	●
Front, rear and roof made of robust GRP	●	●	●	●	●	●	●	●
One-piece habitation door	●	●	●	●	●	●	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	—	●	●	●	●	●	●
Skylight Mini Heki	●	—	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●	●	●
<b>Exterior design</b>								
Sides in hammer finish, white	●	●	●	●	●	●	●	●
<b>Access locker doors</b>								
Access locker door front right side 1000x420 mm	●	●	●	●	●	—	—	—
Access locker door front right side 749x297 mm	—	—	—	—	—	—	●	—
Access locker door front right side 997x419 mm	—	—	—	—	—	—	—	●
<b>Interior design</b>								
Upholstery Ronda	●	●	●	●	●	●	●	●
WEB Alaska White	●	●	●	●	●	●	●	●
<b>Textile equipment</b>								
7-zones cold foam mattress single bed, left side, standard	—	●	—	—	—	—	—	—
7-zones cold foam mattress single bed, right side, standard	—	●	—	—	—	—	—	—
Cold foam double bed mattress	●	—	●	●	●	●	●	●
<b>Furniture layouts</b>								
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	—	—	●	●	●	●
Bunk beds with safety net and ladder	—	—	—	—	●	●	●	●
Seating lounge converts to bed	●	●	●	●	●	●	●	●
Spacious pull-down bed above seating lounge, with manual control	—	—	—	—	—	—	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●	●	●
<b>Interior features</b>								
Smoke detector	●	●	●	●	●	●	●	●
<b>Kitchen</b>								
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	—	—	●	●	●	●	●	●
Practical 3-flames cooker with electric ignition	●	●	●	●	●	●	●	●
Spacious fridge with 78 liters volume and 11 liters freezer compartment	●	●	—	—	—	—	—	—
<b>Bathroom</b>								
Shapely washbasin	●	●	●	●	●	●	●	●
Shower tray	●	●	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●	●	●
<b>Heating</b>								
Gas heating S 3004 with automatic ignition	●	●	●	●	●	—	●	●



# Standard equipment

	415 QL	475 EL	475 FR	495 FR	495 QSK	565 FMK	up 465 KR	up 525 KR
Gas heating S 5004 with automatic ignition	—	—	—	—	—	●	—	—
<b>Electrical installation</b>								
Additional lighting through LED spotlights	●	●	●	●	●	●	●	●
Awning light 12V	●	●	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●	●	●
LED spots in front and rear seating lounges	●	●	●	●	●	●	●	●
<b>Water supply</b>								
Electric water supply	●	●	●	●	●	●	●	●
Fresh water tank 44 l	●	●	●	●	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●	●	●
<b>Miscellaneous</b>								
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	●	●	●	●	●	●	●	●

## Packages c'go & c'go up

Package	Safety Package (9556)	Safety Package (9556)
ATC Trailer Control	x	x
DuoControl safety gas pressure regulator with crash sensor	x	
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater		x
Additional weight (kg)*	4.4	4.4

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	x	x
Battery charger	x	x
Central 12V main switch	x	x
Voltage display	x	x
Fan 12V for S 3004	x	
Additional weight (kg)*	31	29



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Edition 10 Package 415 QL (14232)	Edition 10 Package 475 EL/FR (14232)	Edition 10 Package 495 FR (14232)	Edition 10 Package 495 QSK (14232)	Edition 10 Package 565 FMK (14232)	Edition 10 Package up 465 KR (14234)	Edition 10 Package up 525 KR (14236)
Draw bar cover	x	x	x	x	x	x	x
17" alloy wheels in Dethleffs design (single axle)	x	x	x	x	x	x	x
Corner steadies incl. large-area support feet	x	x	x	x	x	x	x
Hot water supply	x	x	x	x	x	x	x
Flyscreen door	x	x	x	x	x	x	x
Hot air system	x	x	x	x	x	x	x
Heki II skylight incl. illuminated roof lining	x	x	x	x	x	x	x
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	x						
Front window	x	x	x	x	x		
Indirect lighting	x	x	x	x	x	x	x
Shower equipment with shower fittings and curtain	x	x	x	x	x	x	x
ATC Trailer Control	x	x	x	x	x	x	x
Smooth sides white	x	x				x	
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)		x					
Smooth sides white			x	x	x		x
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)			x				
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)				x			
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)					x		
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)						x	
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)							x
Additional weight (kg)*	65	86	94	66	56	55	55

#### Touring Package (7345)

Hot water supply

Hot air system

Flyscreen door

Heki II skylight incl. illuminated roof lining

Additional weight (kg)\*

15

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	415 QL	475 EL	475 FR	495 FR	495 QSK	565 FMK	up 465 KR	up 525 KR
<b>Chassis</b>											
17" alloy wheels in Dethleffs design (single axle)	—	1	11608	○	○	○	○	○	○	○	○
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	—	1	836	○	○	○	○	○	○	○	○
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	1	838	○	○	○	○	○	○	○	○
<b>Weight upgrade</b>											
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	44	278	—	—	—	○	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	8	278	—	—	—	—	—	—	○	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	6	278	—	—	—	—	—	○	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	15	278	○	—	—	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	16	278	—	—	—	—	○	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	36	278	—	○	○	—	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	8	279	—	—	—	—	—	—	—	○
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6	279	—	—	—	—	—	○	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	13	394	—	—	—	—	—	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	13	138	—	—	—	—	—	○	—	—
Weight upgrade to 1.300 kg	—	0	135	○	—	—	—	—	—	—	—
Weight upgrade to 1.360 kg (without chassis change)	—	0	9619	○	○	○	—	—	—	—	—
Weight upgrade to 1.400 kg	—	0	359	○	○	—	—	○	—	—	—
Weight upgrade to 1.400 kg	—	16	359	—	—	○	—	—	—	—	—
Weight upgrade to 1.400 kg	—	38	359	—	—	—	○	—	—	—	—
Weight upgrade to 1.500 kg	—	0	136	○	○	—	—	○	—	—	—
Weight upgrade to 1.500 kg	—	16	136	—	—	○	—	—	—	—	—
Weight upgrade to 1.500 kg	—	38	136	—	—	—	○	—	—	—	—
<b>Chassis features</b>											
ATC Trailer Control	—	4	748	○	○	○	○	○	○	○	○
Corner steadies incl. large-area support feet	—	4	9138	○	○	○	○	○	○	○	○
Draw bar cover	—	2	434	○	○	○	○	○	○	○	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	19	839	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 215/60 R17 C LI 109	—	24.1	11540	○	○	○	○	○	○	○	○
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	○	○	○	○	○	○	○	○
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	20.4	833	○	○	○	○	○	○	○	○
Wheel trims for 14" tyres	—	0.5	276	○	○	○	○	○	○	○	○
<b>Exterior features</b>											
Flyscreen door	—	3	360	○	○	○	○	○	○	○	○
Front window	—	3	982	○	○	○	○	○	○	—	—
Heki II skylight incl. illuminated roof lining	—	10	274	○	○	○	○	○	○	○	○
Kitchen window, sliding (change of window shape)	—	3	6406	○	○	○	○	○	○	○	○
One-piece habitation door with window	—	0	6427	—	—	—	—	—	—	○	○
Opening window in bathroom	—	2	1028	○	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	415 QL	475 EL	475 FR	495 FR	495 QSK	565 FMK	up 465 KR	up 525 KR
<b>Exterior design</b>											
Smooth sides white	—	17	443	○	○	○	—	—	—	○	—
Smooth sides white	—	17	443	—	—	—	○	○	○	—	○
<b>Access locker doors</b>											
Access locker door front left side 1000x420 mm	—	2	6415	○	○	—	—	○	●	—	—
Access locker door front right side 1675x885 mm	—	0	9430	—	—	—	—	—	—	—	○
Access locker door front right side 560x1150 mm	—	0	10393	—	—	—	—	—	—	○	—
Access locker door rear left side 749x297 mm	—	2	1077	—	—	—	—	—	—	—	○
Access locker door rear right side 749x297 mm	—	2	1078	—	—	—	—	—	—	○	○
Access locker door rear right side 750x300 mm	—	2	6422	○	—	○	○	—	—	—	—
<b>Interior design</b>											
Upholstery Estepona	—	0	13901	○	○	○	○	○	○	○	○
Upholstery Manilva	—	0	13902	○	○	○	○	○	○	○	○
<b>Textile equipment</b>											
7-zones mattress, made of heat-regulating material	—	0	10318	○	○	○	○	○	○	○	○
Loose carpet	—	7	513	○	○	○	○	○	○	○	○
<b>Furniture layouts</b>											
Bunk bed with 3 sleeping berths, not foldable	—	21	200	—	—	—	—	○	○	—	—
Hanging table with rotating device	—	0	8699	—	—	—	—	○	—	—	—
Seat enlargement for opposite seating lounge (in comb. with option 8699) <sup>4)</sup>	—	0	7750	—	—	—	—	○	—	—	—
Single beds convert to double bed	—	6	685	—	○	—	—	—	—	—	—
<b>Multimedia</b>											
Multifunctional external connection, 12 V, 220 V, TV and SAT <sup>5)</sup>	—	1	611	○	○	○	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○	○	○	○
<b>Heating</b>											
Electric floor heating	—	6	387	○	○	○	○	○	○	○	○
Fan 12 V with automatic speed control for S 5004	—	2	178	—	—	—	—	—	○	—	—
Fan 12V for S 3004	—	2	177	○	○	○	○	○	—	○	○
Hot air system	—	0	142	○	○	○	○	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	○	○	○	○	—	○	○
Ultraheat additional heating for S 5004, electric 220 V	—	2	422	—	—	—	—	—	○	—	—
<b>Air Conditioning</b>											
Pre-wiring for A/C	—	3.5	172	○	○	○	○	○	○	○	○
<b>Electrical installation</b>											
Indirect lighting	—	1	633	○	○	○	○	○	○	○	○
USB port for spotlight bar	—	0.5	9989	○	○	○	○	○	○	—	○
<b>Water supply</b>											
City water connection	—	2	414	—	—	—	—	—	—	○	○
Hot water supply	—	2	123	○	○	○	○	○	○	○	○



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	415 QL	475 EL	475 FR	495 FR	495 QSK	565 FMK	up 465 KR	up 525 KR
Shower equipment with shower fittings and curtain	—	3	1097	○	○	○	○	○	○	○	○
<b>Gas supply</b>											
DuoControl safety gas pressure regulator with crash sensor	—	0.4	784	○	○	○	○	○	○	○	○
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater	—	0.4	784	—	—	—	—	—	—	○	○
Gas detection system	—	0.5	10058	○	○	○	○	○	○	○	○
Gas socket (exterior) <sup>6)</sup>	—	1	187	○	○	○	○	○	○	○	○
<b>Packages</b>											
Autonomy Package I <sup>7)</sup>	—	31	10011	○	○	○	○	○	○	○	○
Autonomy Package II	—	29	10012	○	○	○	○	○	○	○	○
Edition 10 Package 415 QL	—	65	14232	○	—	—	—	—	—	—	—
Edition 10 Package 475 EL/FR	—	86	14232	—	○	○	—	—	—	—	—
Edition 10 Package 495 FR	—	94	14232	—	—	—	○	—	—	—	—
Edition 10 Package 495 QSK	—	66	14232	—	—	—	—	○	—	—	—
Edition 10 Package 565 FMK	—	56	14232	—	—	—	—	—	○	—	—
Edition 10 Package up 465 KR	—	55	14234	—	—	—	—	—	—	○	—
Edition 10 Package up 525 KR	—	55	14236	—	—	—	—	—	—	—	○
Safety Package	—	4.4	9556	○	○	○	○	○	○	—	—
Safety Package	—	4.4	9556	—	—	—	—	—	—	○	○
Touring Package	—	15	7345	○	○	○	○	○	○	○	○
<b>Miscellaneous</b>											
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Camper®

## The family caravan

With its extensive standard equipment, abundant storage space and a wide range of bunk bed layouts and compact designs, the Camper® is the ideal caravan for all those of you who love adventure.

## Upholstery



+ Upholstery Cloud



+ Upholstery Galaxy

○



+ Upholstery Mount

○

## Wood décor



+ Wood décor Rosario Cherry

○ optionally available


## Technical info

Overall length, approx.	691 - 942 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + Enough space for every child: a selection of family layouts with bunk beds
- + Better safe than sorry: exemplary Dethleffs safety equipment
- + Good as standard: ready to go thanks to comprehensive specifications
- + Modern interior: three classic upholstery options
- + Kitted out for all needs: our portfolio even features short caravans less than 7 m in length



# Camper®

## Technical info



Camper®		460 EL	500 QSK	510 LE	530 FSK
Standard chassis		Lightweight chassis, 1500 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	691	729	762	788
Body length approx.	cm	550	590	630	650
Overall width, approx.	cm	230	230	230	230
Overall height, approx.	cm	265	265	265	265
Circumferential dimension awning approx.	cm	948	988	1028	1048
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 ○	210 x 135	210 x 135	200 x 135
Bed dimension: Central / middle bed, L X W, approx.	cm		190 x 100		190 x 100
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115	210 x 70 / 195 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○	2x 200 x 85 / 195 x 210 ○	210 x 70 / 195 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○
Sleeping berths standard / max.		3	5 / 6 ○	4	5 / 6 ○
Mass in running order (+/-5%)*	kg	1235 (1173 to 1297)*	1295 (1230 to 1360)*	1315 (1249 to 1381)*	1385 (1316 to 1454)*
Manufacturer-specified mass for optional equipment*	kg	180	96	182	100
Technically permissible maximum laden mass*	kg	1500	1500	1600	1600
Heating		S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	43 / 15	43 / 15	43 / 15	43 / 15
Sockets: 12 V / 230 V / USB		0 / 7 / 1	0 / 8 / 3	0 / 7 / 1	0 / 7 / 3



\* INFO


The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.



# Camper®

## Technical info



Camper®		540 QMK	550 ESK	560 FMK	730 FKR
Standard chassis		Lightweight chassis, 1700 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg	Lightweight chassis, 2000 kg
Overall length, approx.	cm	768	806	818	942
Body length approx.	cm	650	675	675	805
Overall width, approx.	cm	250	230	250	250
Overall height, approx.	cm	265	265	265	265
Circumferential dimension awning approx.	cm	1048	1078	1078	1208
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	185 R14C 8PR	195 R14C LI106	185/70 R14 LI88
Bed dimension: Front bed, L x W, approx.	cm	200 x 140	2x 200 x 85 / 200 x 210 ○	200 x 155	200 x 155
Bed dimension: Central / middle bed, L x W, approx.	cm	230 x 115	190 x 100	230 x 115	200 x 75 / 2x 195 x 75 / 2x 195 x 75 ○
Bed dimension: Rear bed, L x W, approx.	cm	190 x 75 / 190 x 70 / 2x 190 x 75 ○ / 170 x 75 ○	210 x 70 / 200 x 75 / 210 x 75 ○ / 210 x 80 ○ / 210 x 70 ○	195 x 70 / 190 x 75 / 195 x 75 ○ / 195 x 80 ○ / 195 x 70 ○	230 x 155
Sleeping berths standard / max.		5 / 6 ○	5 / 6 ○	5 / 6 ○	7 / 8 ○
Mass in running order (+/-5%)*	kg	1475 (1401 to 1549)*	1435 (1363 to 1507)*	1525 (1449 to 1601)*	1815 (1724 to 1906)*
Manufacturer-specified mass for optional equipment*	kg	110	48	58	35
Technically permissible maximum laden mass*	kg	1700	1600	1700	2000
Heating		S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	86 (11) / 156 (29) ○
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	43 / 15	43 / 15	43 / 15	43 / 15
Sockets: 12 V / 230 V / USB		0 / 8 / 3	0 / 8 / 3	0 / 9 / 3	0 / 10 / 3

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	460 EL	500 QSK	510 LE	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
<b>Chassis</b>								
Single axle premium wheel 195 R14 C LI106 (with steel wheel 1.700 kg and 1.800 kg)	—	—	—	—	●	—	●	—
Tyres on steel wheels 185 R14 C 8 PR, up to and including 1.600 kg	●	●	●	●	—	●	—	—
Tyres on steel wheels 185/70 R14 LI88 up to and including 2.000 kg	—	—	—	—	—	—	—	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●	●	●
<b>Chassis features</b>								
AAA self-adjusting brake	●	●	●	●	●	●	●	●
ACS stabiliser	●	●	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●	●	●	●
Octagon shock absorber	●	●	●	●	●	●	●	●
<b>Exterior features</b>								
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●	●	●
Flyscreen door	●	●	●	●	●	●	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●	●	●	●	●	●	●
Fully-insulated wheel houses	●	●	●	●	●	●	●	●
Midi Heki lift-and-tilt skylight incl. illuminated roof lining	●	●	●	●	●	●	●	●
One-piece habitation door	●	●	●	●	●	●	●	●
Opening window in bathroom	—	—	—	●	●	—	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●	●	●	●
Robust GRP roof	●	●	●	●	●	●	●	●
Sidewall skirts with integrated side-marker lamps	●	●	●	●	●	●	●	●
Skylight Mini Heki	●	●	●	●	●	●	●	●
Space-saving gas locker door which opens upwards	●	●	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●	●	●
<b>Exterior design</b>								
Front and rear in smooth sides white	●	●	●	●	●	●	●	●
Sides in hammer finish, white	●	●	●	●	●	●	●	●
<b>Access locker doors</b>								
Access locker door front right side 997x419 mm	●	●	—	●	—	●	—	—
Access locker door rear right side 997x419 mm	—	—	●	—	—	—	—	—
<b>Interior design</b>								
Upholstery Cloud	●	●	●	●	●	●	●	●
Wood décor Rosario Cherry	●	●	●	●	●	●	●	●
<b>Textile equipment</b>								
7-zones double bed mattress, made of heat-regulating material	—	●	—	●	●	—	●	●
7-zones mattress left side, made of heat-regulating material	●	—	●	—	—	●	—	—
7-zones mattress right side, made of heat-regulating material	●	—	●	—	—	●	—	—
<b>Furniture layouts</b>								
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	●	—	●	●	●	●	—
Bunk bed with 2 sleeping berths, not foldable	—	—	—	—	—	—	—	●
Bunk beds with safety net and ladder	—	●	—	●	●	●	●	●
One-legged telescopic table, height adjustable	—	—	—	—	●	—	●	●
Seating lounge converts to bed	●	●	●	●	●	●	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●	●	●
<b>Kitchen</b>								
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	●	●	●	●	●	●	—

# Standard equipment

	460 EL	500 QSK	510 LE	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Practical 3-flames cooker with electric ignition	●	●	●	●	●	●	●	●
Practical apothecary drawers (depending on layout)	●	●	●	●	●	●	●	●
Spacious fridge with 86-litre volume and 11 litre freezer	—	—	—	—	—	—	—	●
<b>Bathroom</b>								
Integrated design washbasin made of solid surface material	●	●	●	●	●	●	●	●
Shower tray	●	●	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●	●	●
<b>Heating</b>								
Gas heating S 3004 with automatic ignition	●	●	●	—	—	—	—	—
Gas heating S 5004 with automatic ignition	—	—	—	●	●	●	●	●
Hot air system	●	●	●	●	●	●	●	●
<b>Electrical installation</b>								
Awning light 12V	●	●	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●	●	●
LED light bar system 12V (on head-side of bed and in seating lounge)	●	●	●	●	●	●	●	●
USB port for spotlight bar	●	●	●	●	●	●	●	●
<b>Water supply</b>								
Electric water supply	●	●	●	●	●	●	●	●
Fresh water tank 38 l	●	●	●	●	●	●	●	●
Hot water supply	●	●	●	●	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●	●	●

# Packages Camper®

Package	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)
Smooth sides white	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Manoeuvring handles in chrome design	x	x	x
Rear light carrier with high attachment and roof rails	x	x	x
Front moulding with high attachment and roof rails	x	x	x
Smooth sides white		x	
Smooth sides white			x
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling Package white (tandem axle) (13256)	Styling Package white (tandem axle 2.8 t) (13258)
17" alloy wheels in Dethleffs design (tandem axle)	x	
Draw bar cover	x	x
Large support feet, 4 pc.	x	x
Solid rubber support wheel with support load indicator	x	x
Manoeuvring handles in chrome design	x	x
Rear light carrier with high attachment and roof rails	x	x
Front moulding with high attachment and roof rails	x	x
Smooth sides white	x	x
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg		x
Additional weight (kg)*	43.4	47.4



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)
Smooth sides titanium silver metallic	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Manoeuvring handles in chrome design	x	x	x
Rear light carrier with high attachment and roof rails	x	x	x
Front moulding with high attachment and roof rails	x	x	x
Smooth sides titanium silver metallic		x	
Smooth sides titanium silver metallic			x
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling Package silver (tandem axle) (13257)	Styling Package silver (tandem axle) 2.8 t (13259)
17" alloy wheels in Dethleffs design (tandem axle)	x	
Draw bar cover	x	x
Large support feet, 4 pc.	x	x
Solid rubber support wheel with support load indicator	x	x
Manoeuvring handles in chrome design	x	x
Rear light carrier with high attachment and roof rails	x	x
Front moulding with high attachment and roof rails	x	x
Smooth sides titanium silver metallic	x	x
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg		x
Additional weight (kg)*	43.4	47.4

Package	Winter Comfort Package Combi 4 (10479)	Winter Comfort Package Combi 4 (10479)
Digital control panel for Combi heating (G/E only)	x	x
Electric floor heating	x	x
Waste water pipes insulated and heated	x	x
Insulated threader hose	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x	
Hot air heating Combi 4 G/E incl. digital control unit	x	x
XPS insulation for front, rear and sides (depending on vehicle size)		x
Additional weight (kg)*	47.6	50.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)
Digital control panel for Combi heating (G/E only)	x	x	x
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
Insulated threader hose	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
Hot air heating Combi 6 G/E incl. digital control unit	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	50.1	52.8	55

Package	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)
Hot water heating	x	x	x
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	74.1	76.8	79

Package	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)
Hot water heating	x	x	x
Hot water floor heating (only in comb. with option 205)	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	75.1	77.8	80

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	x	
Electric Autonomy equipment	x	x
Mover manoeuvring support for tandem-axle		x
Additional weight (kg)*	70	98



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Water and Electric Autonomy Package Combi 4 (11031)	Water and Electric Autonomy Package Combi 6 (11032)	Water & Electric Autonomy Package with Combi or hot water heating system (9943)
Hot air heating Combi 4 G/E incl. digital control unit	x		
Digital control panel for Combi heating (G/E only)	x	x	
Electric Autonomy equipment	x	x	x
Fresh water tank 70 l	x	x	x
Hot air heating Combi 6 G/E incl. digital control unit		x	
Additional weight (kg)*	55.5	55.5	40.5

<b>Safety Package (8950)</b>	
ATC Trailer Control	
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater	
Smoke detector	
Additional weight (kg)*	7

<b>Shower Package (6105)</b>	
Shower equipment with shower fittings and curtain	
City water connection	
Additional weight (kg)*	7

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	500 QSK	510 LE	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
<b>Chassis</b>											
17" alloy wheels in Dethleffs design (single axle)	—	10	11608	○	○	○	○	○	○	○	—
17" alloy wheels in Dethleffs design (tandem axle)	—	0	11609	—	—	—	—	—	—	—	○
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	—	0	836	○	○	○	○	—	○	—	—
Tyres on alloy wheels 185/70 R14 LI88, up to and including 2000 kg	—	0	840	—	—	—	—	—	—	—	○
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	2	838	○	○	○	○	○	○	○	—
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	—	4	859	—	—	—	—	—	—	—	○
<b>Weight upgrade</b>											
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	24.3	278	—	—	○	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	23.9	278	—	○	—	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	23.1	278	○	—	—	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	0.3	278	—	—	—	○	—	○	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6.6	279	—	—	—	—	—	—	○	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	6.8	279	—	—	—	○	—	○	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	32	279	—	—	○	—	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	5.9	279	—	—	—	—	○	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	31.6	279	—	○	—	—	—	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	23.8	394	—	—	—	—	○	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	19.2	394	—	—	—	○	—	○	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	18.7	394	—	—	—	—	—	—	○	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	18.7	138	—	—	—	—	—	—	○	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	19.2	138	—	—	—	○	—	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	23.8	138	—	—	—	—	○	—	—	—
Weight upgrade 2.200 kg (incl. steel wheel 195/70 R14 C LI104)	—	2.6	6351	—	—	—	—	—	—	—	○
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	2.6	496	—	—	—	—	—	—	—	○
Weight upgrade to 1.600 kg	—	22.8	322	○	—	—	—	—	—	—	—
Weight upgrade to 1.600 kg	—	23.6	322	—	○	—	—	—	—	—	—
Weight upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)	—	27.4	7713	—	—	—	—	—	—	—	○
<b>Chassis features</b>											
ATC Trailer Control	—	4	748	○	○	○	○	○	○	○	○
Breakdown kit	—	1	620	○	○	○	○	○	○	○	○
Draw bar cover	—	2	434	○	○	○	○	○	○	○	○
Large support feet, 4 pc.	—	1	6348	○	○	○	○	○	○	○	○
Mover manoeuvring support for single-axle <sup>3)</sup>	—	32	946	○	○	○	○	○	○	○	—
Mover manoeuvring support for tandem-axle <sup>3)</sup>	—	60	984	—	—	—	—	—	—	—	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	○	○	○	—	—	—	—	—
Spare tyre with alloy wheel 185/70 R14 LI 88, up to and including 2.000 kg	—	18	841	—	—	—	—	—	—	—	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	19	839	○	○	○	—	—	—	○	—
Spare tyre with alloy wheel 195/70 R14 C-LI 102, 2.200 kg to 2.800 kg	—	19	861	—	—	—	—	—	—	—	○
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg	—	23.5	1092	—	—	—	—	—	—	○	—
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	○	○	○	—	—	—	—	—
Spare tyre with steel wheel 185/70 R14 LI 88, up to and including 2.000 kg	—	18	835	—	—	—	—	—	—	—	○
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	○	○	○	—	—	—	○	—



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.



# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	500 QSK	510 LE	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Spare tyre with steel wheel 195/70 R14 C-LI 104, 2.200 kg to 2.800 kg	—	20	860	—	—	—	—	—	—	—	○
Wheel trims for 14" tyres	—	2	276	○	○	○	○	○	○	○	○
<b>Exterior features</b>											
Cassette awning 3750x2500 mm, manual	—	25.5	6928	○	—	—	—	—	—	—	—
Cassette awning 4000x2500 mm, manual	—	27.5	6928	—	○	○	—	—	—	—	—
Cassette awning 4500x2500 mm, manual	—	30	6928	—	—	—	○	○	○	○	—
Cassette awning 6000x3000 mm, manual	—	54.6	6928	—	—	—	—	—	—	—	○
Flush-fitting windows (not possible for front and rear windows) <sup>9)</sup>	—	3	7561	○	○	○	○	○	○	○	○
Front window	—	4	982	○	○	●	—	○	○	—	—
Front window (bed area), if washroom in front	—	5	855	—	—	—	○	—	—	○	○
One-piece habitation door with window	—	3	862	○	○	○	○	○	○	○	○
Rear window	—	4	1108	●	—	○	—	—	—	—	●
XPS insulation for front, rear and sides (depending on vehicle size)	—	17.6	179	○	—	—	—	—	—	—	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	20.1	179	—	○	○	○	○	—	—	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	22.8	179	—	—	—	—	—	○	○	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	25	179	—	—	—	—	—	—	—	○
<b>Exterior design</b>											
Front moulding with high attachment and roof rails	—	1	627	○	○	○	○	○	○	○	○
Manoeuvring handles in chrome design	—	0	754	○	○	○	○	○	○	○	○
Rear light carrier with high attachment and roof rails	—	11	624	○	○	○	○	○	○	○	○
Smooth sides titanium silver metallic	—	18.7	659	○	—	—	—	—	—	—	—
Smooth sides titanium silver metallic	—	21.3	659	—	○	○	○	○	—	—	—
Smooth sides titanium silver metallic	—	24.1	659	—	—	—	—	—	○	○	—
Smooth sides titanium silver metallic	—	26.4	659	—	—	—	—	—	—	—	○
Smooth sides white	—	18.7	443	○	—	—	—	—	—	—	—
Smooth sides white	—	21.3	443	—	○	○	○	○	—	—	—
Smooth sides white	—	24.1	443	—	—	—	—	—	○	○	—
Smooth sides white	—	26.4	443	—	—	—	—	—	—	—	○
<b>Access locker doors</b>											
Access locker door 1550x1050 mm with window	—	8	9486	—	—	—	—	○	—	—	—
Access locker door front left 997x419 mm	—	2.2	1079	—	—	—	—	—	○	●	●
Access locker door front left side 1069x299 mm	—	2	1083	—	—	○	—	—	—	—	—
Access locker door front left side 648x348 mm	—	2	1071	—	—	—	—	●	○	—	—
Access locker door front right side 1069x299 mm	—	2	1084	—	—	○	—	—	—	—	—
Access locker door rear left side 1069x299 mm	—	2	1085	—	—	—	—	—	—	—	○
Access locker door rear left side 749x297 mm	—	2	1077	○	—	—	—	—	—	—	—
Access locker door rear right side 1069x299 mm	—	2	1086	—	—	—	—	—	—	—	○
Access locker door rear right side 749x297 mm	—	2	1078	○	—	—	—	—	—	—	—
<b>Interior design</b>											
Upholstery Galaxy	—	0	11269	○	○	○	○	○	○	○	○
Upholstery Mount	—	0	11270	○	○	○	○	○	○	○	○
<b>Textile equipment</b>											
7-zones double bed mattress, made of heat-regulating material with watergel cover	—	4	8214	—	○	—	○	○	—	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	500 QSK	510 LE	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
7-zones mattress left side, made of heat-regulating material with watergel cover	—	2	8215	○	—	○	—	—	○	—	—
7-zones mattress right side, made of heat-regulating material with watergel cover	—	5	8216	○	—	○	—	—	○	—	—
Corner head rests for U-shaped seating lounge	—	2	9236	—	—	—	—	○	—	○	○
Loose carpet	—	8.5	513	○	○	○	○	○	○	○	○
<b>Furniture layouts</b>											
Bunk bed with 2 sleeping berths, not foldable, instead of seating lounge	—	0	9775	—	—	—	—	—	—	—	○
Bunk bed with 3 sleeping berths, not foldable	—	20	200	—	○	—	○	○	○	○	—
Single beds convert to double bed	—	5	685	○	—	○	—	—	○	—	—
Slatted bed frame with adjustable head section	—	1	871	○	—	○	—	—	○	—	—
<b>Interior features</b>											
2 kg fire extinguisher	—	3.5	843	○	○	○	○	○	○	○	○
Smoke detector	—	0.5	8949	○	○	○	○	○	○	○	○
<b>Kitchen</b>											
Extractor fan	—	3	785	○	○	○	○	○	○	○	○
Kitchen unit with large fridge (175 l), separate freezer and electric ignition	—	18	429	—	—	—	—	—	—	—	○
Kitchen worktop extension, foldable	—	1	1107	—	—	—	—	—	—	—	○
Oven	—	17	572	○	○	○	○	○	○	○	○
<b>Bathroom</b>											
Bathroom in alternative design	—	4	604	—	—	—	○	—	—	○	○
<b>Multimedia</b>											
FS-SAT system Voyager 65 Digimatic	—	10	1049	—	○	○	○	—	○	—	○
Flat screen TV 22" incl. DVD player and receiver	—	3.5	1103	○	○	○	○	○	○	○	○
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○	○	○	○
SAT parabol antenna flat 65 Easy 65 Twin	—	14	879	—	○	○	○	—	○	○	○
<b>Heating</b>											
Electric floor heating	—	9	387	○	○	○	○	○	○	○	○
Fan 12 V with automatic speed control for S 5004	—	2	178	—	—	—	○	○	○	○	○
Fan 12V for S 3004	—	2	177	○	○	○	—	—	—	—	—
Hot air heating Combi 4 G/E incl. digital control unit	—	15	10480	○	○	○	—	—	—	—	—
Hot air heating Combi 6 G/E incl. digital control unit	—	15	9427	—	—	—	○	○	○	○	○
Hot water floor heating (only in comb. with option 205) <sup>10)</sup>	—	10	674	—	—	—	○	○	○	○	○
Hot water heating	—	40	205	—	—	—	○	○	○	○	○
Insulated threader hose <sup>11)</sup>	—	1	9535	○	○	○	○	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	○	○	—	—	—	—	—
Ultraheat additional heating for S 5004, electric 220 V	—	2	422	—	—	—	○	○	○	○	○
<b>Air Conditioning</b>											
Pre-wiring for A/C	—	0	172	○	○	○	○	○	○	○	○
Roof A/C	—	35	8145	○	○	○	○	○	○	○	○
<b>Electrical installation</b>											
Electric Autonomy equipment	—	38	492	○	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	500 QSK	510 LE	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Indirect lighting	—	2	633	○	○	○	○	○	○	○	○
<b>Water supply</b>											
City water connection	—	2	414	○	○	○	○	○	○	○	○
Exterior shower	—	2	396	○	○	○	○	○	○	○	○
Fresh water tank 70 l	—	2.5	592	○	○	○	○	○	○	○	○
Shower equipment with shower fittings and curtain	—	5	1097	○	○	○	○	○	○	○	○
Waste water pipes insulated and heated	—	5	520	○	○	○	○	○	○	○	○
<b>Gas supply</b>											
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater	—	2.5	784	○	○	○	○	○	○	○	○
Gas socket (exterior)	—	1	187	○	○	○	○	○	○	○	○
<b>Packages</b>											
Mover Autonomy Package (single axle)	—	70	5560	○	○	○	○	○	○	○	—
Mover Autonomy Package (tandem axle)	—	98	5561	—	—	—	—	—	—	—	○
Safety Package	—	7	8950	○	○	○	○	○	○	○	○
Shower Package	—	7	6105	○	○	○	○	○	○	○	○
Styling Package silver (single axle)	—	51.1	13255	—	—	—	—	—	○	○	—
Styling Package silver (single axle)	—	48.3	13255	—	○	○	○	○	—	—	—
Styling Package silver (single axle)	—	45.7	13255	○	—	—	—	—	—	—	—
Styling Package silver (tandem axle 2.8 t)	—	47.4	13259	—	—	—	—	—	—	—	○
Styling Package silver (tandem axle)	—	43.4	13257	—	—	—	—	—	—	—	○
Styling Package white (single axle)	—	51.1	13254	—	—	—	—	—	○	○	—
Styling Package white (single axle)	—	48.3	13254	—	○	○	○	○	—	—	—
Styling Package white (single axle)	—	45.7	13254	○	—	—	—	—	—	—	—
Styling Package white (tandem axle 2.8 t)	—	47.4	13258	—	—	—	—	—	—	—	○
Styling Package white (tandem axle)	—	43.4	13256	—	—	—	—	—	—	—	○
Water & Electric Autonomy Package with Combi or hot water heating system	—	40.5	9943	○	○	○	○	○	○	○	○
Water and Electric Autonomy Package Combi 4	—	55.5	11031	○	○	○	—	—	—	—	—
Water and Electric Autonomy Package Combi 6	—	55.5	11032	—	—	—	○	○	○	○	○
Winter Comfort Package Combi 4	—	50.1	10479	—	○	○	—	—	—	—	—
Winter Comfort Package Combi 4	—	47.6	10479	○	—	—	—	—	—	—	—
Winter Comfort Package Combi 6	—	52.8	9536	—	—	—	—	—	○	○	—
Winter Comfort Package Combi 6	—	55	9536	—	—	—	—	—	—	—	○
Winter Comfort Package Combi 6	—	50.1	9536	—	—	—	○	○	—	—	—
Winter Comfort Package SNOW	—	79	5459	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW	—	76.8	5459	—	—	—	—	—	○	○	—
Winter Comfort Package SNOW	—	74.1	5459	—	—	—	○	○	—	—	—
Winter Comfort Package SNOW PLUS	—	77.8	5551	—	—	—	—	—	○	○	—
Winter Comfort Package SNOW PLUS	—	80	5551	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW PLUS	—	75.1	5551	—	—	—	○	○	—	—	—
<b>Miscellaneous</b>											
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Nomad

## Experience pays off

With its comprehensive equipment and stylish, detailed solutions, the Nomad is the perfect caravan for demanding travellers. One highlight is the sophisticated Light Moments lighting concept, which is stylishly designed for the ultimate feel-good mood - regardless of the weather!

## Upholstery



+ Upholstery Ruby



+ Upholstery Champion



+ Upholstery Chromo

## Wood décor



+ Wood décor Noce Nagano

optionally available


## Technical info

Overall length, approx.	691 - 942 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + Something for everyone: a wide range of caravans with double and single-bed layouts
- + Sophisticated exterior design: chic details such as a designer rear moulding with integrated lights, chrome trim on the side walls and chrome manoeuvring handles
- + Well-being atmosphere: exquisite, elegant living room design with atmospheric light concept
- + Cooking like at home: very well-equipped gourmet kitchen with illuminated kitchen back panel
- + Good as standard: ready to go thanks to comprehensive specifications



# Nomad

## Technical info



Nomad		460 EL	490 EST	510 LE	520 ELT
Standard chassis		Lightweight chassis, 1500 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg
Overall length, approx.	cm	691	729	762	762
Body length approx.	cm	550	590	630	630
Overall width, approx.	cm	230	230	230	250
Overall height, approx.	cm	265	265	265	265
Circumferential dimension awning approx.	cm	948	988	1028	1028
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	195 R14C LI106
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 ○	200 x 85 / 190 x 85 / 190 x 210 ○	210 x 135	200 x 85 / 190 x 85 / 190 x 210 ○
Bed dimension: Central / middle bed, L X W, approx.	cm		185 x 90		185 x 90
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115		2x 200 x 85 / 200 x 215 ○	
Sleeping berths standard / max.		3	3	4	3
Mass in running order (+/-5%)*	kg	1275 (1211 to 1339)*	1325 (1259 to 1391)*	1380 (1311 to 1449)*	1490 (1416 to 1565)*
Manufacturer-specified mass for optional equipment*	kg	140	86	117	117
Technically permissible maximum laden mass*	kg	1500	1500	1600	1700
Heating		S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	Combi 4 G/E, 4 kW Gas-Electric	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas-Electric ○	Combi 6 G/E, 6 kW Gas-Electric / Hot water heating, 6.4 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	43 / 15	48 / 15	43 / 15	48 / 15
Sockets: 12 V / 230 V / USB		0 / 6 / 1	0 / 6 / 1	0 / 7 / 1	0 / 0 / 1




\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm 5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Nomad

## Technical info



Nomad		530 DR	560 FMK	650 RQT	730 FKR
Standard chassis		Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg	Lightweight chassis, 2000 kg	Lightweight chassis, 2200 kg
Overall length, approx.	cm	788	818	872	942
Body length approx.	cm	650	675	735	805
Overall width, approx.	cm	230	250	250	250
Overall height, approx.	cm	265	265	265	265
Circumferential dimension awning approx.	cm	1048	1078	1138	1208
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	195 R14C LI106	185/70 R14 LI88	195/70 R14C LI104
Bed dimension: Front bed, L x W, approx.	cm	205 x 150	200 x 155	230 x 155	200 x 155
Bed dimension: Central / middle bed, L X W, approx.	cm		230 x 115	200 x 155	200 x 75 / 2x 195 x 75 ○
Bed dimension: Rear bed, L x W, approx.	cm	210 x 135	195 x 70 / 190 x 75 / 195 x 75 ○ / 195 x 80 ○ / 195 x 70 ○		230 x 155
Sleeping berths standard / max.		4	5 / 6 ○	4	7 / 8 ○
Mass in running order (+/-5%)*	kg	1395 (1325 to 1465)*	1550 (1473 to 1628)*	1760 (1672 to 1848)*	1855 (1762 to 1948)*
Manufacturer-specified mass for optional equipment*	kg	100	33	127	195
Technically permissible maximum laden mass*	kg	1600	1700	2000	2200
Heating		S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○	S 5004, 6 kW Gas / Hot water heating, 6.4 kW Gas-Electric ○ / Combi 6 G/E, 6 kW Gas-Electric ○
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	86 (11) / 156 (29) ○
Waste water tank, approx.	l	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	43 / 15	43 / 15	43 / 15	43 / 15
Sockets: 12 V / 230 V / USB		0 / 9 / 1	0 / 9 / 3	0 / 9 / 1	0 / 10 / 3

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	460 EL	490 EST	510 LE	520 ELT	530 DR	560 FMK	650 RQT	730 FKR
<b>Chassis</b>								
Single axle premium wheel 195 R14 C LI106 (with steel wheel 1.700 kg and 1.800 kg)	—	—	—	●	—	●	—	—
Tandem axle premium wheel 195/70 R14 C LI104 (with steel wheel 2.200 kg to 2.800 kg)	—	—	—	—	—	—	—	●
Tyres on steel wheels 185 R14 C 8 PR, up to and including 1.600 kg	●	●	●	—	●	—	—	—
Tyres on steel wheels 185/70 R14 LI88 up to and including 2.000 kg	—	—	—	—	—	—	●	—
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●	●	●
<b>Chassis features</b>								
AAA self-adjusting brake	●	●	●	●	●	●	●	●
ACS stabiliser	●	●	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●	●	●	●
Octagon shock absorber	●	●	●	●	●	●	●	●
<b>Exterior features</b>								
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●	●	●
Flyscreen door	●	●	●	●	●	●	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●	●	●	●	●	●	●
Fully-insulated wheel houses	●	●	●	●	●	●	●	●
Midi Heki lift-and-tilt skylight incl. illuminated roof lining	●	●	●	●	●	●	●	●
One-piece habitation door with window	●	●	●	●	●	●	●	●
Opening window in bathroom	—	●	—	—	—	●	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●	●	●	●
Robust GRP roof	●	●	●	●	●	●	●	●
Sidewall skirts with integrated side-marker lamps	●	●	●	●	●	●	●	●
Skylight Mini Heki	●	●	●	●	●	●	●	●
Space-saving gas locker door which opens upwards	●	●	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●	●	●
<b>Exterior design</b>								
Front and rear in smooth sides white	●	●	●	●	●	●	●	●
Manoeuvring handles in chrome design	●	●	●	●	●	●	●	●
Sides in hammer finish, white	●	●	●	●	●	●	●	●
<b>Access locker doors</b>								
Access locker door front right side 648x348 mm	—	—	—	—	●	—	—	—
Access locker door front right side 997x419 mm	●	●	—	●	—	—	—	—
Access locker door rear right side 997x419 mm	—	—	●	—	—	—	●	—
<b>Interior design</b>								
Upholstery Ruby	●	●	●	●	●	●	●	●
Wood décor Noce Nagano	●	●	●	●	●	●	●	●
<b>Textile equipment</b>								
7-zones double bed mattress, made of heat-regulating material	—	—	—	—	●	●	●	●
7-zones mattress left side, made of heat-regulating material	●	●	●	●	—	—	—	—
7-zones mattress right side, made of heat-regulating material	●	●	●	●	—	—	—	—
<b>Furniture layouts</b>								
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, foldable	—	—	—	—	—	●	—	—
Bunk bed with 2 sleeping berths, not foldable	—	—	—	—	—	—	—	●
Bunk beds with safety net and ladder	—	—	—	—	—	●	—	●
One-legged telescopic table, height adjustable	—	—	—	●	●	●	●	●
Seating lounge converts to bed	●	●	●	●	●	●	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●	●	●
<b>Kitchen</b>								
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●	●	●

# Standard equipment

	460 EL	490 EST	510 LE	520 ELT	530 DR	560 FMK	650 RQT	730 FKR
Kitchen worktop with indirect lighting	●	●	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	●	●	●	●	●	●	—
Practical 3-flames cooker with electric ignition	●	●	●	●	●	●	●	●
Practical apothecary drawers (depending on layout)	●	●	●	●	●	●	●	●
Spacious fridge with 86-litre volume and 11 litre freezer	—	—	—	—	—	—	—	●
<b>Bathroom</b>								
Integrated design washbasin made of solid surface material	●	●	●	●	●	●	●	●
Shower tray	●	●	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●	●	●
<b>Heating</b>								
Gas heating S 3004 with automatic ignition	●	—	●	—	—	—	—	—
Gas heating S 5004 with automatic ignition	—	—	—	—	●	●	●	●
Hot air system	●	●	●	●	●	●	●	●
<b>Electrical installation</b>								
Awning light 12V	●	●	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●	●	●
Illuminated kitchen back panel	●	●	●	●	●	●	●	●
Indirect lighting	●	●	●	●	●	●	●	●
LED light bar system 12V (on head-side of bed and in seating lounge)	●	●	●	●	●	●	●	●
USB port for spotlight bar	●	●	●	●	●	●	●	●
<b>Water supply</b>								
Electric water supply	●	●	●	●	●	●	●	●
Fresh water tank 38 l	●	●	●	●	●	●	●	●
Hot water supply	●	—	●	—	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●	●	●



# Packages Nomad

Package	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)
Smooth sides white	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Manoeuvring handles in chrome design	x	x	x
Rear light carrier with high attachment and roof rails	x	x	x
Front moulding with high attachment and roof rails	x	x	x
Smooth sides white		x	
Smooth sides white			x
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling Package white (tandem axle) (13256)	Styling Package white (tandem axle) (13256)	Styling Package white (tandem axle 2.8 t) (13258)
17" alloy wheels in Dethleffs design (tandem axle)	x	x	
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Manoeuvring handles in chrome design	x	x	x
Rear light carrier with high attachment and roof rails	x	x	x
Front moulding with high attachment and roof rails	x	x	x
Smooth sides white	x		
Smooth sides white		x	x
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg			x
Additional weight (kg)*	41.1	43.4	47.4



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)
Smooth sides titanium silver metallic	x		
17" alloy wheels in Dethleffs design (single axle)	x	x	x
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Manoeuvring handles in chrome design	x	x	x
Rear light carrier with high attachment and roof rails	x	x	x
Front moulding with high attachment and roof rails	x	x	x
Smooth sides titanium silver metallic		x	
Smooth sides titanium silver metallic			x
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling Package silver (tandem axle) (13257)	Styling Package silver (tandem axle) (13257)	Styling Package silver (tandem axle 2.8 t) (13259)
17" alloy wheels in Dethleffs design (tandem axle)	x	x	
Draw bar cover	x	x	x
Large support feet, 4 pc.	x	x	x
Solid rubber support wheel with support load indicator	x	x	x
Manoeuvring handles in chrome design	x	x	x
Rear light carrier with high attachment and roof rails	x	x	x
Front moulding with high attachment and roof rails	x	x	x
Smooth sides titanium silver metallic	x		
Smooth sides titanium silver metallic		x	x
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg			x
Additional weight (kg)*	41.1	43.4	47.4

Package	Winter Comfort Package Combi 4 (10479)	Winter Comfort Package Combi 4 (10479)	Winter Comfort Package for Combi heating (10481)
Digital control panel for Combi heating (G/E only)	x	x	
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
Insulated threader hose	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
Hot air heating Combi 4 G/E incl. digital control unit	x	x	
XPS insulation for front, rear and sides (depending on vehicle size)		x	x
Additional weight (kg)*	47.6	50.1	35.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)
Digital control panel for Combi heating (G/E only)	x	x	x
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
Insulated threader hose	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
Hot air heating Combi 6 G/E incl. digital control unit	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	50.1	52.8	55

Package	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)
Hot water heating	x	x	x
Electric floor heating	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	74.1	76.8	79

Package	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)
Hot water heating	x	x	x
Hot water floor heating (only in comb. with option 205)	x	x	x
Waste water pipes insulated and heated	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	75.1	77.8	80

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	x	
Electric Autonomy equipment	x	x
Mover manoeuvring support for tandem-axle		x
Additional weight (kg)*	70	98



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Water and Electric Autonomy Package Combi 4 (11031)	Water and Electric Autonomy Package Combi 6 (11032)	Water & Electric Autonomy Package with Combi or hot water heating system (9943)
Hot air heating Combi 4 G/E incl. digital control unit	x		
Digital control panel for Combi heating (G/E only)	x	x	
Electric Autonomy equipment	x	x	x
Fresh water tank 70 l	x	x	x
Hot air heating Combi 6 G/E incl. digital control unit		x	
Additional weight (kg)*	55.5	55.5	40.5

#### Safety Package (8950)

ATC Trailer Control  
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater  
Smoke detector

Additional weight (kg)\* 7

#### Shower Package (6105)

Shower equipment with shower fittings and curtain  
City water connection

Additional weight (kg)\* 7

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	560 FMK	650 RQT	730 FRK
<b>Chassis</b>											
17" alloy wheels in Dethleffs design (single axle)	—	10	11608	○	○	○	○	○	○	—	—
17" alloy wheels in Dethleffs design (tandem axle)	—	0	11609	—	—	—	—	—	—	○	○
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	—	0	836	○	○	○	—	○	—	—	—
Tyres on alloy wheels 185/70 R14 LI88, up to and including 2000 kg	—	0	840	—	—	—	—	—	—	○	—
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	2	838	○	○	○	○	○	○	—	—
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	—	4	859	—	—	—	—	—	—	○	○
<b>Weight upgrade</b>											
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	0.3	278	—	—	○	—	—	—	—	—
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	—	24	278	○	○	—	—	○	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	31.6	279	—	—	—	○	—	—	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	27	279	—	○	—	—	○	○	—	—
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	—	8	279	—	—	○	—	—	—	—	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	27	394	—	—	—	○	○	○	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	27	138	—	—	—	○	○	○	—	—
Weight upgrade 2.200 kg (incl. steel wheel 195/70 R14 C LI104)	—	1.5	6351	—	—	—	—	—	—	○	—
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	0	496	—	—	—	—	—	—	—	○
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	1.5	496	—	—	—	—	—	—	○	—
Weight upgrade to 1.600 kg	—	24	322	○	○	—	—	—	—	—	—
Weight upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)	—	24.9	7713	—	—	—	—	—	—	—	○
<b>Chassis features</b>											
ATC Trailer Control	—	4	748	○	○	○	○	○	○	○	○
Breakdown kit	—	1	620	○	○	○	○	○	○	○	○
Draw bar cover	—	2	434	○	○	○	○	○	○	○	○
Large support feet, 4 pc.	—	1	6348	○	○	○	○	○	○	○	○
Mover manoeuvring support for single-axle <sup>8)</sup>	—	32	946	○	○	○	○	○	○	—	—
Mover manoeuvring support for tandem-axle <sup>8)</sup>	—	60	984	—	—	—	—	—	—	○	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○	○	○	○	○	○	○
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	—	17	837	○	○	○	—	○	—	—	—
Spare tyre with alloy wheel 185/70 R14 LI 88, up to and including 2.000 kg	—	18	841	—	—	—	—	—	—	○	—
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	19	839	○	○	○	○	○	○	—	—
Spare tyre with alloy wheel 195/70 R14 C-LI 102, 2.200 kg to 2.800 kg	—	19	861	—	—	—	—	—	—	○	○
Spare tyre with alloy wheel 225/70 R15 C LI 112, 1.900 kg and 2.000 kg	—	23.5	1092	—	—	—	○	—	○	—	—
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	—	18	831	○	○	○	—	○	—	—	—
Spare tyre with steel wheel 185/70 R14 LI 88, up to and including 2.000 kg	—	18	835	—	—	—	—	—	—	○	—
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	○	○	○	○	○	○	—	—
Spare tyre with steel wheel 195/70 R14 C-LI 104, 2.200 kg to 2.800 kg	—	20	860	—	—	—	—	—	—	○	○
Wheel trims for 14" tyres	—	2	276	○	○	○	○	○	○	○	○
<b>Exterior features</b>											
Cassette awning 3750x2500 mm, manual	—	25.5	6928	○	—	—	—	—	—	—	—
Cassette awning 4000x2500 mm, manual	—	27.5	6928	—	○	○	○	—	—	—	—
Cassette awning 4500x2500 mm, manual	—	30	6928	—	—	—	—	○	○	—	—
Cassette awning 5500x3000 mm, manual	—	50.6	6928	—	—	—	—	—	—	○	—
Cassette awning 6000x3000 mm, manual	—	54.6	6928	—	—	—	—	—	—	—	○
Flush-fitting windows (not possible for front and rear windows) <sup>9)</sup>	—	3	7561	○	○	○	○	○	○	○	○
Front window	—	4	982	○	○	●	○	○	—	●	—



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	560 FMK	650 RQT	730 FKR
Front window (bed area), if washroom in front	—	5	855	—	—	—	—	—	○	—	○
Rear window	—	4	1108	●	—	○	—	●	—	—	●
XPS insulation for front, rear and sides (depending on vehicle size)	—	17.6	179	○	—	—	—	—	—	—	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	20.1	179	—	○	○	○	○	—	○	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	22.8	179	—	—	—	—	—	○	—	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	25	179	—	—	—	—	—	—	—	○
<b>Exterior design</b>											
Front moulding with high attachment and roof rails	—	1	627	○	○	○	○	○	○	○	○
Rear light carrier with high attachment and roof rails	—	11	624	○	○	○	○	○	○	○	○
Smooth sides titanium silver metallic	—	18.7	659	○	—	—	—	—	—	—	—
Smooth sides titanium silver metallic	—	21.3	659	—	○	○	○	○	—	—	—
Smooth sides titanium silver metallic	—	24.1	659	—	—	—	—	—	○	○	—
Smooth sides titanium silver metallic	—	26.4	659	—	—	—	—	—	—	—	○
Smooth sides white	—	18.7	443	○	—	—	—	—	—	—	—
Smooth sides white	—	21.3	443	—	○	○	○	○	—	—	—
Smooth sides white	—	24.1	443	—	—	—	—	—	○	○	—
Smooth sides white	—	26.4	443	—	—	—	—	—	—	—	○
<b>Access locker doors</b>											
Access locker door front left 997x419 mm	—	2.2	1079	—	—	—	○	—	●	—	●
Access locker door front left side 1069x299 mm	—	2	1083	—	—	○	—	—	—	—	—
Access locker door front left side 648x348 mm	—	2	1071	—	—	—	○	○	—	—	—
Access locker door front right side 1069x299 mm	—	2	1084	—	—	○	—	—	—	○	—
Access locker door rear left side 1069x299 mm	—	2	1085	—	—	—	—	—	—	—	○
Access locker door rear left side 749x297 mm	—	2	1077	○	—	—	—	—	—	—	—
Access locker door rear right side 1069x299 mm	—	2	1086	—	—	—	—	○	—	—	○
Access locker door rear right side 749x297 mm	—	2	1078	○	—	—	—	—	—	—	—
<b>Interior design</b>											
Upholstery Champion	—	0	10489	○	○	○	○	○	○	○	○
Upholstery Chromo	—	0	10488	○	○	○	○	○	○	○	○
<b>Textile equipment</b>											
7-zones double bed mattress, made of heat-regulating material with watergel cover	—	4	8214	—	—	—	—	○	○	○	○
7-zones mattress left side, made of heat-regulating material with watergel cover	—	2	8215	○	○	○	○	—	—	—	—
7-zones mattress right side, made of heat-regulating material with watergel cover	—	5	8216	○	○	○	○	—	—	—	—
Corner head rests for U-shaped seating lounge	—	2	9236	—	—	—	—	○	○	○	○
Loose carpet	—	8.5	513	○	○	○	○	○	○	○	○
<b>Furniture layouts</b>											
Bunk bed with 2 sleeping berths, not foldable, instead of seating lounge	—	0	9775	—	—	—	—	—	—	—	○
Bunk bed with 3 sleeping berths, not foldable	—	20	200	—	—	—	—	—	○	—	—
Single beds convert to double bed	—	5	685	○	○	○	○	—	—	—	—
Slatted bed frame with adjustable head section	—	1	871	○	○	○	○	—	—	—	—
<b>Interior features</b>											
2 kg fire extinguisher	—	3.5	843	○	○	○	○	○	○	○	○
Smoke detector	—	0.5	8949	○	○	○	○	○	○	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	560 FMK	650 RQT	730 FRK
<b>Kitchen</b>											
Extractor fan	—	3	785	○	○	○	○	○	○	○	○
Kitchen unit with large fridge (175 l), separate freezer and electric ignition	—	18	429	—	—	—	—	—	—	—	○
Kitchen worktop extension, foldable	—	1	1107	—	—	—	—	—	—	○	○
Oven	—	17	572	○	○	○	○	○	○	○	○
<b>Bathroom</b>											
Bathroom in alternative design	—	4	604	—	—	—	—	—	○	—	○
<b>Multimedia</b>											
FS-SAT system Voyager 65 Digimatic	—	10	1049	—	○	○	○	—	—	○	○
Flat screen TV 22" incl. DVD player and receiver	—	3.5	1103	○	○	○	○	○	○	○	○
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○	○	○	○
Preparation for flat screen TV (antenna cable and TV bracket)	—	2	678	○	○	○	○	○	○	○	○
SAT parabol antenna flat 65 Easy 65 Twin	—	14	879	—	○	○	○	—	○	○	○
TV preparation in sleeping area	—	2	9360	—	—	—	—	—	—	○	—
<b>Heating</b>											
Electric floor heating	—	9	387	○	○	○	○	○	○	○	○
Fan 12 V with automatic speed control for S 5004	—	2	178	—	—	—	—	○	○	○	○
Fan 12V for S 3004	—	2	177	○	—	○	—	—	—	—	—
Hot air heating Combi 4 G/E incl. digital control unit	—	15	10480	○	●	○	—	—	—	—	—
Hot air heating Combi 6 G/E incl. digital control unit	—	15	9427	—	—	—	●	○	○	○	○
Hot water floor heating (only in comb. with option 205) <sup>10)</sup>	—	10	674	—	—	—	○	○	○	○	○
Hot water heating	—	40	205	—	—	—	○	○	○	○	○
Insulated threader hose <sup>12)</sup>	—	1	9535	○	○	○	○	○	○	○	○
Ultraheat additional heating for S 3004, electric 220 V	—	2	364	○	—	○	—	—	—	—	—
Ultraheat additional heating for S 5004, electric 220 V	—	2	422	—	—	—	—	○	○	○	○
<b>Air Conditioning</b>											
Pre-wiring for A/C	—	0	172	○	○	○	○	○	○	○	○
Roof A/C	—	35	8145	○	○	○	○	○	○	○	○
<b>Electrical installation</b>											
Electric Autonomy equipment	—	38	492	○	○	○	○	○	○	○	○
<b>Water supply</b>											
City water connection	—	2	414	○	○	○	○	○	○	○	○
Exterior shower	—	2	396	○	○	○	○	○	○	○	○
Fresh water tank 70 l	—	2.5	592	○	○	○	○	○	○	○	○
Shower equipment with shower fittings and curtain	—	5	1097	○	○	○	○	○	○	○	○
Waste water pipes insulated and heated	—	5	520	○	○	○	○	○	○	○	○
<b>Gas supply</b>											
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater	—	2.5	784	○	○	○	○	○	○	○	○
Gas socket (exterior)	—	1	187	○	○	○	○	○	○	○	○
<b>Packages</b>											
Mover Autonomy Package (single axle)	—	70	5560	○	○	○	○	○	○	—	—
Mover Autonomy Package (tandem axle)	—	98	5561	—	—	—	—	—	—	○	○
Safety Package	—	7	8950	○	○	○	○	○	○	○	○
Shower Package	—	7	6105	○	○	○	○	○	○	○	○



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	560 FMK	650 RQT	730 FKR
Styling Package silver (single axle)	—	51.1	13255	—	—	—	—	—	○	—	—
Styling Package silver (single axle)	—	48.3	13255	—	○	○	○	○	—	—	—
Styling Package silver (single axle)	—	45.7	13255	○	—	—	—	—	—	—	—
Styling Package silver (tandem axle 2.8 t)	—	47.4	13259	—	—	—	—	—	—	—	○
Styling Package silver (tandem axle)	—	43.4	13257	—	—	—	—	—	—	—	○
Styling Package silver (tandem axle)	—	41.1	13257	—	—	—	—	—	—	○	—
Styling Package white (single axle)	—	45.7	13254	○	—	—	—	—	—	—	—
Styling Package white (single axle)	—	48.3	13254	—	○	○	○	○	—	—	—
Styling Package white (single axle)	—	51.1	13254	—	—	—	—	—	○	—	—
Styling Package white (tandem axle 2.8 t)	—	47.4	13258	—	—	—	—	—	—	—	○
Styling Package white (tandem axle)	—	43.4	13256	—	—	—	—	—	—	—	○
Styling Package white (tandem axle)	—	41.1	13256	—	—	—	—	—	—	○	—
Water & Electric Autonomy Package with Combi or hot water heating system	—	40.5	9943	—	○	—	○	—	—	—	—
Water and Electric Autonomy Package Combi 4	—	55.5	11031	○	—	○	—	—	—	—	—
Water and Electric Autonomy Package Combi 6	—	55.5	11032	—	—	—	—	○	○	○	○
Winter Comfort Package Combi 4	—	50.1	10479	—	—	○	—	—	—	—	—
Winter Comfort Package Combi 4	—	47.6	10479	○	—	—	—	—	—	—	—
Winter Comfort Package Combi 6	—	50.1	9536	—	—	—	—	○	—	○	—
Winter Comfort Package Combi 6	—	55	9536	—	—	—	—	—	—	—	○
Winter Comfort Package Combi 6	—	52.8	9536	—	—	—	—	—	○	—	—
Winter Comfort Package SNOW	—	76.8	5459	—	—	—	—	—	○	—	—
Winter Comfort Package SNOW	—	74.1	5459	—	—	—	○	○	—	○	—
Winter Comfort Package SNOW	—	79	5459	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW PLUS	—	80	5551	—	—	—	—	—	—	—	○
Winter Comfort Package SNOW PLUS	—	77.8	5551	—	—	—	—	—	○	—	—
Winter Comfort Package SNOW PLUS	—	75.1	5551	—	—	—	○	○	—	○	—
Winter Comfort Package for Combi heating	—	35.1	10481	—	○	—	○	—	—	—	—
<b>Miscellaneous</b>											
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.



# Beduin Scandinavia

## Design, comfort and freedom

Loft-style room concepts with unusual layouts and natural materials create a Scandinavian flair with a touch of luxury. The Dethleffs flagship now makes caravanning possible 365 days a year. The powerful hot water heating and the electric floor heating on board guarantee cosy warmth even at sub-zero temperatures.

## Upholstery



+ Upholstery  
Amposta




+ Upholstery  
Badalona ○



+ Upholstery  
Tarragona ○

## Wood décor



+ Wood décor Amberses Oak

○ optionally available


## Technical info

Overall length, approx.	768 - 901 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.


## Plus factors

- + Upscale standard equipment: with hot-water heating as standard, electr. floor heating, side panels in smooth white sheet metal and a wide range of other options
- + Gourmet holidays made easy: high-quality kitchen equipment with oven/cooker combination and a lot of space for food prep
- + Inviting ambience: indirect lighting and illuminated kitchen back panel ensure special atmosphere
- + Unsurpassed comfort: high-quality padding and cleverly sewn fabrics encourage you to stick around
- + Step in: comfortable entry thanks to extra-wide entrance door with window
- + Watch out winter campers: be prepared for colder temperatures with the optional Winter Comfort Package Premium



# Beduin Scandinavia

## Technical info



Beduin Scandinavia		540 QMK	550 BET	550 RD	550 SE	670 BET	690 BQT
Standard chassis		Lightweight chassis, 1800 kg	Lightweight chassis, 1800 kg	Lightweight chassis, 1800 kg	Lightweight chassis, 1800 kg	Lightweight chassis, 2200 kg	Lightweight chassis, 2200 kg
Overall length, approx.	cm	768	812	806	806	872	901
Body length approx.	cm	650	675	675	675	735	765
Overall width, approx.	cm	250	230	230	230	250	250
Overall height, approx.	cm	265	265	265	265	265	265
Circumferential dimension awning approx.	cm	1048	1078	1078	1078	1138	1163
Headroom in living area, approx.	cm	198	198	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	195 R14C LI106	195 R14C LI106	195 R14C LI106	195/70 R14C LI104	195/70 R14C LI104
Bed dimension: Front bed, L x W, approx.	cm	195 x 135		220 x 110			
Bed dimension: Central / middle bed, L X W, approx.	cm	230 x 115	180 x 110		220 x 110	220 x 110	230 x 115
Bed dimension: Rear bed, L x W, approx.	cm	190 x 75 / 190 x 70	205 x 80 / 190 x 80 / 205 - 190 x 215 ○	195 x 150	2x 200 x 85 / 200 x 210	2x 200 x 85 / 200 x 230 ○	185 - 200 x 155
Sleeping berths standard / max.		5	3	3	3	3	3
Mass in running order (+/-5%)*	kg	1615 (1534 to 1696)*	1645 (1563 to 1727)*	1600 (1520 to 1680)*	1545 (1468 to 1622)*	1845 (1753 to 1937)*	1870 (1777 to 1964)*
Manufacturer-specified mass for optional equipment*	kg	70	58	103	158	252	224
Technically permissible maximum laden mass*	kg	1800	1800	1800	1800	2200	2200
Heating		Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric
Refrigerator volume (thereof freezer), approx.	l	137 (15)	137 (15)	137 (15)	137 (15)	156 (29)	156 (29)
Waste water tank, approx.	l	22	22	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	l	53 / 15	53 / 15	53 / 15	53 / 15	53 / 15	53 / 15
Sockets: 12 V / 230 V / USB		0 / 7 / 3	0 / 7 / 1	0 / 8 / 1	0 / 7 / 1	0 / 9 / 1	0 / 8 / 1

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# Standard equipment

	540 QMK	550 BET	550 RD	550 SE	670 BET	690 BQT
<b>Chassis</b>						
Single axle premium wheel 195 R14 C L1106 (with steel wheel 1.700 kg and 1.800 kg)	●	●	●	●	—	—
Tandem axle premium wheel 195/70 R14 C L1104 (with steel wheel 2.200 kg to 2.800 kg)	—	—	—	—	●	●
Zinc-plated chassis with inertia braking system with reversing automatic	●	●	●	●	●	●
<b>Chassis features</b>						
AAA self-adjusting brake	●	●	●	●	●	●
ACS stabiliser	●	●	●	●	●	●
Draw bar cover	●	●	●	●	●	●
High-quality brand-name tyres, designed for a speed of 100 km/h	●	●	●	●	●	●
Lightweight corner steadies	●	●	●	●	●	●
Octagon shock absorber	●	●	●	●	●	●
Wheel trims for 14" tyres	●	●	●	●	●	●
<b>Exterior features</b>						
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	●	●	●	●	●	●
Flyscreen door	●	●	●	●	●	●
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	●	●	●	●	●	●
Fully-insulated wheel houses	●	●	●	●	●	●
Midi Heki clear-view skylight with blackout blind, flyscreen and integrated lights, operation with crank handle	●	●	●	●	●	●
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	●	●	●	●	●	●
Panoramic front window	—	●	—	—	●	●
Robust GRP roof	●	●	●	●	●	●
Sidewall skirts with integrated side-marker lamps	●	●	●	●	●	●
Skylight Mini Heki	●	●	●	●	●	●
Space-saving gas locker door which opens upwards	●	●	●	●	●	●
Spare wheel carrier in gas locker	●	●	●	●	●	●
Storage space for 2 gas bottles with 11 kg filling weight each	●	●	●	●	●	●
Wide, one-piece habitation door with window	●	●	●	●	●	●
<b>Exterior design</b>						
Front and rear in smooth sides white	●	●	●	●	●	●
Manoeuvring handles in chrome design	●	●	●	●	●	●
Smooth sides white	●	●	●	●	●	●
<b>Access locker doors</b>						
Access locker door front left 997x419 mm	●	—	—	—	—	—
Access locker door rear right side 648x348 mm	—	—	●	—	—	—
Access locker door rear right side 997x419 mm	—	●	—	●	●	—
<b>Interior design</b>						
Upholstery Amposta	●	●	●	●	●	●
Wood décor Amberes Oak	●	●	●	●	●	●
<b>Textile equipment</b>						
7-zones double bed mattress, made of heat-regulating material	●	—	●	—	—	●
7-zones mattress left side, made of heat-regulating material	—	●	—	●	●	—
7-zones mattress right side, made of heat-regulating material	—	●	—	●	●	—
Corner head rests for U-shaped seating lounge	●	●	●	●	●	●
High-quality upholstery and materials in the seating group	●	●	●	●	●	●
<b>Furniture layouts</b>						
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	●	●	●	●	●	●
Bunk bed with 2 sleeping berths, not foldable	●	—	—	—	—	—
Bunk beds with safety net and ladder	●	—	—	—	—	—
One-legged telescopic table, height adjustable	●	●	●	●	●	●
Seating lounge converts to bed	●	●	●	●	●	●
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	●	●	●	●	●	●
<b>Kitchen</b>						

# Standard equipment

	540 QMK	550 BET	550 RD	550 SE	670 BET	690 BQT
Generous drawers with soft closing for absolutely silent closing	●	●	●	●	●	●
High-quality three-cooker hob with electric ignition and built-in oven	●	●	●	●	●	●
Kitchen worktop with indirect lighting	●	●	●	●	●	●
Large fridge with 137 liters capacity and 15 liters freezer compartment	●	●	●	●	—	—
Large fridge with 156 liters capacity and 29 liters freezer compartment	—	—	—	—	●	●
Oven	●	●	●	●	●	●
Practical apothecary drawers (depending on layout)	●	●	●	●	●	●
<b>Bathroom</b>						
Integrated design washbasin made of solid surface material	—	●	●	●	●	●
Shower tray	●	●	●	●	●	●
Skylight with mosquito net	●	●	●	●	●	●
Space-saving fold-away washbasin for easy storage in the bathroom cabinet	●	—	—	—	—	—
<b>Multimedia</b>						
Preparation for flat screen TV (antenna cable and TV bracket)	●	●	●	●	●	●
<b>Heating</b>						
Electric floor heating	●	●	●	●	●	●
Hot water heating	●	●	●	●	●	●
<b>Air Conditioning</b>						
Pre-wiring for A/C	●	●	●	●	●	●
<b>Electrical installation</b>						
Awning light 12V	●	●	●	●	●	●
CEE external output socket for 230V on-board electrics	●	●	●	●	●	●
Illuminated kitchen back panel	●	●	●	●	●	●
Indirect lighting	●	●	●	●	●	●
LED light bar system 12V (on head-side of bed and in seating lounge)	●	●	●	●	●	●
USB port for spotlight bar	●	●	●	●	●	●
<b>Water supply</b>						
Electric water supply	●	●	●	●	●	●
Fresh water tank 38 l	●	●	●	●	●	●
Mobile 22 l waste water tank	●	●	●	●	●	●

# Packages Beduin Scandinavia

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	x	
Electric Autonomy equipment	x	x
Mover manoeuvring support for tandem-axle		x
Additional weight (kg)*	70	98

Package	Water & Electric Autonomy Package with Combi or hot water heating system (9943)
Electric Autonomy equipment	x
Fresh water tank 70 l	x
Additional weight (kg)*	40.5

Package	Winter Comfort Package Premium (11332)	Winter Comfort Package Premium (11332)	Winter Comfort Package Premium (11332)
Hot water floor heating (only in comb. with option 205)	x	x	x
Heated and insulated 42-litre waste water tank	x	x	x
Waste water pipes insulated and heated	x	x	x
Electric Autonomy equipment	x	x	x
Flush-fitting windows (not possible for front and rear windows)	x	x	x
XPS insulation for front, rear and sides (depending on vehicle size)	x		
XPS insulation for front, rear and sides (depending on vehicle size)		x	
XPS insulation for front, rear and sides (depending on vehicle size)			x
Additional weight (kg)*	82.1	84.8	87

Safety Package (8950)	
ATC Trailer Control	
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater	
Smoke detector	
Additional weight (kg)*	7

Shower Package (6105)	
Shower equipment with shower fittings and curtain	
City water connection	
Additional weight (kg)*	7

△ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

Included in package	Additional weight (kg)*	Code	540 QMK	550 BET	550 RD	550 SE	670 BET	690 BQT
---------------------	-------------------------	------	---------	---------	--------	--------	---------	---------

Chassis								
17" alloy wheels in Dethleffs design (single axle)	—	10	11608	○	○	○	○	—
17" alloy wheels in Dethleffs design (tandem axle)	—	0	11609	—	—	—	—	○
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	—	2	838	○	○	○	○	—
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	—	4	859	—	—	—	—	○
Weight upgrade								
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	12.4	394	—	○	○	○	—
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	—	17.9	394	○	—	—	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	17.9	138	○	—	—	—	—
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	—	12.4	138	—	○	○	○	—
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	—	0	496	—	—	—	—	○
Chassis features								
ATC Trailer Control	—	4	748	○	○	○	○	○
Breakdown kit	—	1	620	●	●	○	○	●
Large support feet, 4 pc.	—	1	6348	○	○	○	○	○
Mover manoeuvring support for single-axle <sup>8)</sup>	—	32	946	○	○	○	○	—
Mover manoeuvring support for tandem-axle <sup>8)</sup>	—	60	984	—	—	—	—	○
Solid rubber support wheel with support load indicator	—	2	10063	○	○	○	○	○
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	—	19	839	—	○	—	○	—
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg	—	23.5	1092	—	○	—	○	—
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	—	19.5	833	—	○	—	○	—
Exterior features								
Cassette awning 4500x2500 mm, manual	—	30	6928	○	○	○	○	—
Cassette awning 5500x3000 mm, manual	—	50.6	6928	—	—	—	—	○
Flush-fitting windows (not possible for front and rear windows) <sup>9)</sup>	—	3	7561	○	○	○	○	○
Front window	—	4	982	○	●	●	●	●
Rear window	—	4	1108	—	—	○	○	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	20.1	179	○	—	—	—	—
XPS insulation for front, rear and sides (depending on vehicle size)	—	22.8	179	—	○	○	○	○
XPS insulation for front, rear and sides (depending on vehicle size)	—	25	179	—	—	—	—	○
Exterior design								
Front moulding with high attachment and roof rails <sup>13)</sup>	—	1	627	○	○	○	○	○
Rear light carrier with high attachment and roof rails <sup>14)</sup>	—	11	624	○	○	○	○	○
Smooth sides titanium silver metallic	—	0	659	○	○	○	○	○
Access locker doors								
Access locker door front right side 1069x299 mm	—	2	1084	—	—	○	—	—
Access locker door rear left side 648x348 mm	—	2	1073	—	—	○	—	—
Access locker door rear left side 997x419 mm	—	2.2	1081	—	—	—	○	●
Interior design								
Upholstery Badalona	—	0	11330	○	○	○	○	○
Upholstery Tarragona	—	0	11331	○	○	○	○	○
Textile equipment								
7-zones double bed mattress, made of heat-regulating material with watergel cover	—	4	8214	○	—	○	—	○
7-zones mattress left side, made of heat-regulating material with watergel cover	—	2	8215	—	○	—	○	○



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

## Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	540 QMK	550 BET	550 RD	550 SE	670 BET	690 BQT
7-zones mattress right side, made of heat-regulating material with wattergel cover	—	5	8216	—	○	—	○	○	—
Loose carpet	—	8.5	513	○	○	○	○	○	○
<b>Furniture layouts</b>									
Sideboard instead of couch (opposite the central seating group)	—	0	131	—	○	—	●	○	○
Single beds convert to double bed	—	5	685	—	○	—	●	○	—
Slatted bed frame with adjustable head section	—	1	871	—	○	—	○	○	—
<b>Interior features</b>									
2 kg fire extinguisher	—	3.5	843	○	○	○	○	○	○
Smoke detector	—	0.5	8949	○	○	○	○	○	○
<b>Kitchen</b>									
Extractor fan	—	3	785	○	—	○	○	—	—
Kitchen worktop extension, foldable	—	1	1107	—	—	○	—	—	—
<b>Multimedia</b>									
FS-SAT system Voyager 65 Digimatic	—	10	1049	—	—	○	○	—	○
Flat screen TV 22" incl. DVD player and receiver	—	3.5	1103	○	○	○	○	○	○
Flat screen TV 32" <sup>15)</sup>	—	5.6	817	—	○	—	—	○	○
Flat screen TV 32" <sup>17)</sup>	—	5.6	817	—	—	—	○	—	—
Multifunctional external connection, 12 V, 220 V, TV and SAT	—	1	611	○	○	○	○	○	○
SAT parabol antenna flat 65 Easy 65 Twin	—	14	879	—	—	○	○	—	○
TV lift <sup>16)</sup>	—	5.4	7006	—	○	—	○	○	○
<b>Heating</b>									
Hot water floor heating (only in comb. with option 205) <sup>10)</sup>	—	10	674	○	○	○	○	○	○
<b>Air Conditioning</b>									
Roof A/C	—	35	8145	○	○	○	○	○	○
<b>Electrical installation</b>									
Electric Autonomy equipment	—	38	492	○	○	○	○	○	○
<b>Water supply</b>									
City water connection	—	2	414	○	○	○	○	○	○
Exterior shower	—	2	396	○	○	○	○	○	○
Fresh water tank 70 l	—	2.5	592	○	○	○	○	○	○
Heated and insulated 42-litre waste water tank <sup>18)</sup>	—	6	10067	○	○	○	○	○	○
Shower equipment with shower fittings and curtain	—	5	1097	○	○	○	○	○	○
Waste water pipes insulated and heated	—	5	520	○	○	○	○	○	○
<b>Gas supply</b>									
DuoControl safety gas pressure regulator with crash sensor and EisEx gas regulator heater	—	2.5	784	○	○	○	○	○	○
Gas socket (exterior)	—	1	187	○	○	○	○	○	○
<b>Packages</b>									
Mover Autonomy Package (single axle)	—	70	5560	○	○	○	○	—	—
Mover Autonomy Package (tandem axle)	—	98	5561	—	—	—	—	○	○
Safety Package	—	7	8950	○	○	○	○	○	○
Shower Package	—	7	6105	○	○	○	○	○	○
Water & Electric Autonomy Package with Combi or hot water heating system	—	40.5	9943	○	○	○	○	○	○
Winter Comfort Package Premium	—	82.1	11332	○	—	—	—	—	—



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

# Optional equipment\*\*

	Included in package	Additional weight (kg)*	Code	540 QMK	550 BET	550 RD	550 SE	670 BET	690 BQT
Winter Comfort Package Premium	—	84.8	11332	—	○	○	○	○	—
Winter Comfort Package Premium	—	87	11332	—	—	—	—	—	○
<b>Miscellaneous</b>									
Registration documents (CoC papers)	—	0	15151	◆	◆	◆	◆	◆	◆

○ Optional equipment — Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



\* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.



# LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for caravans are regulated uniformly throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Regulation No. 1230/2012). We have summarized and explained the essential terminology and legal requirements from this regulation for you below. Our dealers and the Dethleffs configurator on our website are there to give you additional assistance in configuring your vehicle.

## 1. Technically permissible maximum laden mass

The **technically permissible maximum laden mass** of the vehicle (e.g. 2,000 kg) is a mass specification defined by the manufacturer that the vehicle must not exceed. You can find information on the technically permissible maximum laden mass of the model you have selected in the technical data. Driving the vehicle even if it exceeds the technically permissible maximum laden mass constitutes an administrative offense that may result in a fine.

## 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids;
- the standard equipment, i.e. all equipment and standard fittings included when the vehicle leaves the factory;
- the 100% filled water tank or driving tank according to the manufacturer's specifications and a 100% filled aluminum gas cylinder.

You can find information on the mass in running order for each model in our sales documents. It is **important to note** that the value specified in the sales documents for the mass in running order is a **standard value** determined in the type approval process and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value specified in the sales documents. The **legally permissible tolerance** is  $\pm 5\%$ . This allows EU legislation to account for the occurrence of certain fluctuations in the mass in running order due to weight fluctuations in components supplied by third-party suppliers as well as process and weather-related factors.

These weight deviations can be illustrated using the following example calculation:

- Mass in running order according to sales documents: 1,600 kg
- Legally permissible tolerance of  $\pm 5\%$ : 80 kg
- Legally permissible range of mass in running order: 1,520 kg to 1,680 kg

The specific range of permissible weight deviations can be found in the technical data for each model.

Dethleffs makes great efforts to reduce weight variations to the minimum level that is unavoidable for production reasons. Deviations at the upper and lower ends of the range are therefore very rare; however, they cannot be completely ruled out technically, even after carrying out all possible optimization measures. For this reason, Dethleffs checks the actual weight of the vehicle and compliance with the permissible tolerance by weighing each vehicle at the end of the line.

## 3. Optional equipment and actual mass

According to the legal definition, optional equipment (also including special or additional equipment) includes all optional equipment parts not included with the standard equipment that are fitted to the vehicle under the responsibility of the manufacturer – i.e. at the factory – and can be ordered by the customer (e.g. awning, smooth panel, Alde heating system, oven, etc.). For information on the individual or package weights of the optional equipment that can be ordered, please refer to our sales documents. In this meaning, optional equipment does not include other accessories that are retrofitted by you or your dealer personally after the vehicle has been delivered from the factory.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment installed on a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this information also represents a standardized value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of  $\pm 5\%$  (see no. 2), the actual mass may also deviate accordingly from the specified nominal value.

## 4. Payload and minimum payload

The installation of **optional equipment** is also subject to technical and legal limits: It is only permissible to order an amount of optional equipment for installation at the factory that will leave sufficient free weight for baggage and other accessories (i.e. "payload") without exceeding the technically permissible maximum laden mass.

The payload is obtained by deducting the mass in running order (nominal value according to sales documents; see no. 2 above) and the mass of the optional equipment from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum payload for caravans that must remain as a minimum for baggage or other accessories not installed at the factory. This minimum payload is calculated as follows:

Minimum payload in kg  $\geq 10 \cdot (n + L)$

where "n" = maximum number of sleeping berths and

"L" = total length of the vehicle body (without drawbar).

The maximum number of sleeping berths corresponds to the actual configured sleeping berths of the individual vehicle. For a caravan with 6 designated sleeping berths and a total length of the vehicle body of 7 m, the minimum payload is calculated as follows:  $10 \text{ kg} \cdot (6 + 7) = 130 \text{ kg}$ .

To ensure that the minimum payload is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum payload of 130 kg, the total mass of the optional equipment for a vehicle with 6 designated sleeping berths and a mass in running order of 1,750 kg should not exceed 120 kg:

- 2,000 kg technically permissible maximum laden mass**
- 1,750 kg mass in running order
- 130 kg minimum payload
- = **120 kg maximum permissible mass for optional equipment**

**It is important to note** that this calculation is based on the standard value for the mass in running order specified in the type approval procedure and does not account for permissible weight deviations for the mass in running order (see no. 2 above). If the maximum permissible value of 120 kg for the optional equipment is nearly or fully exhausted in this example and the standard value of the mass in running order is applied, it is possible for the minimum payload of 130 kg to be complied with mathematically in the event of an upward weight deviation even if the vehicle has no load capacity.

Here is another example calculation for a vehicle with 6 sleeping berths whose actual weighed mass in running order is 2% above the nominal value:

- 2,000 kg technically permissible maximum laden mass**
- 1,785 kg actual weighed mass in running order  
(in the example: 2% higher than the specified value of 1,750 kg)
- 120 kg optional equipment (maximum permissible value)
- = **95 kg actual load capacity**  
( < minimum pay-mass of 130 kg)

To avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total optional equipment that can be ordered depending on the specific model. The limitation of optional equipment is intended to ensure that the minimum payload, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by Dethleffs.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum payload is not guaranteed at the end of the line despite this limitation of optional equipment. In order to guarantee the minimum payload even in these cases, Dethleffs will check together with your trading partner and you before delivery of the vehicle whether, for example, the load capacity of your vehicle is to be increased or optional equipment removed.

## 5. Effects of tolerances of the mass in running order on the remaining load capacity

Irrespective of the minimum payload, you should bear in mind that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a corresponding effect on the remaining load capacity: If, for example, you order our example vehicle with optional equipment with a total weight of 90 kg, the calculated payload based on the standard value for the mass in running order is 160 kg.

The load capacity actually available may deviate upwards or downwards from this value due to tolerances. If the mass of your vehicle in running order is approximately 2% higher than specified in the sales documents, the load capacity is reduced from 160 kg to 125 kg:

- 2,000 kg technically permissible maximum laden mass**
- 1,785 kg actual weighed mass in running order  
(in the example: 2% higher than the specified value of 1,750 kg)
- 90 kg ordered optional equipment of the specific vehicle
- = **125 kg actual load capacity**

In order to ensure that the calculated payload is actually adhered to, you should therefore take the possible and permissible tolerances for the mass in running order into account as a precaution when configuring your vehicle.

We also recommend weighing the loaded caravan on a scale before each journey to check whether the technically permissible total weight is adhered to. In addition, we recommend checking the actual drawbar load of the loaded vehicle. This must not be higher than the max. drawbar load of the towing vehicle. Furthermore, the technically permissible maximum laden mass of the vehicle combination must be observed when loaded, i.e. the maximum mass of the combination of your motor vehicle and your caravan.

# TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment. Individual components of packages can also be ordered separately. Please note that this does not entitle you to the price advantage and may also extend the delivery time. Please contact your retail partner for more information.

## FOOTNOTES

- 1) Only in combination with Package #13094/13274/13275 "Dynamic Package".
- 2) With the Dynamic Package, the vehicle must be approved for speeds of 100 km/h.
- 3) Only in combination with package #9243 "Touring Package c'joy".
- 4) Only in combination with option #8699 "Hanging table with rotating device"
- 5) Only in combination with option #187 "Gas exterior socket"
- 6) Only in combination with option #611 "Multifunction exterior socket 12V, 220V, TV and SAT"
- 7) Only in combination with package #7345 "Touring Package c'go".
- 8) Only in combination with package #5560/5561 "Mover-Autonomy Package".
- 9) Not available for front or rear windows. These windows are standard design.
- 10) Only in combination with option #205 "Hot water heating".
- 11) Only in combination with package #10479 "Combi 4 Winter Comfort Package" or package #9536 "Combi 6 Winter Comfort Package".
- 12) Only in combination with package #10479 "Winter Comfort Package Combi 4" or package #9536 "Winter Comfort Package Combi 6" or package #10481 "Winter Comfort Package with Combi heating".
- 13) Only in combination with option #624 "Rear light carrier with high attachment and roof rails".
- 14) Only in combination with option #627 "Front with high attachment and roof rails".
- 15) Price incl. options #131 and #7006.
- 16) Only in combination with option #131 "Sideboard instead of sofa (opposite to central seating group)".
- 17) Price incl. option #7006
- 18) Only in combination with option #520 "Waste water hoses insulated and heated".

## General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles correspond to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. This Technical Information is valid as of August 1st, 2024.

Vehicle illustrations in this document may contain optional extras subject to surcharge. We expressly reserve the right to make changes. With the publication of this document, all previous Technical Information become invalid.

Different Euro prices may apply throughout Europe. This is due to different country-specific standard equipment and different VAT or luxury tax rates.