Motorhomes 2025Technical Information

Valid from August 1st, 2024







IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.





Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is \pm 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section





Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

Optional extra		Price €	Additional weight	Code	Model 1	Model 2
Bathroom						
Shower grid	_	359,-	9	1385	_	0
Additional window in bathroom		269,-	5	9845	0	0
Multimedia						
Automatic HD satellite system 65 Twin	_	549,-	15	713	0	_
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel		238,-	1.5	1657	0	•

5. 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."

INDEX MOTORHOMES MODEL YEAR 2025

IMPORTANT INFORMATION	FOR THE SELECTION OF YOUR MOTORHOME	
Yoka Go	Yoka Go Low Profile6	
TOKA GU	TORA GO LOW PIONIE	
Globebus	Globebus A Class	
Area .		
Globebus Camp	Globebus Camp Low Profile	
Globebus Go	Globebus Go Low Profile	
Just Camp	Just Camp Low Profile40	
Just Go	Just Go Low Profile52	
A STATE OF THE STA	The State of the S	LA CO
Trend T	Trend Low Profile	
Trend I	Trend A Class	
Trend I	Treflig A Class	
Esprit	Esprit A Class83	
Alpa	Alpa Coach built92	
		10 V
Alpa	Alpa A Class	
XL Family Coach built	XL Family Coach built	
At raining coach bank	At Talliny Codel Built	
Globetrotter XL A Class	Globetrotter XL A Class115	
Globetrotter XXL Coach	Globetrotter XXL Coach built123	
built		Carlot Const
LEGAL NOTES	FOR WEIGHT-RELATED INFORMATION	
		09100

Yoka Go Low Profile



The Yoka Go breaks new ground. The innovative concept combines the solid, insulated body of a Low Profile motorhome with the compact design and practical elements of a camper van. Thanks to the 115 centimetre wide habitation door, a huge tailgate and lashing rails on the floor and walls, the Yoka Go offers reliable securing options for all types of sports equipment. The Yoka Go is the versatile, everyday leisure companion for all outdoor enthusiasts.

Technical info	
Overall length, approx.	598 cm
Overall width, approx.	219 cm
Overall height, approx.	270 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Gargano

Wood décor



+ Décor Makalu Pearl Grey

Plus factors

- New vehicle concept with an outstanding feeling of space and maximum flexibility for everyday life and leisure time
- + Suitable for everyday use, safe and agile thanks to compact van dimensions
- + Proven Lifetime superstructure design with GRP outer skin and excellent insulation
- + Large double-wing side door with 115 cm width and two electric steps for easy loading, even of bulky luggage
- + Huge tailgate with integrated window makes it easy to load large items of sports equipment
- + Sturdy airline lashing rails for flexible and reliable securing of transported goods









Yoka Go Low Profile Technical info



Yoka Go Low Profile		T1
Standard chassis		Ford Transit Low Platform
Emission standards		Euro 6e
Overall length, approx.	cm	598
Overall width, approx.	cm	219
Overall height, approx.	cm	270 1)
Headroom in living area, approx.	cm	190
Towable load braked/unbraked	kg	2200 / 750
Wheelbase, approx.	mm	3300
Bed dimension: Rear bed, L x W, approx.	cm	205 x 135
Sleeping berths standard / max.		2
Standard engine		2,0 TDCi Ford EcoBlue
kW (bhp)		96 (130)
Mass in running order (+/-5%)*	kg	2360 (2242 to 2478)*
Manufacturer-specified mass for optional equipment*	kg	985
Technically permissible maximum laden mass*	kg	3500
Permitted number of seats (including driver)*		2 - 4 O
Refrigerator volume (thereof freezer), approx.	1	35 🔾
Waste water tank, approx.	1	10
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	10 / 10
Measurement storage opening left (W x H)	cm	73 x 28 O
Clear dimensions of rear garage door/flap (W x H)	cm	185 x 135

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Number of sockets 3x 12V, 5x 230V, 2x USB

Ford chassis Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 96 kW / 130 hp) Light Duty, 6-speed manual transmission Steel rims 16" (236/65 R16) with wheel trims Ford chassis features 12' multifunction display with SYNC4 70l fuel tank ABS, EBD, ESP, TCS, Hill Start Assist, Crosswind Assist, Safety Brake Assist, Rollover Protection Cab, Emergency Brake Support incl. Emergency Brake Light Cruise control Driver airbag Driver and passenger seat Pilot Chair with double armrest, swivelling Electric handbrake Exterior Colour Cab Frost White Exterior mirrors manually adjustable Fix&Go kit (tyre repair kit) Fog light Ford 6-speed manual gear box Front Park-Pilot system Front-wheel drive Leather steering wheel Passenger airbag Pre-Collision Assist, radar-based Rear axle mudflaps Rear view camera Tow bar (check permissible gross towing weight for trailer operation) ²⁾ Traffic sign recognition system Tyre pressure monitoring system **Exterior features** 115 cm wide maxi double wing habitation door Dethleffs rear light carrier with 3rd brake light **EPS** insulation Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm GRP roof Living room access with 2 comfortable, wide, electric steps Maxi tailgate (135 x 185 cm) incl. large opening window Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface Skylight 40 x 40 cm above the seating lounge Exterior design Exterior body painted in white Interior design Décor Makalu Pearl Grey Upholstery Gargano Furniture layouts Large face-to-face seating area, convertible to a large double bed Multifunctional table with 3 feet Practical lashing rails on the floor and side wall incl. lashing eyes Preparation for 3rd + 4th seat (2 recessed floor rails for mounting one single seat each incl. 3-point belt) MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories) **Electrical installation** Electric block with integrated overvoltage protection and separate ground fault circuit breaker Leisure battery AGM, 95 Ah

Power rail incl. two LED spots

Two practical LED battery lights with self-adhesive magnetic holders and a magnetic holder with clip

Submersible pump

PACKAGES YOKA GO LOW PROFILE

Package	Chassis Package Ford (14850)
Air conditioning automatic incl. dust and pollen filter	х
Glove compartment, lockable	х
Interior package Trend Line	х
High Series headlights with static cornering light	х
Side protection strips painted in car colour	х
Front bumper painted in car colour	х
Electrically adjustable and heated exterior mirrors	х
Alloy wheel Ford 16" , black	х
Additional weight (kg)*	14.3

Design Package (13813)

Double-glazed flush-fitting windows with blackout & mosquito protection YOKA Design exterior stickers

Additional weight (kg)*

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information social.

Ontional equipment*

Included in Additional weight (kg)* package

Code

pathage	meight (lig)		
			<u></u>
_	55	165A	0
_	5	13748	0
_	3	331	0
_	6	13800	0
_	27	932	0
_	6.1	243	0
_	62	13802	0
_	31	13801	0
_	19	13860	0
_	7.31	11606	0
	21.5	13391	0
_	0.5	793	0
_	4	1878	0
_	0.2	1891	0
_	14.3	14850	0
	2	13813	0
_	0	15152	*
	- - - - - -	- 55 - 5 - 3 - 6 - 27 - 6.1 - 62 - 31 - 19 - 7.31 - 21.5 - 0.5 - 4 - 0.2	- 55 165A - 5 13748 - 3 331 - 6 13800 - 27 932 - 6.1 243 - 62 13802 - 31 13801 - 19 13860 - 7.31 11606 - 21.5 13391 - 0.5 793 - 4 1878 - 0.2 1891 - 14.3 14850 - 2 13813

O Optional equipment — Not possible • Standard equipment • Mandatory 🛆 Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.





Your Globebus I Active:



- · ACTIVE exterior design
- · High design rear light moulding
- Double-glazed flush fitting windows
- Habitation door with window incl. blackout and central locking
- · Reversing camera
- Insulated waste water tank
- · Cassette awning Omnistor
- Extensive chassis equipment with automatic air conditioning, digital speedometer, wireless phone charger, electric parking brake and much more.
- Naviceiver (Zenec) with sound system incl. Apple CarPlay/AndroidAuto and external DAB+ radio aerial
 - Multi-level ambient lighting
 - Panorama roof skylight 75 x 105 cm in the living area
 - Bed conversion single beds to double bed (14/16)
 - Real wood shower grate
 - Special upholstery "Jupiter"
 - Preparation for satellite, air conditioning and solar system and second reversing camera
 - 137 litre fridge-freezer combination (I1)
 - · Sockets and switches in bi-colour
 - Luxury on-board control panel
 - CP Plus digital heating control panel
 - Kitchen splashback incl. lighting

Globebus A Class



The most compact A Class motorhome series from Dethleffs drives as easy and dynamic as a van! Ideal for city trips and mountain roads. But despite all its compactness, it knows how to convince with the advantages of a full-grown motorhome such as insulation, freedom of movement and kitchen and bathroom equipment. For those who value striking sporty details, the Gran Turismo equipment package is just right.

Technical info	
Overall length, approx.	599 - 695 cm
Overall width, approx.	220 cm
Overall height, approx.	281 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Duke



+ Upholstery Jupiter

 \circ

Plus factors

- + Proven Dethleffs quality at an attractive price
- + Agile and safe handling due to compact exterior dimensions with an external width of only 2.20 m
- + Sporty, striking Gran Turismo (GT) equipment package (optional)
- + Fully equipped kitchen with 2-burner stove, trash can, multiflex rail system and much more.
- + Pleasant sleeping comfort due to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames













Wood décor



+ Wood décor Noce Nagano

O optionally available



Globebus A Class Technical info







Globebus A Class		11	14	16
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Еиго бе	Euro 6e
Overall length, approx.	cm	599	660	695
Overall width, approx.	cm	220	220	220
Overall height, approx.	cm	281 ¹⁾	281 1)	281 1)
Headroom in living area, approx.	cm	198	198	198
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3450	3800	3800
Bed dimension: Front bed, L x W, approx.	cm	185 x 150	185 x 150	185 x 150
Bed dimension: Rear bed, L x W, approx.	cm	200 x 145	202 x 80 / 192 x 75 / 200 x 146	200 x 155 O / 195 x 80 / 195 x 75
Sleeping berths standard / max.		4	4	4
Standard engine		140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2740 (2603 to 2877)*	2810 (2670 to 2951)*	2880 (2736 to 3024)*
Manufacturer-specified mass for optional equipment*	kg	434	358	285
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4
Refrigerator volume (thereof freezer), approx.	- 1	83 (8) / 137 (15) 🔾	137 (15)	137 (15)
Waste water tank, approx.	I	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	- 1	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	95 x 80	60 x 85	95 x 85
Measurement storage opening right (W x H)	cm	75 x 100	60 x 105	95 x 105

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5$ % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Fiat chassis			
111 111			
Alloy wheel Fiat 16 ", black Alloy wheel Fiat 16 ", black			
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission			
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 8-speed finding transmission			
Fiat chassis features			
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)			
Additional protection for radiator through grille at front of vehicle		•	
Anti-theft device			
Automatic Brake Assist after a collision	•		
Captain seats: integrated headrests, two armrests, swivel function			
Crosswind Assist		•	
Cruise control			
Cup holder in the centre of the dashboard		•	
Dashboard with aluminium application			
Diesel tank 90 litre incl. 19L AdBlue tank		•	
Driver and passenger airbags			
Driver and passenger detection		•	
Driver's cab manual A/C			
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control		•	
Front-wheel drive			
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat		•	
Leather steering wheel and gear knob withleather sleeve			
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)		•	
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy			
Rear axle mudflaps		_	_
Rear axle mudflaps			
Steering wheel with control elements Trailer Stability Assist			
Trailer Stability Assist Tyre inflation kit and towing even			
Tyre inflation kit and towing eye Winter tyres M.S. Camping (with speuflake)			
Winter tyres M+S Camping (with snowflake)			
Exterior features			
60 cm wide habitation door		_	_
70 cm wide habitation door	_	•	•
Bedroom window right and left			
Dethleffs Exclusive rear light carrier with 3rd brake light	•	•	
Driver's cab door left			
EPS insulation		•	
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm			
Flyscreen habitation door		•	
GRP roof			
Habitation access with comfortable, wide, electric step			
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	•	•	•
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	•	•	
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed			
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	•	•	
Skylight 40 x 40 cm above the seating lounge		•	
Exterior design			
Exterior body painted in white	•	•	•
Interior design			
Upholstery Floyd	•	•	

Wood décor Noce Nagano Textile equipment Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material **Furniture layouts** Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts Double bed high in the rear, transverse Floor-to-ceiling wooden sliding door to the bedroom Full body mirror High-level single beds incl. comfortable access via steps Manual pull-down bed in the driver's cab Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable Overhead locker doors with soft-close function Two practical tension nets under the overhead locker in the rear bed Wardrobe floor-to-ceiling with convenient linen drawers in upper area Kitchen Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 I) Fridge with separate freezer compartment and automatic energy selection (AES) (83 I) Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories) Bathroom Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder Swiveling bathroom wall for optimal use of space Heating Gas hot-air heating 6kW with hot-water boiler Heating in the seating unit for optimum heat distribution, built-in **Electrical installation** Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator Awning light 12 V Electric block with integrated overvoltage protection and separate ground fault circuit breaker LED lighting throughout the vehicle Leisure battery AGM, 95 Ah Number of sockets 1x 12V, 6x 230V, 2x USB On-board control panel Spotlights in the roof lining above the habitation door **Water supply** Fresh water tank in insulated and heated area Submersible pump Gas supply Storage space for 2 gas bottles with a filling weight of 11 kg each

PACKAGES GLOBEBUS A CLASS

Package	Active Package I 1 (14824)	Active Package I 4 (14824)	Active Package I 6 (14824)
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	х	Х
Panoramic skylight 75x105 cm above the seating lounge	Х	x	X
Light Moments: Indirect ambient lighting above the overhead lockers	Х	X	X
Light Moments: Indirect wall surface ambient lighting	Х	X	X
Luxus on-board control panel	Х	X	X
Preparation for radio system incl. sound package in the driver's cabin	Х	X	Х
DAB+ radio antenna mounted on the roof	Х	X	X
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	Х	х	Х
Electric parking brake	Х	X	X
Active exterior design (paintwork I front partly black, extended GT stickers, 'red' skid plate)	Х	х	Х
High characteristic Dethleffs Exclusive rear light carrier with 3rd brake light	Х	x	X
Double-glazed flush-fitting windows with blackout & mosquito protection	Х	x	X
Kitchen back panel in metallic grey	Х	X	X
Two-tone sockets and switches	Х	X	Х
Shower grate	Х	X	Х
Rear view camera (single camera)	Х	X	Х
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	Х	Х	X
Insulated waste water tank	Х	X	X
Digital control element for hot-air heating	Х	X	Х
Pre-wiring for solar	Х	X	Х
Pre-wiring for roof A/C	Х	X	Х
Pre-wiring for second rear view camera	Х	X	X
Pre-wiring for satellite system	Х	X	Х
Upholstery Jupiter	Х	X	X
Light Moments: Illuminated window panelling in the living room	Х	X	Х
Fridge (137 l) instead of tall wardrobe	Х		
Omnistor cassette awning 4.0 m (manual)	Х		
Option to convert single bed to double bed		x	
Omnistor cassette awning 4.5 m (manual)		x	
Option to convert single bed to double bed			Х
Omnistor cassette awning 5.0 m (manual)			Х
Additional weight (kg)*	101.55	92.05	95.05



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Family Package I 1 (14580)	Family Package I 4 (14580)	Family Package I 6 (14580)
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	х	Х
Panoramic skylight 75x105 cm above the seating lounge	Х	X	Х
Light Moments: Indirect ambient lighting above the overhead lockers	Х	x	Х
Light Moments: Indirect wall surface ambient lighting	Х	X	Х
Luxus on-board control panel	Х	X	Х
Preparation for radio system incl. sound package in the driver's cabin	Х	X	Х
DAB+ radio antenna mounted on the roof	Х	x	Х
Option to convert single bed to double bed		X	
Option to convert single bed to double bed			Х
Additional weight (kg)*	27.1	33.6	34.6

Package	Winter Comfort Package hot air heating Globebus I1 (5316)	Winter comfort package warm air Globebus 14 (5316)	Winter Comfort Package hot-air heating Globebus I6 (5316)
Insulated under-floor pipes	X	х	Х
Waste water tank and pipes electrically heated	X	х	х
Switch for water pump	Х	Х	х
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	х	х	Х
Insulated waste water tank	X	х	Х
XPS insulation	Х		
XPS insulation		х	
XPS insulation			Х
Additional weight (kg)*	25.2	27.2	28.2

Chassis Package (14509)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console Electric parking brake

Additional weight (kg)* -9.1

GT Design Package (14510)

Exterior design GT (paint of I-front partly black, extended GT stickers, skidplate "red")

Kitchen back panel in metallic grey

Two-tone sockets and switches

Double-glazed flush-fitting windows with blackout & mosquito protection

High characteristic Dethleffs Exclusive rear light carrier with 3rd brake light

Additional weight (kg)*



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information sortion.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Included in package	Additional weight (kg)*	Code		14	16
Fiat chassis						
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	_	60	140A	•	0	0
Fiat Ducato Light low platform (3,499 kg), MultiJet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	-	60	180A	_	0	0
Weight upgrade						
Weight upgrade 3,650 kg	_	0	10769	0	0	0
Fiat chassis features						
Rear corner steadies (2 pieces)	_	6	390	0	0	0
Reinforced spring for front axle	_	3.75	1889	0	0	0
Tow bar (check permissible gross towing weight for trailer operation)	_	57	273	0	_	_
Tow bar (check permissible gross towing weight for trailer operation)	-	60	273	_	0	_
Tow bar (check permissible gross towing weight for trailer operation)	_	65	273	-	_	0
Exterior features						
Bike rack for 3 bikes (lowerable)	-	20.5	7482	0	0	0
Bike rack for 3 bikes (rear)	_	9.6	938	0	0	0
Double-glazed flush-fitting windows with blackout & mosquito protection	AC-P, GT	1	415	0	0	0
Omnistor cassette awning 4.0 m (manual)	AC-P	34	859	0	_	_
Omnistor cassette awning 4.5 m (manual)	AC-P	38	930	_	0	_
Omnistor cassette awning 5.0 m (manual)	AC-P	40	697	_	_	0
Panorama skylight 70 x 50 cm above the pull-down bed	_	6	246	0	0	0
Interior design						
Upholstery Duke	_	0	11949	0	0	0
Upholstery Jupiter ³⁾	AC-P	0	13725	0	0	0
Textile equipment						
Carpet, loose	_	4.7	851	0	_	_
Carpet, loose	_	5.8	851	_	0	_
Carpet, loose		6.7	851	_	_	0
Furniture layouts						
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0	0	0
Option to convert single bed to double bed	AC-P, FA-P	6.5	1883	_	0	_
Option to convert single bed to double bed	AC-P, FA-P	7.5	1883	_	_	0
Kitchen						
Fridge (137 I) instead of tall wardrobe	AC-P	20	713	0	_	_
Bathroom						
Shower grate	AC-P	2	1657	0	0	—
Window in bathroom	_	5	372	0	0	0
Multimedia						
Automatic HD satellite system 65 Twin ⁵⁾		11	11258	0	0	0
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto ⁶⁾	AC-P	3.65	9582	0	0	0
Flat screen 22" HD TV incl. flat screen bracket ⁴⁾	_	5.5	11506+325	0	0	0
Flat-screen TV bracket	-	2	325	0	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Optional equipment*	Included in package	Additional weight (kg)*	Code			
op none: o desprisent				_	14	91
Rear view camera (single camera)	AC-P	1.1	1642	0	0	0
Second rear view camera in rear moulding	_	1	11541	0	0	0
Heating						
Digital control element for hot-air heating	AC-P	0.1	6622	0	0	0
Floor heating electric (partial)	_	5	763	0	0	0
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	_	1	330	0	0	0
Air Conditioning						
Roof A/C	_	40	609	0	0	0
Electrical installation						
Second leisure battery AGM, 95 Ah ⁷⁾	_	27	830	0	0	0
Solar power system 100 watt	_	12.6	922	0	_	0
Water supply						
Insulated waste water tank	AC-P	11	665	0	0	0
Outdoor shower (cold water)	_	0.5	793	0	0	0
Switch for water pump	_	0.2	397	0	0	
Gas supply						
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577		0	
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0	0	0
Safety		1.5	070		Ŏ	
		4	1070			_
2 kg fire extinguisher	_	0.5	1878 322	0	0	0
Alarm system (for door with central locking) Safe		4.7	323	0	0	0
Smoke detector	_	0.2	1891	0	0	0
Packages		012	1071			
-		101.55	14824			
Active Package I 1 Active Package I 4		92.05	14824	0		
Active Package I 6	_	95.05	14824	_	_	0
Chassis Package ⁸⁾	_	-9.1	14509	0	0	0
Family Package I 1 ⁸⁾	_	27.1	14580	0	_	_
Family Package I 4 ⁸⁾	_	33.6	14580	_	0	_
Family Package I 6 ⁸⁾	_	34.6	14580	_	_	0
GT Design Package ⁸⁾	-	5	14510	0	0	0
Pre-wiring kit ⁸⁾	_	7.6	11350	0	0	0
Winter Comfort Package hot air heating Globebus I1 ⁸⁾	_	25.2	5316	0	_	_
Winter Comfort Package hot-air heating Globebus 16 ⁸⁾	-	28.2	5316	_	_	0
Winter comfort package warm air Globebus 14 ⁸⁾	_	27.2	5316	_	0	_
Miscellaneous						
Registration documents (CoC papers)		0	15152	*	*	*

O Optional equipment — Not possible • Standard equipment • Mandatory A Not known at the time of publication

AC-P Active Package GT GT Package FA-P Family Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.





Your Globebus Camp Active:



- ACTIVE exterior design
- Design rear light moulding
- · Double-glazed flush fitting windows
- Habitation door with window incl. blackout and central locking
- Rear garage with 2nd flap on the left
- Reversing camera
- Insulated waste water tank
- Cassette awning Omnistor
- Extensive chassis equipment with automatic air conditioning, digital speedometer, full LED headlights, LED daytime running lights, wireless phone charger, electric parking brake and much more.
- Naviceiver (Zenec) incl. Apple CarPlay/AndroidAuto
- Blackout blinds cab
 - Multi-level ambient lighting
 - · Panoramic skylight in the living area
 - Bed conversion single beds to double bed (T 4)
 - · Real wood shower grille
 - Seat belt support for 3rd and 4th three-point seat belt secured seat
 - Special upholstery "Jupiter"
 - Preparation for satellite, air conditioning and solar system and second rear view camera
 - 131 litre compressor refrigerator
 - CP Plus digital heating control panel
 - · Kitchen splashback incl. lighting

Globebus Camp Low Profile



The Globebus Camp is the compact Low Profile model series on a Fiat Ducato chassis. With a width of just 220 cm and a length starting at 599 cm, it combines the compact dimensions of a camper van with the comfort and freedom of movement of a classic motorhome. Thanks to the excellent insulation of the habitation and various winter options, the Globebus Camp is the perfect travelling companion all year round.

Technical info	
Overall length, approx.	599 - 663 cm
Overall width, approx.	220 cm
Overall height, approx.	273 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Calypso incl. driver and passenger seat cover



+ Upholstery Salerno incl. driver and passenger seat cover O



+ Upholstery Jupiter

Wood décor



+ Wood décor Noce Nagano

O optionally available

Plus factors

- + Agile and safe driving behaviour thanks to compact VAN dimensions with an external width of just 2.20 m and external height of 2.73 m
- + Opening window in the cab bonnet
- + Proven Lifetime body construction with GRP outer skin and excellent insulation. There is a special Winter Comfort Package for winter campers
- + Pleasant sleeping comfort thanks to 150 mm thick 7zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Electrically operated compressor refrigerator with perfect cooling performance
- Diesel heater with 6 kW heat output and 10 litre hot water boiler
- + Extensive standard chassis equipment with 16' aluminium rims, fog lights, 90 l diesel tank, leather steering wheel with controls, etc.











Globebus Camp Low Profile Technical info





Globebus Camp Low Profile		T1	T 4
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e
Overall length, approx.	cm	599	663
Overall width, approx.	cm	220	220
Overall height, approx.	cm	273 1)	273 1)
Headroom in living area, approx.	cm	190	190
Towable load braked/unbraked	kg	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3450	3800
Bed dimension: Central / middle bed, L X W, approx.	cm	155 x 94 - 78 O	155 x 94 - 78 O
Bed dimension: Rear bed, L x W, approx.	cm	199 x 140	201 x 80 / 192 x 75 / 198 x 160 O
Sleeping berths standard / max.		2/30	2/30
Standard engine		140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2580 (2451 to 2709)*	2650 (2518 to 2783)*
$\label{eq:mass} \mbox{Manufacturer-specified mass for optional equipment}^*$	kg	764	688
Technically permissible maximum laden mass*	kg	3499	3499
Permitted number of seats (including driver)*		2 - 4 O	2 - 4 🔿
Refrigerator volume (thereof freezer), approx.	1	83 (10) / 131 (15) 🔾	83 (10) / 131 (15) 🔾
Waste water tank, approx.	I	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	115 / 20	115 / 20
Measurement storage opening left (W x H)	cm	35 x 70	65 x 75
Measurement storage opening right (W x H)	cm	75 x 90	60 x 95

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

T4

Fiat chassis		
Alloy wheel Fiat 16 ", black	•	•
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	•	•
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	•	•
Anti-theft device	•	•
Automatic Brake Assist after a collision		
Captain seats for driver and front passenger, swivel function	•	•
Crosswind Assist		
Cruise control	•	•
Cup holder in the centre of the dashboard		•
DAB+ radio antenna integrated into right exterior mirror	•	•
Dashboard with aluminium application		•
Daytime running lights integrated into headlights	•	•
Diesel tank 90 litre incl. 19L AdBlue tank		
Driver and passenger airbags	•	•
Driver and passenger detection		•
Driver's cab manual A/C	•	
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control		
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator	•	
Exterior colour chassis white		•
Fog lights incl. cornering light	•	
Front-wheel drive		•
Height and tilt adjustment and double armrests for driver and passenger seat	•	
Leather steering wheel and gear knob withleather sleeve		•
Painted front bumper in body colour incl. black skid plate		
Preparation for radio system incl. loudspeakers in the driver's cabin		
Rear axle mudflaps		
Steering wheel with control elements		
Trailer Stability Assist		
Tyre inflation kit and towing eye		
Winter tyres M+S Camping (with snowflake)		
Exterior features		
60 cm wide habitation door	•	_
70 cm wide habitation door	_	
Bedroom window right and left	•	•
Dethleffs Exclusive rear light carrier with 3rd brake light		
EPS insulation		•
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm		
Flyscreen habitation door	•	
GRP roof		
Habitation access with comfortable, wide, electric step	•	•
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	•	•
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	•	•
Opening window in T-hood	•	
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	•	•
Skylight 40 x 40 cm above the seating lounge	•	•
Exterior design		
Exterior body painted in white	•	•
Interior design		
Upholstery Calypso incl. driver and passenger seat cover		
Wood décor Noce Nagano		

∀
<u> </u>

Textile equipment		
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material		_
Furniture layouts		
Double bed high in the rear, transverse		
High-level single beds incl. comfortable access via steps		
Overhead locker doors with soft-close function		
Seating group with hook-in and extendable table and a belt buck preparation		
Two practical tension nets under the overhead locker in the rear bed	•	
Kitchen		
Compressor refrigerator with freezer compartment (83 l)	•	•
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop		
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	•	•
Bathroom		
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	•	•
Swiveling bathroom wall for optimal use of space		
Heating		
Diesel hot air heating 6 kW with hot water boiler and integrated height kit	•	•
Heating in the seating unit for optimum heat distribution, built-in	•	•
Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	•
Awning light 12 V		
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	•	
LED lighting throughout the vehicle	•	
Leisure battery AGM, 95 Ah	•	•
Number of sockets 1x 12V, 7x 230V, 4x USB	•	
On-board control panel	•	•
Spotlights in the roof lining above the habitation door	•	•
Water supply		
Fresh water tank in insulated and heated area		
Submersible pump	•	•
Gas supply		
Storage space for a gas cylinder with a filling weight of 2.75 kg	•	•

PACKAGES GLOBEBUS CAMP LOW PROFILE

Package	Active Package T1 (14821)	Active Package T4 (14821)
Cab blackout blinds	Х	X
Habitation door with window incl. blackout and central locking (incl. cab door)	X	X
Panorama skylight 70 x 50 cm in the living area	X	X
Kitchen backsplash	X	X
Light Moments: illuminated kitchen splashback	X	X
Light Moments: Illuminated window panelling in the living room	X	X
Light Moments: Indirect ambient lighting above the overhead lockers	X	X
Light Moments: Indirect wall surface ambient lighting	X	X
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	x	x
Full LED low beam	X	X
Electric parking brake	X	X
Rear view camera (single camera)	X	X
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	x	х
Double-glazed flush-fitting windows with blackout & mosquito protection	X	X
Room-high compressor refrigerator with separate freezer compartment (131 l)	Χ	X
Shower grate	X	X
Digital control element for hot-air heating	X	X
Pre-wiring for solar	X	X
Pre-wiring for roof A/C	X	X
Pre-wiring for second rear view camera	X	X
Pre-wiring for satellite system	X	X
Upholstery Jupiter	X	X
Active exterior design (rear light carrier with black diffuser, extended labelling, 'red' skid plate)	Х	x
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table	Х	
Access locker door left	X	
Roof awning Omnistor 3.25 m (manual)	X	
Insulated waste water tank	Χ	
Option to convert single bed to double bed		x
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table		x
Access locker door left		X
Roof awning Omnistor 4.0 m (manual)		х
Insulated waste water tank		X
Additional weight (kg)*	111.75	129.25



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Package X (awning 3.25m) (11936)	Package X (awning 4.0m) (11936)	Package One (awning 3.25m) (12126)	Package One (awning 4.0m) (12126)
Rear view camera (single camera)	Х	Х	Х	х
Roof awning Omnistor 3.25 m (manual)	х		х	
Roof awning Omnistor 4.0 m (manual)		Х		х
Automatic HD satellite system 65 Twin			х	х
Flat screen 22" HD TV			х	х
Flat-screen TV bracket			Х	х
Additional weight (kg)*	35.1	41.1	51.6	57.6

Package	Family Package T1 (14410)	Family Package T4 (14410)
Cab blackout blinds	Х	Х
Habitation door with window incl. blackout and central locking (incl. cab door)	X	Х
Panorama skylight 70 x 50 cm in the living area	X	Х
Kitchen backsplash	Х	х
Light Moments: illuminated kitchen splashback	X	Х
Light Moments: Illuminated window panelling in the living room	X	Х
Light Moments: Indirect ambient lighting above the overhead lockers	X	Х
Light Moments: Indirect wall surface ambient lighting	X	Х
Access locker door left	X	
Access locker door left		Х
Option to convert single bed to double bed		Х
Additional weight (kg)*	21.4	30.4

Package	Winter Comfort Package hot-air heating Globebus Camp T1 (14411)	Winter Comfort Package hot-air heating Globebus Camp T4 (14411)
Insulated under-floor pipes	X	Х
Switch for water pump	X	Х
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	x	х
Waste water tank and pipes electrically heated	X	Х
Insulated waste water tank	X	
XPS insulation	X	
Insulated waste water tank		Х
XPS insulation		Х
Additional weight (kg)*	22.5	23.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Chassis Package (14476)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console

Electric parking brake

Full LED low beam

Additional weight (kg)* -9.1

Assistance Package Fiat (14477)

Rain and light sensor with automatic dimming

Emergency Brake Assist with pedestrian detection

Lane Keep Assist

Traffic Sign Assist

Attention Assist

Intelligent speed assistant

Additional weight (kg)

0.5

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)

7.6

△ Not known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information

Optional equipment*	Included in package	Additional weight (kg)*	Code	11	14
Fiat chassis					
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	_	60	140A	0	0
Fiat Ducato Light low platform (3,499 kg), MultiJet 180 (2.2 I / 132 kW / 180 hp), 8-speed torque converter automatic transmission	_	60	180A	_	0
Weight upgrade					
Weight upgrade 3,650 kg	_	0	10769	0	0
Fiat chassis features					
Tow bar (check permissible gross towing weight for trailer operation)	_	57	273	0	_
Tow bar (check permissible gross towing weight for trailer operation)	_	60	273	_	0
Exterior features					
Access locker door left	AC-P, FA-P	5	331	0	_
Access locker door left	AC-P, FA-P	6	331	_	0
Bike rack for 3 bikes (lowerable)	_	21.1	7482	0	0
Bike rack for 3 bikes (rear)	_	9.6	938	0	0
Double-glazed flush-fitting windows with blackout & mosquito protection	AC-P	1	415	0	0
Interior design					
Upholstery Jupiter ³⁾	AC-P	0	13725	0	0
Upholstery Salerno incl. driver and passenger seat cover	_	0	12747	0	0
Furniture layouts					
ISOFIX child seat bracket for third and fourth seat facing direction of travel ¹⁰⁾	_	4	8125	0	0
Makeshift bed	_	8.5	339	0	0
Option to convert single bed to double bed	AC-P, FA-P	8	1883	_	0
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾	AC-P	32	1951	0	_
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾	AC-P	35	1951	_	0
Kitchen					
Room-high compressor refrigerator with separate freezer compartment (131 l)	AC-P	9	13261	0	0
Bathroom					
Shower grate	AC-P	2	1657	0	0
Multimedia					
Automatic HD satellite system 65 Twin ^{5) 3)}	_	11	11258	0	0
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	AC-P	3.65	9582	0	0
Flat screen 22" HD TV incl. flat screen bracket ^{4) 3)}	_	5.5	11506+325	0	0
Flat-screen TV bracket	_	2	325	0	0
Second rear view camera in rear moulding	_	1	11541	0	0
Heating					
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	-	1.3	11585	0	0
Digital control element for hot-air heating	AC-P	0.1	6622	0	0
Air Conditioning					
Roof A/C	_	40	609	0	0
Electrical installation					



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Optional equipment*	Included in package	Additional weight (kg)*	Code	11	14
2nd Leisure battery Dual Battery System (Lithium), 168 Ah ⁷⁾	_	21.5	13391	0	0
Second leisure battery AGM, 95 Ah ⁷⁾	_	27	830	0	0
Solar power system 100 watt	_	12.6	922	0	0
Water supply					
Insulated waste water tank	AC-P	8.5	13742	_	0
Insulated waste water tank	AC-P	9	13742	0	_
Switch for water pump	_	0.2	397	0	0
Packages					
Active Package T1	_	111.75	14821	0	_
Active Package T4	-	129.25	14821	_	0
Assistance Package Fiat	_	0.5	14477	0	0
Chassis Package ⁸⁾	_	-9.1	14476	0	0
Family Package T1 ⁸⁾	_	21.4	14410	0	_
Family Package T4 ⁸⁾	_	30.4	14410	_	0
Package One (awning 3.25m) ⁸⁾	_	51.6	12126	0	_
Package One (awning 4.0m) ⁸⁾	_	57.6	12126	_	0
Package X (awning 3.25m) ⁸⁾	_	35.1	11936	0	_
Package X (awning 4.0m) ⁸⁾	_	41.1	11936	_	0
Pre-wiring kit ⁸⁾	_	7.6	11350	0	0
Winter Comfort Package hot-air heating Globebus Camp T1 ⁸⁾	_	22.5	14411	0	_
Winter Comfort Package hot-air heating Globebus Camp T4 ⁸⁾		23.5	14411		0
Miscellaneous					
Registration documents (CoC papers)	_	0	15152	*	*

O Optional equipment — Not possible Standard equipment lack Mandatory Δ Not known at the time of publication

AC-P Active Package FA-P Family Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Globebus Go Low Profile



The next adventure is just a bend in the road away! The new Globebus Go is so compact and manoeuvrable that even narrow roads and low passages cannot stop it. This enables completely new travel and leisure experiences. On the other hand, it is amazingly spacious inside: with plenty of room to move around and storage space, a smart swivel bathroom and generous bed dimensions. By the way: if desired, the Globebus Go can also be upgraded to a real winter specialist!

Technical info	
Overall length, approx.	598 - 668 cm
Overall width, approx.	219 cm
Overall height, approx.	266 cm
Headroom in living area, approx.	190 cm

Maximum values partly not possible for all models or only in connection with certain options.

Polster



+ Upholstery Ravello



+ Upholstery Calypso incl. driver and passenger seat cover O



+ Upholstery Salerno incl. driver and passenger seat cover O

Plus factors

- + Agile and safe handling thanks to compact van dimensions with an external width of just 2.20 m and an external height of 2.66 m
- + Proven Lifetime body construction with GRP outer skin and excellent insulation
- + Winter campers choose the separately available Winter Comfort Package
- + Diesel heating with 6 kW heating capacity and 10 l hot water boiler
- + Electrically operated compressor refrigerator with perfect cooling performance
- + Pleasant sleeping comfort due to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames











Wood décor



+ Wood décor Noce Nagano

O optionally available

Globebus Go Low Profile Technical info





Globebus Go Low Profile		T 15	T 45
Standard chassis		Ford Transit Low Platform	Ford Transit Low Platform
Emission standards		Euro 6e	Euro 6e
Overall length, approx.	cm	598	668
Overall width, approx.	cm	219	219
Overall height, approx.	cm	266 ¹⁾	266 1)
Headroom in living area, approx.	cm	190	190
Towable load braked/unbraked	kg	2200 / 750	2200 / 750
Wheelbase, approx.	mm	3300	3750
Bed dimension: Central / middle bed, L X W, approx.	cm	150 x 101 - 75 O	155 x 101 - 75 O
Bed dimension: Rear bed, L x W, approx.	cm	198 x 137 - 132	201 x 80 / 193 x 75 / 198 x 160 O
Sleeping berths standard / max.		2/30	2/30
Standard engine		2,0 l TDCi Ford EcoBlue	2,0 l TDCi Ford EcoBlue
kW (bhp)		96 (130)	96 (130)
Mass in running order (+/-5%)*	kg	2600 (2470 to 2730)*	2655 (2522 to 2788)*
Manufacturer-specified mass for optional equipment*	kg	725	683
Technically permissible maximum laden mass*	kg	3500	3500
Permitted number of seats (including driver)*		2 - 4 🔿	2 - 4 🔿
Refrigerator volume (thereof freezer), approx.	1	83 (10) / 131 (15) 🔿	83 (10) / 131 (15) 〇
Waste water tank, approx.	I	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	115 / 20	115 / 20
Measurement storage opening left (W x H)	cm	65 x 90 🔿	65 x 75 O
Measurement storage opening right (W x H)	cm	35 x 90	60 x 95

O Optional equipment — Not possible • Standard equipment • Mandatory A Not known at the time of publication



The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5$ % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

45

ord Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 96 kW / 130 hp) Light Duty, 6-speed manual transmission reel rims 16" (236/65 R16) with wheel trims	
ord chassis features	
' multifunction display with SYNC4	
Of fuel tank	•
BS, EBD, ESP, TCS, Hill Start Assist, Crosswind Assist, Safety Brake Assist, Rollover Protection Cab, Emergency Brake Support incl. Emergency Brake Light	
uise control	•
river airbag	
river and passenger seat Pilot Chair with double armrest, swivelling	•
ectric handbrake	
kterior Colour Cab Frost White	•
cterior mirrors manually adjustable	
x&Go kit (tyre repair kit)	•
og light	
ord 6-speed manual gear box	•
ont Park-Pilot system	
ont-wheel drive	•
ane Assist	
eather steering wheel	•
assenger airbag	
re-Collision Assist, radar-based	•
ear axle mudflaps	
ear view camera	•
affic sign recognition system	
re pressure monitoring system	•
xterior features	
0 cm wide habitation door	•
cm wide habitation door	_
edroom window right and left	
ethleffs Exclusive rear light carrier with 3rd brake light	
PS insulation	
oor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	
yscreen habitation door	
RP roof	
abitation access with comfortable, wide, electric step	
orge rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, uminated, 1x 230 V socket	•
fetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	•
de panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	
cylight 40 x 40 cm above the seating lounge	•
xterior design	
xterior body painted in white	
nterior design	
pholstery Ravello	
ood décor Noce Nagano	
extile equipment	
ear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•
ırniture layouts	
ouble bed high in the rear, transverse	•
igh-level single beds incl. comfortable access via steps	_
verhead locker doors with soft-close function	

Seating group with hook-in and extendable table and a belt buck preparation	•	_
Kitchen		
Compressor refrigerator with freezer compartment (83 l)	•	•
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	•	•
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	•	•
Bathroom		
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	•	•
Swiveling bathroom wall for optimal use of space	•	•
Heating		
Diesel hot air heating 6 kW with hot water boiler and integrated height kit	•	•
Heating in the seating unit for optimum heat distribution, built-in	•	•
Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	•
Awning light 12 V	•	•
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	•	•
LED lighting throughout the vehicle	•	•
Leisure battery AGM, 95 Ah	•	•
Number of sockets 1x 12V, 7x 230V, 4x USB	•	•
On-board control panel	•	•
Spotlights in the roof lining above the habitation door	•	•
Water supply		
Fresh water tank in insulated and heated area	•	•
Submersible pump	•	•
Gas supply		
Storage space for a gas cylinder with a filling weight of 2.75 kg	•	•



PACKAGES GLOBEBUS GO LOW PROFILE

Package	Comfort Package T 15 (13804)	Comfort Package T 45 (13804)
Air conditioning automatic incl. dust and pollen filter	X	Х
Glove compartment, lockable	X	Х
Interior package Trend Line	X	Х
Side protection strips painted in car colour	X	Х
Front bumper painted in car colour	X	Х
High Series headlights with static cornering light	X	Х
Electrically adjustable and heated exterior mirrors	X	Х
Alloy wheel Ford 16" , black	X	Х
Habitation door with window incl. blackout and central locking (incl. cab door)	X	Х
Opening window in T-hood	X	Х
Cab blackout blinds	X	Х
Panorama skylight 70 x 50 cm in the living area	X	Х
Upholstery Calypso incl. driver and passenger seat cover	X	Х
Light Moments: Indirect wall surface ambient lighting	X	Х
Light Moments: Indirect ambient lighting above the overhead lockers	X	Х
Access locker door left	X	
Access locker door left		Х
Option to convert single bed to double bed		Х
Additional weight (kg)*	42.3	48.3

Package	Package One (awning 3.0m) (14844)	Package One (awning 4.0m) (14844)
Automatic HD satellite system 65 Twin	X	Х
Flat screen 22" HD TV	X	Х
Flat-screen TV bracket	Х	Х
Omnistor cassette awning 3.0 m (manual)	Х	
Omnistor cassette awning 4.0 m (manual)		Х
Additional weight (kg)*	43.5	50.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Package	Winter Comfort Package hot-air heating Globebus Go T 15 (13272)	Winter Comfort Package hot-air heating Globebus Go T 45 (13272)
Insulated under-floor pipes	X	Х
Switch for water pump	X	Х
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit	x	х
Waste water tank and pipes electrically heated	X	Х
Insulated waste water tank	X	
XPS insulation	X	
Insulated waste water tank		Х
XPS insulation		X
Additional weight (kg)*	22.3	23.8

Pre-wiring kit (14843)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Additional weight (kg)* 5.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Pord chassis Ford transit tight low platform (3,500 kg), TDCI EcoBlue (2.0 I / 121 kW / 165 hp) Heavy Duty, 8-speed and tomatic transmission 1 / 55 l65 w Ford chassis features Tow bar (check permissible gross towing weight for trailer operation) 2
Ford chassis Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 121 kW / 165 hp) Heavy Duty, 8-speed automatic transmission 2) Ford chassis features Tow bar (check permissible gross towing weight for trailer operation) 2) Exterior features Access locker door left Access locker door left Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Access locker awning 3.0 m (manual) Accessed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (lowerable) Bike rack for 4 bikes (lowerable) Bike rack for 4 bikes (lowerable) Bike rack for 4 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 4 bikes features Bike rack for 4 bikes features Bike rack fo
Ford chassis Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 121 kW / 165 hp) Heavy Duty, 8-speed automatic transmission 2) Ford chassis features Tow bar (check permissible gross towing weight for trailer operation) 2) Exterior features Access locker door left Access locker door left Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Access locker awning 3.0 m (manual) Accessed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout 6 mosquito protection Bike rack for 3 bikes (lowerable) Bike rack for 4 bikes (lowerable) Bike rack for 4 bikes (lowerable) Bike rack for 4 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 4 bikes features Bike rack for 4 bikes features Bike rack fo
Ford Chassis Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 121 kW / 165 hp) Heavy Duty, 8-speed automatic transmission ²⁾ Ford chassis features Tow bar (check permissible gross towing weight for trailer operation) ²⁾ - 48 273 ○ ○ Exterior features Access locker door left - 8 331 - ○ 6 331 - ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 6 11 7482 ○ ○ 74 74 74 ○ ○ 74 74 74 ○ ○ 74 74 74 ○ ○ 74 74 74 ○ ○ 74 74 74 ○ ○ 74 74 74 74 ○ ○ 74 74 74 74 ○ ○ 74 74 74 74 ○ ○ 74 74 74 74 74 74 74 74 74 74 74 74 74
automatic transmission 2)
Ford chassis features Tow bar (check permissible gross towing weight for trailer operation) ²⁾ — 48 273 O O Exterior features Access locker door left — 8 331 O — Access locker door left — 6 331 O — Bike rack for 3 bikes (lowerable) — 21.1 7482 O O Bike rack for 3 bikes (rear) — 9.6 938 O O Double-glazed flush-fitting windows with blackout & mosquito protection — 1 415 O O Double-glazed flush-fitting windows with blackout & mosquito protection — 1 415 O O Domistor cassette awning 3.0 m (manual) — 27 932 O — Omnistor cassette awning 4.0 m (manual) — 34 859 — O Interior design Upholstery Calypso incl. driver and passenger seat cover ¹¹⁾ — 0 13491 O O Upholstery Salerno incl. driver and passenger seat cover ¹¹⁾ — 0 12747 O O Makeshift bed — 4,5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 l) — 9 13261 O O
Tow bar (check permissible gross towing weight for trailer operation) 2) — 48 273 O O Exterior features Access locker door left — 8 331 O — Access locker door left — 6 331 — 0 Bike rack for 3 bikes (lowerable) — 21.1 7482 O D Bike rack for 3 bikes (lowerable) — 9.6 938 O D O D O D D D D D D D D D D D D D D
Exterior features Access locker door left Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (rear) Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout & mosquito protection Double-glazed flush-fitting windows with blackout & poscular & posc
Access locker door left Access locker door locker lock
Access locker door left Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (lowerable) Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout & mosquito protection Double-glazed flus
Bike rack for 3 bikes (lowerable) — 21.1 7482 ○ ○ Bike rack for 3 bikes (rear) — 9.6 938 ○ ○ Double-glazed flush-fitting windows with blackout & mosquito protection — 1 415 ○ ○ Omnistor cassette awning 3.0 m (manual) — 27 932 ○ ─ Omnistor cassette awning 4.0 m (manual) — 34 859 — ○ Interior design Upholstery Calypso incl. driver and passenger seat cover 10 — 0 13491 ○ ○ Upholstery Salerno incl. driver and passenger seat cover 10 — 0 12747 ○ ○ Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel 10 — 4.5 339 ○ ○ Option to convert single bed to double bed — 4.5 339 ○ ○ Option to convert single bed to double bed — 8 1883 — ○ Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 29 1951 ○ — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 32 1951 — ○ Kitchen Room-high compressor refrigerator with separate freezer compartment (131 I) — 9 13261 ○ ○
Bike rack for 3 bikes (rear) Double-glazed flush-fitting windows with blackout & mosquito protection Double-glazed flush-fitting windows with blackout & mosquito protection Ministor cassette awning 3.0 m (manual) Ministor cassette awning 4.0 m (manual) Ministor cassette awning
Double-glazed flush-fitting windows with blackout & mosquito protection — 1 415 ○ ○ Omnistor cassette awning 3.0 m (manual) — 27 932 ○ — Omnistor cassette awning 4.0 m (manual) — 34 859 — ○ Interior design Upholstery Calypso incl. driver and passenger seat cover 11) — 0 13491 ○ ○ Upholstery Salerno incl. driver and passenger seat cover 11) — 0 12747 ○ ○ Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel 10) — 4 8125 ○ ○ Omakeshift bed — 4.5 339 ○ ○ Option to convert single bed to double bed — 8 1883 — ○ Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9) — 29 1951 ○ — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9) — 32 1951 — ○ Kitchen Room-high compressor refrigerator with separate freezer compartment (131 I) — 9 13261 ○ ○
Omnistor cassette awning 3.0 m (manual) — 27 932 O — Omnistor cassette awning 4.0 m (manual) — 34 859 — Omnistor cassette awning 4.0 m (manual) — 34 859 — Omnistor cassette awning 4.0 m (manual) — 34 859 — Omnistor cassette awning 4.0 m (manual) — 34 859 — Omnistor cassette awning 4.0 m (manual) — 34 859 — Omnistor design Upholstery Calypso incl. driver and passenger seat cover 110 — 0 13491 — 0 12747 — Omniture layouts Isofix child seat bracket for third and fourth seat facing direction of travel 100 — 4 8125 — Omniture layouts — 4.5 339 — Omniture layouts —
Omnistor cassette awning 4.0 m (manual) — 34 859 — O Interior design Upholstery Calypso incl. driver and passenger seat cover ¹¹⁾ — 0 13491 O O Upholstery Salerno incl. driver and passenger seat cover ¹¹⁾ — 0 12747 O O Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel ¹⁰⁾ — 4 8125 O O Makeshift bed — 4.5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (1311) — 9 13261 O O
Upholstery Calypso incl. driver and passenger seat cover 11) — 0 13491 O O Upholstery Salerno incl. driver and passenger seat cover 11) — 0 12747 O O Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel 10) — 4 8125 O O Makeshift bed — 4.5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 I) — 9 13261 O O
Upholstery Calypso incl. driver and passenger seat cover 11) — 0 13491 O O Upholstery Salerno incl. driver and passenger seat cover 11) — 0 12747 O O Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel 10) — 4 8125 O O Makeshift bed — 4.5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9) — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 I) — 9 13261 O O
Upholstery Salerno incl. driver and passenger seat cover 11) — 0 12747 O O Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel 10) — 4 8125 O O Makeshift bed — 4.5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9) — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9) — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 l) — 9 13261 O O
Furniture layouts ISOFIX child seat bracket for third and fourth seat facing direction of travel ¹⁰⁾ — 4 8125 O O Makeshift bed — 4.5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 I) — 9 13261 O O
ISOFIX child seat bracket for third and fourth seat facing direction of travel ¹⁰⁾ Makeshift bed Option to convert single bed to double bed Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ Kitchen Room-high compressor refrigerator with separate freezer compartment (131 I) — 9 13261 O O
Makeshift bed — 4.5 339 O O Option to convert single bed to double bed — 8 1883 — O Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 29 1951 O — Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 — 32 1951 — O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 l) — 9 13261 O O
Option to convert single bed to double bed Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 - 29 1951 O - Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9 - 32 1951 - O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 l) - 9 13261 O O
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table 9
Seating group with harness bench incl. two 3-point harnesses and hook-in and extendable table ⁹⁾ - 32 1951 - O Kitchen Room-high compressor refrigerator with separate freezer compartment (131 l) - 9 13261 O O
Kitchen Room-high compressor refrigerator with separate freezer compartment (131 l) - 9 13261 O O
Room-high compressor refrigerator with separate freezer compartment (131 l) – 9 13261 O O
Bathroom
Shower grate — 2 1657 O O
Multimedia
Second rear view camera in rear moulding – 1 11541 O O
Heating
Diesel hot air heating 6 kW with 1.8 kW electric heating element incl. digital control element and integrated height kit — 1.3 11585 O O
Digital control element for hot-air heating — 0.1 6622 O O
Air Conditioning
Roof A/C – 40 609 O O
Electrical installation
2nd Leisure battery Dual Battery System (Lithium), 168 Ah ⁷⁾ — 21.5 13391 O O
Second leisure battery AGM, 95 Ah 7) - 27 830 O O
Solar power system 100 watt – 12.6 922 O O
Water supply
Insulated waste water tank - 8.5 665 - O
Insulated waste water tank - 9 665 0 -



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 15	T 45
Switch for water pump	_	0.2	397	0	0
Packages					
Comfort Package T 15	_	42.3	13804	0	
Comfort Package T 45	_	48.3	13804	_	0
Package One (awning 3.0m)	_	43.5	14844	0	_
Package One (awning 4.0m)	_	50.5	14844	_	0
Pre-wiring kit	_	5.6	14843	0	0
Winter Comfort Package hot-air heating Globebus Go T 15	_	22.3	13272	0	_
Winter Comfort Package hot-air heating Globebus Go T 45	_	23.8	13272		0
Miscellaneous					
Registration documents (CoC papers)	_	0	15152	*	*

O Optional equipment — Not possible Standard equipment lack Mandatory Δ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and





Your Just Camp Active:



- - - Upholstery Heron textile-leather

Just Camp Low Profile



Some decisions are easy. For example, the one in favour of the Just Camp! With its stylish design, good equipment and lots of fresh ideas, it makes it easy to get into caravanning. Seven different layout solutions also contribute to this, covering the most diverse wishes and requirements for mobile living

Technical info	
Overall length, approx.	695 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	294 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Drake



+ Upholstery Heron (partial textileleather) O

Plus factors

- + Proven Lifetime body construction with GRP outer skin and excellent insulation
- + 70 cm wide habitation door with central locking
- + Interior height 2.13 m (not below pull-down bed)
- + Pleasant sleeping comfort due to 150 mm thick 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames













Wood décor



+ Wood décor Noce Nagano

O optionally available

Just Camp Low Profile Technical info







Just Camp Low Profile		T 6752 DBL	Т 6762	T 6812 EB
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	695	695	695
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	294 1)	294 1)	294 ¹⁾
Headroom in living area, approx.	cm	213	213	213
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	3800
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 O	200 x 150	200 x 140 - 120 O
Bed dimension: Central / middle bed, L X W, approx.	cm	200 x 110 - 90 O	210 x 120 O	210 x 105 - 70 O
Bed dimension: Rear bed, L x W, approx.	cm	190 x 150		198 x 80 / 200 x 80 / 210 x 170 O
Sleeping berths standard / max.		2/50	2 / 4 O	2/50
Standard engine		140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2770 (2632 to 2909)*	2860 (2717 to 3003)*	2750 (2613 to 2888)*
Manufacturer-specified mass for optional equipment*	kg	394	304	414
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 🔿
Refrigerator volume (thereof freezer), approx.	I	137 (15) / 137 (15) O	137 (15)	137 (15)
Waste water tank, approx.	1	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at drivin filling	g I	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	75 x 65 O	55 x 170	75 x 95 O
Measurement storage opening right (W x H)	cm	75 x 85	60 x 115	75 x 115



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just Camp Low Profile Technical info









Just Camp Low Profile	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Standard chassis	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards	Euro 6e	Euro 6e	Euro 6e	Euro 6e
Overall length, approx. cn	740	740	740	740
Overall width, approx. cn	233	233	233	233
Overall height, approx. cn	294 ¹⁾	294 1)	294 1)	294 1)
Headroom in living area, approx.	213	213	213	213
Towable load braked/ unbraked k	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx. mn	4035	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	200 x 140 - 120 🔿	200 x 140 O	200 x 140 - 120 O	200 x 140 O
Bed dimension: Central / middle bed, L X W, approx.	210 x 120 - 80 O	206 x 110 - 90 🔿	210 x 120 - 80 🔿	206 x 110 - 90 🔿
Bed dimension: Rear bed, L x W, approx.	2x 215 x 80 / 210 x 190 O	2x 215 x 80 / 210 x 190 O 190 x 150		190 x 150
Sleeping berths standard / max.	2 / 5 🔿	2/50	2/50	2/50
Standard engine	140 MultiJet 3	140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	2800 (2660 to 2940)*	2910 (2765 to 3056)*	2800 (2660 to 2940)*	2910 (2765 to 3056)*
Manufacturer-specified mass for optional equipment*	360	250	360	250



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just Camp Low Profile Technical info









Just Camp Low Profile	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL	
Technically permissible maximum laden mass* kg	3499	3499	3499	3499	
Permitted number of seats (including driver)*	4 - 5 O	4	4 - 5 0	4	
Refrigerator volume (thereof freezer), approx.	137 (15) / 137 (15) 🔾	(i) O 137 (15) / 137 (15) O 137 (15) / 137 (15) O 137 (15)			
Waste water tank, approx.	90	90	90	90	
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	116 / 20	116 / 20	116 / 20	116 / 20	
Measurement storage opening left (W x H) cm	95 x 95 🔾	95 x 95 🔿	95 x 95 O	95 x 95 🔾	
Measurement storage opening right (W x H) cm	95 x 115	95 x 115	95 x 115	95 x 115	

O Optional equipment — Not possible

Standard equipment

Mandatory

Not known at the time of publication



The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional requipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Fiat chassis							
Alloy wheel Fiat 16 ", black	•	•	•	•	•	•	•
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	•	•	•	•	•	•	•
Fiat chassis features							
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)							
Anti-theft device	•	•	•	•	•	•	•
Automatic Brake Assist after a collision							
Captain seats for driver and front passenger, swivel function	•	•	•	•	•	•	•
Crosswind Assist							
Cruise control	•	•	•	•	•	•	•
Cup holder in the centre of the dashboard							
DAB+ radio antenna integrated into right exterior mirror						•	
Dashboard with aluminium application							
Daytime running lights integrated into headlights		•	•	•	•	•	
Diesel tank 90 litre incl. 19L AdBlue tank							
Driver and passenger airbags							
Driver and passenger detection							
Driver's cab manual A/C							
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control							
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator							
Exterior colour chassis white Fog lights incl. cornering light							
Front-wheel drive							
GRP lightweight leaf spring							
Height and tilt adjustment and double armrests for driver and passenger seat							
Leather steering wheel and gear knob withleather sleeve							
Painted front bumper in body colour incl. black skid plate							
Preparation for radio system incl. loudspeakers in the driver's cabin							
Rear axle mudflaps		•	•				
Steering wheel with control elements			•	•	•	•	
Trailer Stability Assist	•	•	•	•	•	•	
Tyre inflation kit and towing eye		•	•		•	•	•
Widened rear axle				•	•	•	
Winter tyres M+S Camping (with snowflake)	•	•	•	•	•	•	•
Exterior features							
70 cm wide habitation door							
Dethleffs Exclusive rear light carrier with 3rd brake light							
EPS insulation							
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	•	•	•	•	•		
Flyscreen habitation door			•		•	•	
GRP roof	•	•	•	•	•	•	•
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	•	_	•	•	•	•	•
Large rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	_	•	-	_	-	-	_
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	•	•	•	•	•	•	•
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface							
Skylight 40 x 40 cm above the seating lounge	•	•	•	•	•	•	•
Exterior design							
Exterior body painted in white	•	•	•	•	•	•	•
Interior design							
Upholstery Drake	•				•	•	•
Wood décor Noce Nagano	•					•	
Textile equipment							

Standard equipment	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•	•	•	•	•	•
Furniture layouts							
Cosy lounge seating group with free-standing, rigid table base	•	•	_	-	•	_	•
Double bed low		_	_	_	_	_	_
Electric pull-down bed across the seating unit	_		_	_	_	_	_
Height-adjustable double bed	_	_	_	_	_	•	•
High-level single beds incl. comfortable access via steps	_	_				_	_
Overhead locker doors with soft-close function	•	•	•	•	•	•	•
Seating area with mountable and extendible table and two integrated 3-point seatbelts	_	_			_		_
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	_	•	_	_	_	_	_
Wardrobe to the left and right of the queen-size bed		_	_	_	_		
Kitchen							
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	•	•	•	•	•	•	•
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop		•	•	•	•	•	•
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)							
Bathroom							
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	•	•	•	•	•	•	
Large bathroom with separate shower and toilet with locking door to the lounge			_				•
Swiveling bathroom wall for optimal use of space	_	_		_	_	_	_
Heating							
Gas hot-air heating 6kW with hot-water boiler		•	•	•	•	•	
Heating in the seating unit for optimum heat distribution, built-in			•	•	•	•	•
Electrical installation							
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator							
Awning light 12 V		•	•	•	•	•	
Electric block with integrated overvoltage protection and separate ground fault circuit breaker			•		•		
LED lighting throughout the vehicle							
Leisure battery AGM, 95 Ah	•	•	•	•	•	•	•
Number of sockets 1x 12V, 7x 230V, 4x USB	_		_	_	_	_	_
Number of sockets 1x 12V, 8x 230V, 4x USB	_	_	•	•	_	•	_
Number of sockets 1x 12V, 8x 230V, 5x USB		_	_	_		_	
On-board control panel		•	•	•	•	•	•
Spotlights in the roof lining above the habitation door	•		•	•		•	
Water supply							
Fresh water tank in insulated and heated area	•	•	•	•	•	•	•
Submersible pump	•	•	•	•	•	•	•
Gas supply							
Storage space for 2 gas bottles with a filling weight of 11 kg each	•	•	•	•	•	•	•

PACKAGES JUST CAMP LOW PROFILE

Package	Active- Package T 6812 EB (14875)	Active- Package T 7052 EB (14875)	Active- Package T 7052 EBL (14875)	Active- Package T 7052 DBM (14875)	Active- Package T 7052 DBL (14875)
Opening window in T-hood	X	Х	Х	Х	x
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	Х	X	X	x
Cab blackout blinds	Х	Х	х	х	x
Panorama skylight 70 x 50 cm in the living area	Х	X	X	X	х
Light Moments: Indirect ambient lighting above the overhead lockers	Х	X	X	X	х
Light Moments: Indirect wall surface ambient lighting	Х	Х	х	х	x
Access locker door left	Х	Х	Х	Х	x
Double-glazed flush-fitting windows with blackout & mosquito protection incl. panelled kitchen rear wall	Х	Х	Х	X	x
Upholstery Heron (partial textile-leather)	Х	Х	X	X	x
Pre-wiring for solar	Х	Х	X	X	x
Light Moments: illuminated kitchen splashback	Х	Х	Х	Х	x
Pre-wiring for roof A/C	Х	Х	Х	Х	x
Digital control element for hot-air heating	Х	Х	Х	Х	x
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	Х	Х	X	X	x
Rear view camera (single camera)	Х	Х	Х	Х	x
Pre-wiring for satellite system	X	Х	Х	х	x
Active exterior design (rear light carrier with black diffuser, extended labelling, "red" skid plate)	Х	Х	X	X	х
Option to convert single bed to double bed	Х	X	Х		
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	Х	Х		X	
Shower grate	Χ				
Omnistor cassette awning 4.0 m (manual)	Х				
Window in bathroom		Х	x	X	х
Shower grate		Х	х	x	х
Omnistor cassette awning 4.5 m (manual)		Х	х	х	х
Additional weight (kg)*	94.85	104.35	96.35	96.35	88.35



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Package	Package One (awning 4.0m) (12126)	Package One (awning 4.5m) (12126)	Package X (awning 4.0m) (11936)	Package X (awning 4.5m) (11936)
Automatic HD satellite system 65 Twin	Х	Х		
Flat screen 22" HD TV	х	х		
Flat-screen TV bracket	х	х		
Rear view camera (single camera)	х	х	х	x
Omnistor cassette awning 4.0 m (manual)	х		х	
Omnistor cassette awning 4.5 m (manual)		Х		х
Additional weight (kg)*	51.6	55.6	35.1	39.1

Package	Family Package T 6752 DBL (13881)	Family Package T 6762 (13881)	Family Package T 6812, 7052 EB (13881)	Family Package T 7052 EBL (13881)	Family Package T 7052 DBM (13881)	Family Package T 7052 DBL (13881)
Opening window in T-hood	Х	Х	Х	Х	Х	х
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	Х	Х	Х	Х	х
Cab blackout blinds	Х	Х	Х	Х	Х	х
Panorama skylight 70 x 50 cm in the living area	Х	Х	Х	х	х	х
Light Moments: Indirect ambient lighting above the overhead lockers	Х	Х	Х	х	х	х
Light Moments: Indirect wall surface ambient lighting	Х	Х	Х	Х	Х	х
Access locker door left	Х					
Option to convert single bed to double bed			Х	х		
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts			Х		х	
Access locker door left			Х	Х	Х	х
Additional weight (kg)*	27.5	21.5	45.5	37.5	37.5	29.5

Package	Winter Comfort Package hot-air heating Just Camp 6752 DBL, 6762, 6812 EB (8251)	Winter Comfort Package hot-air heating Just Camp 7052 (8251)
Insulated under-floor pipes	X	Х
Waste water tank and pipes electrically heated	X	Х
Insulated waste water tank	X	Х
Switch for water pump	X	Х
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	х	х
XPS insulation	X	
XPS insulation		Х
Additional weight (kg)*	27.7	28.7



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Chassis Package (14476)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console

Electric parking brake

Full LED low beam

Additional weight (kg)* -9.1

Assistance Package Fiat (14477)

Rain and light sensor with automatic dimming

Emergency Brake Assist with pedestrian detection

Lane Keep Assist

Traffic Sign Assist

Attention Assist

Intelligent speed assistant

Additional weight (kg)* 0.5

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Fiat chassis										
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	_	60	140A	0	0	0	0	0	0	0
Fiat Ducato Light low platform (3,499 kg), MultiJet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	-	60	180A	0	0	0	0	0	0	0
Weight upgrade										
Weight upgrade 3,650 kg	_	0	10769	0	0	0	0	0	0	0
Fiat chassis features										
Additional seat ⁹⁾	_	14	435	_	_	0	0	_	0	_
Tow bar (check permissible gross towing weight for trailer operation)	_	61	273	0	0	_	_	_	_	_
Tow bar (check permissible gross towing weight for trailer operation)	_	64	273	_	_	0	_	_	_	_
Tow bar (check permissible gross towing weight for trailer operation)	_	66	273	_	_	_	0	0	0	0
Exterior features										
Access locker door left	_	6	331	0	_	Ξ	=	_	_	_
Access locker door left	ED-P	8	331	_	_	0	0	0	0	0
Bike rack for 3 bikes (lowerable)	_	21.1	7482	0	0	0	0	0	0	0
Bike rack for 3 bikes (rear)	_	9.6	938	0	0	0	0	0	0	0
Double-glazed flush-fitting windows with blackout & mosquito protection incl. panelled kitchen rear wall	ED-P	3.3	415	0	0	0	0	0	0	0
Interior design										
Upholstery Heron (partial textile-leather) ³⁾	ED-P	0	13726	_	_	0	0	0	0	0
Upholstery Heron (partial textile-leather) 3) Furniture layouts	ED-P	0	13726		Ē	0	0	0	0	0
	ED-P	9	13726 1944		0	0	0	O 		0
Furniture layouts	ED-P —			 	0 -	O _ O	O 	O _ _	O _ _	O
Furniture layouts Bed convert for seating lounge transverse	ED-P	9	1944	_ _ _ _	- 0 -	O - O -	0 - - 0	O - - -	O - - 0	O
Furniture layouts Bed convert for seating lounge transverse Bed convert for seating lounge transverse	ED-P — — — — — — — —	9	1944 1944	_ _ _ _ 0	0	O - O	O	O O	O - - 0 -	0 0
Furniture layouts Bed convert for seating lounge transverse Bed convert for seating lounge transverse Bed convert for seating lounge transverse	ED-P	9 7 8.5	1944 1944 1944	_ _ _ _ _ _	0	O	O	O O - O - O	O - - 0 - 0	_ _ _
Furniture layouts Bed convert for seating lounge transverse	ED-P	9 7 8.5 5.5	1944 1944 1944		O	O - O - O -	_ _ _ _ _	O O - O	- - 0 -	_ _ _
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel	-	9 7 8.5 5.5 72	1944 1944 1944 1944 680 680 8125		- 0 - - - -	- 0 - 0 - 0	- - 0 - 0 - 0	_ _ _ _ _ _ _	- - 0 -	_ _ _ _ 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit	ED-P ED-P	9 7 8.5 5.5 72	1944 1944 1944 1944 680 680		- 0 - - - - -	- 0 - - 0	- - 0 - 0 - 0	_ _ _ _ _ _ _	- - 0 - 0	_ _ _ _ 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel	-	9 7 8.5 5.5 72 77 4	1944 1944 1944 1944 680 680 8125		0	- 0 - 0 - 0	- - 0 - 0 - 0	_ _ _ _ _ _ _	- - 0 - 0	_ _ _ _ 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed	-	9 7 8.5 5.5 72 77 4	1944 1944 1944 1944 680 680 8125	- - - - 0 - 0 -	- - - - -	- 0 - - 0 - 0 - 0 0	- - 0 - 0 - 0	_ _ _ _ _ _ _	- 0 - 0 - 0	- - 0 - 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen	-	9 7 8.5 5.5 72 77 4	1944 1944 1944 1944 680 680 8125 1883	- - - 0 - 0 -	- - - - -	- 0 - - 0 - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0 -	- 0 - 0 - 0	- - 0 - 0
Furniture layouts Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 I) with integrated oven	-	9 7 8.5 5.5 72 77 4	1944 1944 1944 1944 680 680 8125 1883	0 0	- - - - -	- 0 - - 0 - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0 -	- 0 - 0 - 0	- - 0 - 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 l) with integrated oven Bathroom	— — — — — — ED-P	9 7 8.5 5.5 72 77 4 8	1944 1944 1944 1944 680 680 8125 1883		- - - - -	- 0 - - 0 - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0 -	- 0 - 0 - 0	- - 0 - 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 I) with integrated oven Bathroom Shower grate	— — — — ED-P	9 7 8.5 5.5 72 77 4 8	1944 1944 1944 1944 680 680 8125 1883	-	- - - - -	- 0 - - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0 -	- - 0 - 0 - 0	- - 0 - 0
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 I) with integrated oven Bathroom Shower grate Shower grate	— — — — ED-P ED-P	9 7 8.5 5.5 72 77 4 8	1944 1944 1944 1944 680 680 8125 1883 290	-		- 0 - - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0	- - 0 - 0 - 0	- - 0 - 0 -
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 I) with integrated oven Bathroom Shower grate Shower grate Window in bathroom Multimedia	— — — — ED-P ED-P	9 7 8.5 5.5 72 77 4 8	1944 1944 1944 1944 680 680 8125 1883 290	- • •		- 0 - 0 - 0 0	- - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0 - 0 -	- - 0 - 0 -
Furniture layouts Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 I) with integrated oven Bathroom Shower grate Shower grate Window in bathroom	— — — — ED-P ED-P	9 7 8.5 5.5 72 77 4 8	1944 1944 1944 1944 680 680 8125 1883 290 1657 1657	-		- 0 - 0 - 0 0	- - 0 - 0 0	- - 0 - 0	- - 0 - 0 - 0 -	
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 I) with integrated oven Bathroom Shower grate Shower grate Window in bathroom Multimedia Automatic HD satellite system 65 Twin 5)	— — — — ED-P ED-P	9 7 8.5 5.5 72 77 4 8 11	1944 1944 1944 1944 680 680 8125 1883 290 1657 1657 372	- • •	- - - - - - - - - 0	- 0 - 0 - 0 0	- - 0 - 0 0	- - 0 - 0 - 0	- - 0 - 0 - 0 - 0	
Bed convert for seating lounge transverse Electric pull-down bed across the seating unit Electric pull-down bed across the seating unit ISOFIX child seat bracket for third and fourth seat facing direction of travel Option to convert single bed to double bed Kitchen Fridge (137 l) with integrated oven Bathroom Shower grate Window in bathroom Multimedia Automatic HD satellite system 65 Twin ⁵⁾ Dethleffs Moniceiver incl. DAB+, Apple CarPlay / Android Auto Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android	— — — ED-P ED-P ED-P — — — — —	9 7 8.5 5.5 72 77 4 8 11	1944 1944 1944 1944 680 680 8125 1883 290 1657 1657 372	- • •	- - - - - - - 0 0	- 0 - 0 - 0 0	- - 0 - 0 0	- - - 0 - 0 - 0	- - 0 - 0 - 0	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6752 DBL	T 6762	T 6812 EB	T 7052 EB	T 7052 EBL	T 7052 DBM	T 7052 DBL
Heating										
Floor heating electric (partial)	_	5	763	0	0	0	0	0	0	0
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	-	1	330	0	0	0	0	0	0	0
Air Conditioning										
Roof A/C	_	40	609	0	0	0	0	0	0	0
Electrical installation										
Second leisure battery AGM, 95 Ah	_	27	830	0	0	0	0	0	0	0
Solar power system 100 watt	_	12.6	922	0	0			0		_
Water supply										
Insulated waste water tank		11	(()	0	_	_	_	_	0	
Switch for water pump	_	0.2	665 397	0	0	0	0	0	0	0
		0.2	371		0	0	0	0	0	0
Gas supply										
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter		2.5	1577	0	0	0	0	0	0	0
Packages										
Active-Package T 6812 EB	_	94.85	14875	_	_	0	_	_	_	_
Active-Package T 7052 DBL	_	88.35	14875	_	-	-	-	-	-	0
Active-Package T 7052 DBM		96.35	14875	_	_	_	_	_	0	_
Active-Package T 7052 EB	_	104.35	14875	_	_	_	0	_	_	_
Active-Package T 7052 EBL		96.35	14875	_	_	_	_	0	_	_
Assistance Package Fiat	_	0.5	14477	0	0	0	0	0	0	0
Chassis Package		-9.1	14476	0	0	0	0	0	0	0
Family Package T 6752 DBL	_	27.5	13881	0	_	_	-	-	_	_
Family Package T 6762	_	21.5	13881		0	_	_	_	_	_
Family Package T 6812, 7052 EB ⁸⁾	_	45.5	13881	_	_	0	0	-	_	_
Family Package T 7052 DBL ⁸⁾	_	29.5	13881		_	_	_	_	_	0
Family Package T 7052 DBM ⁸⁾	_	37.5	13881	_	_	_	_	_	0	_
Family Package T 7052 EBL ⁸⁾	_	37.5	13881	_	_	_	_	0	_	_
Package One (awning 4.0m) ⁸⁾	_	51.6	12126	0	0	0	_	_	_	_
Package One (awning 4.5m) ⁸⁾	_	55.6	12126	_	_	_	0	0	0	0
Package X (awning 4.0m) ⁸⁾	_	35.1	11936	0	0	0	_	_	_	_
Package X (awning 4.5m) ⁸⁾	_	39.1	11936	_	_	_	0	0	0	0
Pre-wiring kit ⁸⁾	_	7.6	11350	0	0	0	0	0	0	0
Winter Comfort Package hot-air heating Just Camp 6752 DBL, 6762, 6812 EB	_	27.7	8251	0	0	0	_	_	_	_
Winter Comfort Package hot-air heating Just Camp 7052	_	28.7	8251				0	0	0	0
Miscellaneous										
Registration documents (CoC papers)	_	0	15152	•	•	•	•	•	•	•

O Optional equipment — Not possible • Standard equipment • Mandatory 🛆 Not known at the time of publication

ED-P caption.availability.inpackage.ED-P



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Just Go Low Profile



Experience the world of motorhomes simply and easily - the new Just Go, based on the Ford Transit, does it perfectly.

Comprehensive equipment as well as modern interior with feelgood character, it already has everything on board as standard and at a real friendship price. Want more? The Comfort Package supplements the standard equipment with lots of added value: more safety, more comfort, more fun. Just do it!

Technical info	
Overall length, approx.	668 - 735 cm
Overall width, approx.	232 cm
Overall height, approx.	299 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

Polster



+ Upholstery Ravello



+ Upholstery Calypso incl. driver and passenger seat cover O



+ Upholstery Salerno incl. driver and passenger seat cover O

Plus factors

- + Proven Dethleffs quality at an attractive, friendly price
- + 70 cm wide habitation door
- + Interior height 2.13 m (not below pull-down bed)
- + Pleasant sleeping comfort thanks to 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Optional pull-down bed
- + Fully equipped kitchen with 2-burner hob and Multiflex rail system
- + 137 l fridge with large freezer compartment











Wood décor



+ Wood décor Noce Nagano

O optionally available

Just Go Low Profile Technical info







Just Go Low Profile		T 6615 EB	T 6815 EB	T 6905
Standard chassis		Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	668	698	698
Overall width, approx.	cm	232	232	232
Overall height, approx.	cm	299 1)	299 ¹⁾	299 1)
Headroom in living area, approx.	cm	213	213	213
Towable load braked/unbraked	kg	2200 / 750	2200 / 750	2200 / 750
Wheelbase, approx.	mm	3750	3750	3750
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 O	200 x 140 - 120 O	200 x 140 - 120 O
Bed dimension: Central / middle bed, L X W, approx.	cm	157 x 101 - 75 O	210 x 100 - 65 O	210 x 100 - 65 O
Bed dimension: Rear bed, L x W, approx.	cm	202 x 80 / 198 x 80 / 210 x 170 O	198 x 80 / 208 x 80 / 210 x 170 O	200 x 135 - 100
Sleeping berths standard / max.		2 / 4 O	2/50	2/50
Standard engine		2,0 TDCi Ford EcoBlue	2,0 TDCi Ford EcoBlue	2,0 TDCi Ford EcoBlue
kW (bhp)		96 (130)	96 (130)	96 (130)
Mass in running order $(+/-5\%)^*$	kg	2800 (2660 to 2940)*	2820 (2679 to 2961)*	2880 (2736 to 3024)*
Manufacturer-specified mass for optional equipment*	kg	368	345	285
Technically permissible maximum laden mass*	kg	3500	3500	3500
Permitted number of seats (including driver)*		4	4 - 5 0	4
Refrigerator volume (thereof freezer), approx.	I	83 (8) / 137 (15) O	137 (15)	137 (15) / 137 (15) O
Waste water tank, approx.	Ī	95	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	115 / 20	115 / 20	115 / 20
Measurement storage opening left (W x H)	cm	55 x 95 🔿	75 x 95 O	
Measurement storage opening right (W x H)	cm	55 x 115	75 x 115	85 x 60



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Just Go Low Profile Technical info







Just Go Low Profile		T 7055 DBL	T 7055 EB	T 7055 EBL
Standard chassis		Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform
Emission standards		Euro 6e	Еиго 6е	Еиго 6е
Overall length, approx.	cm	735	735	735
Overall width, approx.	cm	232	232	232
Overall height, approx.	cm	299 1)	299 1)	299 1)
Headroom in living area, approx.	cm	213	213	213
Towable load braked/unbraked	kg	2200 / 750	2200 / 750	2200 / 750
Wheelbase, approx.	mm	3954	3954	3954
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 O	200 x 140 - 115 O	200 x 140 O
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 105 - 80 O	210 x 108 - 65 O	210 x 105 - 80 O
Bed dimension: Rear bed, L x W, approx.	cm	190 x 150	2x 215 x 80 / 210 x 190 O	2x 215 x 80 / 210 x 190 O
Sleeping berths standard / max.		2/50	2/50	2/50
Standard engine		2,0 TDCi Ford EcoBlue	2,0 TDCi Ford EcoBlue	2,0 TDCi Ford EcoBlue
kW (bhp)		96 (130)	96 (130)	96 (130)
Mass in running order (+/-5%)*	kg	2865 (2722 to 3008)*	2885 (2741 to 3029)*	2900 (2755 to 3045)*
Manufacturer-specified mass for optional equipment*	kg	296	276	261
Technically permissible maximum laden mass*	kg	3500	3500	3500
Permitted number of seats (including driver)*		4	4	4
Refrigerator volume (thereof freezer), approx.	I	137 (15) / 137 (15) 〇	137 (15) / 137 (15) 〇	137 (15) / 137 (15) 〇
Waste water tank, approx.	- 1	95	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	- 1	115 / 20	115 / 20	115 / 20
Measurement storage opening left (W x H)	cm	95 x 95 🔿	95 x 95 O	95 x 95 O
Measurement storage opening right (W x H)	cm	93 x 115	93 x 115	93 x 115

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment Ford chassis	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
111111111						
Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 96 kW / 130 hp) Light Duty, 6-speed manual transmission		•	•	•	•	
Steel rims 16" (236/65 R16) with wheel trims						
Ford chassis features						
12' multifunction display with SYNC4						
70l fuel tank	•	•	•	•	•	•
ABS, EBD, ESP, TCS, Hill Start Assist, Crosswind Assist, Safety Brake Assist, Rollover Protection Cab, Emergency Brake Support incl. Emergency Brake Light	•	•	•	•	•	•
Cruise control	•	•	•	•	•	•
Driver airbag						
Driver and passenger seat Pilot Chair with double armrest, swivelling	•	•	•	•	•	•
Electric handbrake						
Exterior Colour Cab Frost White	•				•	
Exterior mirrors manually adjustable						
Fix&Go kit (tyre repair kit)		•	•		•	
Fog light						
Ford 6-speed manual gear box					•	
Front Park-Pilot system						
Front-wheel drive						
Lane Assist						
Leather steering wheel						
Pre-Collision Assist, radar-based						
Rear axle mudflaps						
Rear view camera						
Traffic sign recognition system						
Tyre pressure monitoring system						
Wider rear axle						
Exterior features						
			_			
70 cm wide habitation door						
Bedroom window right and left Dethleffs Exclusive rear light carrier with 3rd brake light			_			
EPS insulation						
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm Flyscreen habitation door						
GRP roof						
Habitation access with comfortable, wide, electric step						
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	•	•	_	•	•	•
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation	•			•	•	•
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface		•	•	•	•	•
Skylight 40 x 40 cm above the seating lounge	•	•	•	•	•	•
Exterior design						
Exterior body painted in white Interior design		Ĭ	Ť	Ť	Ť	
Upholstery Ravello	_					
Wood décor Noce Nagano						
Textile equipment Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating	•	•	•	•	•	•
Furniture layouts						

- - - • - •

French double bed

Cosy lounge seating group with free-standing, rigid table base

Standard equipment	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Height-adjustable double bed	_	_	_		_	_
High-level single beds incl. comfortable access via steps	•	•	_	_	•	•
Overhead locker doors with soft-close function						
Room-height wardrobes with clothes rail or shelves	_	_	•	_	_	_
Seating area with mountable and extendible table and two integrated 3-point seatbelts				_		_
Wardrobe to the left and right of the queen-size bed	_	_	_	•	_	_
Kitchen						
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	_	•	•	•		•
Fridge with separate freezer compartment and automatic energy selection (AES) (83 l)		_	_	_	_	_
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop	•	•	•	•	•	•
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)						
Bathroom						
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	•	•	_	•	•	•
Large bathroom with separate shower and toilet with locking door to the lounge	_	_	=	•	•	•
Swiveling bathroom wall for optimal use of space				_	_	_
Heating						
Gas hot-air heating 6kW with hot-water boiler	•	•	•	•	•	•
Heating in the seating unit for optimum heat distribution, built-in	•					
Electrical installation						
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	•	•	•	•	•
Awning light 12 V	•					
Dimmable LED lighting in the separate shower and toilet room	_	_	_			
Electric block with integrated overvoltage protection and separate ground fault circuit breaker						
LED lighting throughout the vehicle						
Leisure battery AGM, 95 Ah						
Number of sockets 1x 12V, 7x 230V, 4x USB	•	_	_	_	_	_
Number of sockets 1x 12V, 8x 230V, 4x USB	_					
On-board control panel	•	•	•			•
Spotlights in the roof lining above the habitation door	•	•	•	•	•	
Water supply						
Fresh water tank in insulated and heated area	•	•	•	•	•	•
Submersible pump	•	•	•	•	•	•
Gas supply						
Storage space for 2 gas bottles with a filling weight of 11 kg each	•	•	•	•	•	•

PACKAGES JUST GO LOW PROFILE

Package	Comfort Package T 6615 EB (14842)	Comfort Package T 6815, 7055 EB (14842)	Comfort Package T 6905 (14842)	Comfort Package T 7055 DBL (14842)	Comfort Package T 7055 EBL (14842)
Air conditioning automatic incl. dust and pollen filter	X	Х	Х	Х	х
Glove compartment, lockable	X	Х	Х	Х	х
Interior package Trend Line	X	х	Х	х	х
Side protection strips painted in car colour	X	х	Х	Х	х
Front bumper painted in car colour	X	Х	Х	Х	х
High Series headlights with static cornering light	X	х	Х	х	х
Electrically adjustable and heated exterior mirrors	X	х	Х	х	х
Alloy wheel Ford 16" , black	X	х	Х	х	х
Habitation door with window incl. blackout and central locking (incl. cab door)	X	Х	Х	х	х
Panorama skylight 70 x 50 cm in the living area	X	Х	Х	Х	х
Upholstery Calypso incl. driver and passenger seat cover	X	Х	Х	Х	х
Light Moments: Indirect wall surface ambient lighting	X	Х	Х	Х	х
Light Moments: Indirect ambient lighting above the overhead lockers	X	Х	Х	Х	х
Cab blackout blinds	Χ	Х	Х	Х	х
Opening window in T-hood	X	Х	Х	Х	х
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	Х	Х	Х		
Option to convert single bed to double bed	Χ	Х			х
Access locker door left	Х		Х		
Access locker door left		Х		Х	х
Additional weight (kg)*	55.8	57.8	47.8	41.8	49.8

Package	Package One (awning 4.0m) (14844)	Package One (awning 4.5m) (14844)
Automatic HD satellite system 65 Twin	Х	Х
Flat screen 22" HD TV	Х	Х
Flat-screen TV bracket	Х	Х
Omnistor cassette awning 4.0 m (manual)	Х	
Omnistor cassette awning 4.5 m (manual)		Х
Additional weight (kg)*	50.5	54.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Package	Winter Comfort Package hot-air heating Just Go 6615 (8251)	Winter Comfort Package hot-air heating Just Go 6815 EB, 6905 (8251)	Winter Comfort Package hot-air heating Just Go7055 (8251)
Insulated under-floor pipes	Х	Х	Х
Switch for water pump	Х	Х	Х
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	Х	х	Х
Waste water tank and pipes electrically heated	Х	Х	Х
Insulated waste water tank	Х	X	Х
XPS insulation	Х		
XPS insulation		Х	
XPS insulation			Х
Additional weight (kg)*	25	26	27

Pre-wiring kit (14843)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Additional weight (kg)* 5.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Ford chassis									
Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 121 kW / 165 hp) Heavy Duty, 8-speed automatic transmission ²⁾	-	55	165A	0	0	0	0	0	0
Ford chassis features									
Additional seat ⁹⁾	_	14	435	_	0	0	_	_	
Tow bar (check permissible gross towing weight for trailer operation) ²⁾	_	51	273	_	_	_	0	0	0
Tow bar (check permissible gross towing weight for trailer operation) ²⁾	_	50	273	_	0	0	_	_	_
Tow bar (check permissible gross towing weight for trailer operation) ²⁾	_	48	273	0	_	_	_	_	_
Exterior features									
Access locker door left	_	6	331	0				_	_
Access locker door left	_	8	331	_	0	_	0	0	0
Bike rack for 3 bikes (lowerable)	_	21.1	7482	0	0	0	0	0	0
Bike rack for 3 bikes (rear)	_	9.6	938	0	0	0	0	0	0
Double-glazed flush-fitting windows with blackout & mosquito protection	_	1	415	0	0	0	0	0	0
Omnistor cassette awning 4.0 m (manual)	_	34	859	0	0	0	_	_	_
Omnistor cassette awning 4.5 m (manual)	_	38	930	_	_	_	0	0	0
Interior design									
Upholstery Calypso incl. driver and passenger seat cover 11)	_	0	13491	0	0	0	0	0	0
Upholstery Salerno incl. driver and passenger seat cover ¹¹⁾	_	0	12747	0	0	0	0	0	0
Furniture layouts									
Bed convert for seating lounge transverse	_	6.5	1944		0	0	_	_	
Bed convert for seating lounge transverse	_	7.5	1944	_	_	_	_	0	_
Bed convert for seating lounge transverse	_	5.5	1944	_	_	_	0	_	0
Electric pull-down bed across the seating unit	_	72	680	_	_	_	0	_	0
Electric pull-down bed across the seating unit	_	65	680	_	_	-	_	0	_
Electric pull-down bed across the seating unit	_	64	680	_	_	0	_	_	_
Electric pull-down bed across the seating unit	_	62	680	_	0	_	_	_	_
Electric single pull-down bed above the seating group	_	52	680	0	_	_	_	_	_
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0	0	0	_	0	_
Makeshift bed	_	4.5	339	0	_	_	_	_	_
Option to convert single bed to double bed	_	8	1883	0	0	_	_	0	0
Kitchen									
Fridge (137 I)	_	18	713	0	=	_	_	=	_
Fridge (137 I) with integrated oven	_	12	290	_	_	0	0	0	0
Bathroom									
Shower grate	_	1.5	1657	-	0	_	-	_	_
Shower grate	_	4.5	1657	_	_	0	=	_	_
Shower grate	_	2	1657	0	_	_	0	0	0
Window in bathroom	_	5	372	_	_	-	0	0	0
Multimedia									
Second rear view camera in rear moulding	_	1	11541	0	0	0	0	0	0
Heating									



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6615 EB	T 6815 EB	T 6905	T 7055 DBL	T 7055 EB	T 7055 EBL
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	_	1	330	0	0	0	0	0	0
Electrical installation									
Second leisure battery AGM, 95 Ah ⁷⁾	_	27	830	0	0	0	0	0	0
Solar power system 100 watt	_	12.6	922	0	0	0	0	0	0
Water supply									
Insulated waste water tank	_	8.5	665	0	0	0	0	0	0
Switch for water pump	_	0.2	397	0	0	0	0	0	0
Gas supply									
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577	0	0	0	0	0	0
Packages									
Comfort Package T 6615 EB	_	55.8	14842	0	_	_	_	_	_
Comfort Package T 6815, 7055 EB	_	57.8	14842	_	0	_	_	0	_
Comfort Package T 6905	_	47.8	14842	_	_	0	_	_	_
Comfort Package T 7055 DBL	_	41.8	14842	_	_	_	0	_	_
Comfort Package T 7055 EBL	_	49.8	14842	_	_	_	_	_	0
Package One (awning 4.0m)	_	50.5	14844	0	0	0	_	_	_
Package One (awning 4.5m)	_	54.5	14844	_	_	_	0	0	0
Pre-wiring kit	_	5.6	14843	0	0	0	0	0	0
Winter Comfort Package hot-air heating Just Go 6615	_	25	8251	0	_	_	_	_	_
Winter Comfort Package hot-air heating Just Go 6815 EB, 6905	_	26	8251	_	0	0	_	_	_
Winter Comfort Package hot-air heating Just Go7055	_	27	8251	_	_	_	0	0	0
Miscellaneous									
Registration documents (CoC papers)	_	0	15152	•	*	*	*	*	*

O Optional equipment — Not possible Standard equipment lack Mandatory Δ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Trend Low Profile



The bestseller in the Dethleffs model programme has been completely revised: Modern design, extensive standard equipment and practical new functions make the Trend the undisputed price/performance winner. A special comfort feature is the stepless IsoProtect living area floor, which extends from the driver's cabin to the bathroom. As a Low Profile model, the Trend has an opening window in the driver's cab bonnet as standard, for an airy, light-flooded interior.

Technical info	
Overall length, approx.	671 - 741 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Yoko



+ Upholstery Heron (partial textileleather) O

Plus factors

- Lifetime Smart superstructure with wood-free, GRPclad underbody
- + Aerodynamic T-hood with pop-up window as standard
- + Exclusive rear design with top-entry rear wall, ShapeLine LED tail lights and 3rd brake light integrated into the rear spoiler
- + Large rear garage can be loaded on both sides, onehand operation of the garage doors, lighting, 230 V socket and sturdy lashing rails
- + 70 cm wide habitation door with convenient coupe entrance
- + Level Iso-Protect comfort flooring in the living area without landings or steps
- + New overhead locker concept with handleless fronts and large storage volume incl. AirPlus overhead locker rear ventilation
- + Sleeping area: Outstanding sleeping comfort with 150 mm thick Evopore cold foam mattresses

Wood décor



+ Wood décor Ashton

O optionally available

















Trend Low Profile Technical info







Trend Low Profile		T 6617 EB	T 6817 EB	Т 6877
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	671	699	699
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 1)	300 1)	300 1)
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3800	3800	3800
Bed dimension: Front bed, L x W, approx.	cm	198 x 88 🔾	198 x 140 - 112 O	198 x 140 🔿
Bed dimension: Central / middle bed, L X W, approx.	cm	155 x 100 - 80 O	206 x 100 - 65 O	210 x 118 - 80 O
Bed dimension: Rear bed, L x W, approx.	cm	212 x 80 / 201 x 80 / 211 x 144 O	207 x 80 / 194 x 80 / 211 x 192 O	212 x 162
Sleeping berths standard / max.		2/40	2/50	2/50
Standard engine		140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%) *	kg	2780 (2641 to 2919)*	2820 (2679 to 2961)*	2850 (2708 to 2993)*
Manufacturer-specified mass for optional equipment*	kg	387	344	314
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 🔿
Refrigerator volume (thereof freezer), approx.	I	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	1	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling]	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	40 x 75 O / 40 x 110	85 x 65 O / 85 x 110	85 x 110
Measurement storage opening right (W x H)	cm	75 x 75 O / 75 x 110	85 x 65 O / 85 x 110	85 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information δ explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend Low Profile Technical info







Trend Low Profile		T 7057 EB	T 7057 DBL	T 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	741	741	741
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 1)	300 1)	300 1)
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	198 x 140 - 120 O	198 x 140 🔿	198 x 140 🔿
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 118 - 80 O	206 x 110 - 88 O	206 x 110 - 88 O
Bed dimension: Rear bed, L x W, approx.	cm	214 x 80 / 212 x 80 / 211 x 201 O	195 x 150	211 x 80 / 207 x 80 / 211 x 198 O
Sleeping berths standard / max.		2/50	2/50	2/50
Standard engine		140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2900 (2755 to 3045)*	2940 (2793 to 3087)*	2940 (2793 to 3087)*
Manufacturer-specified mass for optional equipment*	kg	260	220	220
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4 - 5 0	4	4
Refrigerator volume (thereof freezer), approx.	I	137 (15) / 137 (15) 🔿	137 (15) / 137 (15) 〇	137 (15) / 137 (15) 🔾
Waste water tank, approx.	1	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at drivin filling	g I	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	90 x 75 O / 90 x 110	90 x 110	90 x 75 O / 90 x 110
Measurement storage opening right (W x H)	cm	90 x 75 O / 90 x 110	90 x 110	90 x 75 O / 90 x 110

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment Fiat chassis	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Alloy wheel Fiat 16 "	•		•		•	•
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	•		•		•	
Fiat chassis features						
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)						
Anti-theft device	•	•	•	•	•	•
Automatic Brake Assist after a collision						
Captain seats for driver and front passenger, swivel function	•		•	•	•	•
Crosswind Assist						
Cruise control	•		•		•	
Cup holder in the centre of the dashboard						
DAB+ radio antenna integrated into right exterior mirror	•	•	•	•	•	•
Dashboard with aluminium application						
Daytime running lights integrated into headlights						
Diesel tank 90 litre incl. 19L AdBlue tank Driver and passenger airbags					6	
Driver and passenger detection						
Driver's cab manual A/C						
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control						
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator						
Exterior colour chassis white						
Fog lights incl. cornering light						
Front-wheel drive		•	•	•	•	•
GRP lightweight leaf spring		•	•	•	•	•
Height and tilt adjustment and double armrests for driver and passenger seat						
Leather steering wheel and gear knob withleather sleeve	•	•	•	•	•	•
Padded double armrests, fabric cover					•	•
Painted front bumper in body colour incl. black skid plate	•	•	•	•	•	•
Preparation for radio system incl. loudspeakers in the driver's cabin					•	•
Steering wheel with control elements					•	
Trailer Stability Assist					•	
Tyre inflation kit and towing eye	•	•	•	•	•	•
Widened rear axle						
Winter tyres M+S Camping (with snowflake)	•	•	•	•	•	•
Exterior features						
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	•	•	•	•	•	•
70 cm wide habitation door				•	•	•
Bedroom window right and left		•		•	•	•
EPS insulation					•	•
Even Iso-Protect comfort floor in the living area without landings	•	•	•	•	•	•
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm						
Flyscreen habitation door	•	•	•	•	•	•
GRP roof						
Habitation access with comfortable coupe entrance	•	•	•	•	•	•
Habitation access with comfortable, wide, electric step						
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	•	•	•	•	•	•
Opening window in T-hood						
Panorama skylight 70 x 50 cm in the living area	•	•	•	•	•	•
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	•	•	•	•	•	•
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	•	•	•	•	•	•
Exterior design						
Exterior body painted in white	•	•	•	•	•	•

Standard equipment	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Interior design						
Upholstery Saros	•	•	•	•	•	•
Wood décor Ashton	•	•	•	•	•	•
Textile equipment						
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•	•	•	•	•
Furniture layouts						
AirPlus overhead locker rear ventilation to avoid condensation	•	•	•	•	•	•
Comfortable lounge seating group with 2 folding seats incl. 3-point belts incl. Isofix and free-standing, rigid table base	_	_	_	-	•	•
Double bed high in the rear, transverse	_	_		_	_	_
Floor-to-ceiling closet with pull-out step for convenient access to the bed	_	_	•	_	_	-
Floor-to-ceiling wooden sliding door to the bedroom	_	_	_			
Front hood extension with plenty of storage space and two practical tensioning nets each on the right and left	•	•	•	•	•	•
Height-adjustable double bed	_	_	_	_		-
High-level single beds incl. comfortable access via steps	•	•	_	•	_	•
Modern entrance shelf with practical storage compartments and tension straps	_					
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	_	_	•	_	_	_
Overhead locker doors with soft-close function						
Overhead lockers in the rear area	•	•	_		_	
Seating area with mountable and extendible table and two integrated 3-point seatbelts						
Two practical tension nets under the overhead locker in the rear bed Two practical tension nets under the overhead locker in the rear bed						
Wardrobe to the left and right of the queen-size bed	_					
Kitchen						
Fridge (137 I)		•	•	•		•
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop						
Kitchen backsplash with spice rule MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)						
Bathroom						
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder			•	•	•	
Large bathroom with separate shower and toilet with locking door to the lounge	_	_	_	•	•	•
Swiveling bathroom wall for optimal use of space		-	-	-	-	_
Heating						
Digital control element for hot-air heating	•	•	•	•	•	•
Gas hot-air heating 6kW with hot-water boiler						
Heating in the seating unit for optimum heat distribution, built-in		•	•	•	•	•
Electrical installation						
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	•	•	•	•	•
Awning light 12 V	•	•	•	•	•	•
Electric block with integrated overvoltage protection and separate ground fault circuit breaker					•	
Functional lighting (surface-mounted and recessed spotlights)	•			•		•
LED lighting throughout the vehicle						
Leisure battery AGM, 95 Ah	•	•	•	•	•	•
Number of sockets 1x 12V, 8x 230V, 4x USB						
On-board control panel	•	•	•	•	•	•
Spotlights in the roof lining above the habitation door	•	•	•	•	•	•
Water supply						
Fresh water tank in insulated and heated area	•		•	•	•	
Submersible pump	•	•	•	•	•	•
Gas supply						
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	•	•	•	•	•	•

O Optional equipment — Not possible lacktriangle Standard equipment lacktriangle Mandatory Δ Not known at the time of publication

PACKAGES TREND LOW PROFILE

Package	Package X (awning 3.5m) (13734)	Package X (awning 4.0m) (13734)	Package X (awning 4.5m) (13734)	One	One One	One	Package Two (awning 3.5m) (13733)	Package Two (awning 4.0m) (13733)	Package Two (awning 4.5m) (13733)
Integrated single-lens rear view camera	х	х	х	Х	х	х	х	х	х
Omnistor Cassette awning 3.5 m (manual)	х			Х			х		
Omnistor cassette awning 4.0 m (manual)		х			х			х	
Omnistor cassette awning 4.5 m (manual)			х			х			Х
Flat-screen TV bracket				Х	х	х	х	х	Х
Automatic HD satellite system 65 Twin				Х	х	х	х	х	Х
Flat screen 22" HD TV				Х	х	х			
Flat screen 32" HD TV							Х	Х	Х
Additional weight (kg)*	29.8	35	39	46.3	51.5	55.5	49.3	54.5	58.5

Package	Family Package T 6617 EB (14533)	Family Package T 6817, 7057 EB (14533)	Family Package T 6877 (14533)	Family Package T 7057 DBL (14533)	Family Package T 7057 EBL (14533)
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	X	Х	Х	X
Cab blackout blinds	Х	Х	Х	Х	Х
Light Moments: Indirect ambient lighting above the overhead lockers	Х	Х	Х	Х	Х
Light Moments: Indirect wall surface ambient lighting	Х	Х	Х	Х	Х
Light Moments: illuminated kitchen splashback	Х	Х	Х	Х	Х
Light Moments: Clad seat chest side with indirect lighting	Х	Х	Х		
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	Х	X	Х		
Option to convert single bed to double bed	Х	Х			Х
Light Moments: Indirect lighting in the bathroom with illuminated shower panel		Х	Х	х	X
Light Moments: Entrance segment with indirect lighting		Х	Х	Х	Х
Additional weight (kg)*	26.1	26.7	19.2	9.7	17.2



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Package	Winter Comfort Package ALDE T (13736)	Winter Comfort Package ALDE T (13736)	Winter Comfort Package ALDE T (13736)
Switch for water pump	Х	Х	х
Insulated under-floor pipes	Х	х	х
Insulated waste water tank	х	х	x
Waste water tank and pipes electrically heated	Х	Х	x
Hot-water carpet for the driver's cab	Х	Х	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	Х	х	
XPS insulation	Х		
XPS insulation		Х	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel			х
XPS insulation			Х
Additional weight (kg)*	65.7	67.2	69.2

Package	Winter Comfort Package hot-air heating (13735)	Winter Comfort Package hot-air heating (13735)	Winter Comfort Package hot-air heating (13735)
Switch for water pump	Х	Х	Х
Insulated under-floor pipes	Х	Х	Х
Insulated waste water tank	Х	Х	Х
Waste water tank and pipes electrically heated	х	х	Х
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	Х	Х	Х
XPS insulation	х		
XPS insulation		Х	
XPS insulation			Х
Additional weight (kg)*	23.2	24.7	25.7

GT Design Package (14530)

Double-glazed flush-fitting windows with blackout & mosquito protection

Exterior design GT (rear light carrier with black diffuser, extended stickers, "red" skid plate)

Additional weight (kg)*

2

Chassis Package (14476)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console

Electric parking brake

Full LED low beam

Additional weight (kg)* -9.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Assistance Package Fiat (14477)

Rain and light sensor with automatic dimming

Emergency Brake Assist with pedestrian detection

Lane Keep Assist

Traffic Sign Assist

Attention Assist

Intelligent speed assistant

Additional weight (kg)*

0.5

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)*

7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Fiat chassis									
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	_	60	140A	0	0	0	0	0	0
Fiat Ducato Light low platform (3,499 kg), MultiJet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	_	60	180A	0	0	0	0	0	0
Fiat Ducato Maxi low platform (4,250 kg), MultiJet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	_	60	M180A	_	_	_	0	0	0
Weight upgrade									
Weight upgrade 3,650 kg	_	0	10769	0	0	0	0	0	0
Fiat chassis features									
Additional seat ⁹⁾	_	14.5	435	_	_	0	0	-	_
Rear corner steadies (2 pieces)	_	6	390	0	0	0	0	0	0
Tow bar (check permissible gross towing weight for trailer operation)	_	62	273	0	_	_	_	_	_
Tow bar (check permissible gross towing weight for trailer operation)	_	65	273	_	0	0	_	_	_
Tow bar (check permissible gross towing weight for trailer operation)	_	66	273		_	_	0	0	0
Exterior features									
Bike rack for 3 bikes (lowerable)	_	20.7	7482	0	0	0	0	0	0
Bike rack for 3 bikes (rear)	_	10.5	938	0	0	0	0	0	0
Double floor in rear garage	_	10	1890	0	_	_	_	_	_
Double floor in rear garage	_	12	1890	_	0	_	0	0	0
Double floor in rear garage	_	13	1890	_	_	0	_	_	_
Double-glazed flush-fitting windows with blackout & mosquito protection	GT-P	1	415	0	0	0	0	0	0
Roof vent with fan		1.5	7507	0	0	0	0	0	0
Interior design									
Upholstery Heron (partial textile-leather)	_	0	13726	0	0	0	0	0	0
Upholstery Yoko	_	0	13725	0	0	0	0	0	0
Textile equipment									
Carpet, loose	_	5.4	851	0	_	_	-		_
Carpet, loose	_	5.9	851	_	0	_	_	-	_
Carpet, loose	_	5.3	851	_	_	0	_	_	_
Carpet, loose	_	6.8	851	_	_	_	0	_	_
Carpet, loose	_	8.3	851	_	_	_	-	0	_
Carpet, loose	_	7.3	851		_	_	_	_	0
Furniture layouts									
Bed convert for seating lounge transverse	_	5.5	1944	_	_	0	Ξ	=	_
Bed convert for seating lounge transverse	_	7	1944	_	0	_	_	_	_
Bed convert for seating lounge transverse	_	8	1944	_	_	_	0	_	_
Bed convert for seating lounge transverse	_	5	1944	_	_	_	_	0	0
Electric pull-down bed across the seating unit 12)	_	65	13738	_	0	_	0	_	_
Electric pull-down bed across the seating unit ¹²⁾	_	68	13738	_	_	0	_	_	_
Electric pull-down bed across the seating unit 12)	_	71	13738	_	_	_	_	0	0
Electric single pull-down bed above the seating area ¹²⁾	_	45	13738	0	_	_	-	_	_
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0	0	0	0	_	_



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Low single-beds for comfortable access and high headroom	_	-13	510	0	0	_	_	_	_
Low single-beds for comfortable access and high headroom	_	-10.5	510	_	_	_	0	_	0
Makeshift bed	_	7	339	0	_	_	_	_	_
Option to convert single bed to double bed	FA-P	7.5	1883	0	0	_	0	_	0
Kitchen									
Fridge (137 l) with integrated oven	_	12	290	_			0	_	
Fridge (137 I) with integrated oven	_	11	290	_	_	_	_	0	0
Bathroom			270						
		2	1/57	0	0	_	_	0	
Shower grate Window in bathroom	_	5	1657 372	0	0	0	0		0
		5	3/2		0	0	0	0	0
Multimedia									
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	_	3.65	9582	0	0	0	0	0	0
Second rear view camera in rear moulding	_	1	11541	0	0	0	0	0	0
	_		11541	0				0	
Heating		-	7.0			_	_	_	
Floor heating electric (partial) 14)	_	5	763	0	0	0	0	0	0
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	_	1	330	0	0	0	0	0	0
Hot-water carpet for the driver's cab ¹³⁾	_	3.5	6709	0	0	0	0	0	0
Hot-water floor heating ¹³⁾	_	11	1603	0	0	0	0	0	0
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	-	40	761	0	0	0	_	-	_
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	_	41	761	_	_	_	0	0	0
Electrical installation									
2nd Leisure battery Dual Battery System (Lithium), 140 Ah ⁷⁾	_	19	13968	0	0	0	0	0	0
Second leisure battery AGM, 95 Ah ⁷⁾	_	27	830	0	0	0	0	0	0
Solar power system 100 watt	_	12.6	922	0	0	0	0	0	0
Water supply									
Insulated waste water tank	_	11	13742	0	0	0	0	0	0
Outdoor shower (cold water)	_	0.5	793	0	0		0		0
Switch for water pump	-	0.2	397	0	0	0	0	0	0
Gas supply									
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter		2.5	1577	0	0	0	0	0	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0			0		
Safety				U	Ü				
2 kg fire extinguisher	_	4	1878	0	0	0	0	0	0
Safe	_	4.7	13739	0	0	0	0	0	0
Smoke detector	_	0.2	1891	0			0		
Packages									
Assistance Package Fiat	_	0.5	14477	0	0	0	0	0	0
Chassis Package	_	-9.1	14476	0	0	0	0	0	0
Family Package T 6617 EB	_	26.1	14533	0	_	_	_	_	_



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 6617 EB	T 6817 EB	T 6877	T 7057 EB	T 7057 DBL	T 7057 EBL
Family Package T 6817, 7057 EB	_	26.7	14533	_	0	_	0	_	_
Family Package T 6877	_	19.2	14533	_	_	0	_	_	_
Family Package T 7057 DBL	_	9.7	14533	_	_	_	_	0	_
Family Package T 7057 EBL	_	17.2	14533	_	_	_	_	_	0
GT Design Package	_	2	14530	0	0	0	0	0	0
Package One (awning 3.5m)	_	46.3	13732	0	_	_	_	_	_
Package One (awning 4.0m)	_	51.5	13732	_	0	0	_	_	_
Package One (awning 4.5m)	_	55.5	13732	_	_	_	0	0	0
Package Two (awning 3.5m)	_	49.3	13733	0	_	_	_	_	_
Package Two (awning 4.0m)	_	54.5	13733	_	0	0	_	_	_
Package Two (awning 4.5m)	_	58.5	13733	_	_	_	0	0	0
Package X (awning 3.5m)	_	29.8	13734	0	-	-	_	_	_
Package X (awning 4.0m)	_	35	13734	_	0	0	_	_	_
Package X (awning 4.5m)	_	39	13734	_	_	-	0	0	0
Pre-wiring kit	_	7.6	11350	0	0	0	0	0	0
Winter Comfort Package ALDE T	_	65.7	13736	0	_	-	_	_	_
Winter Comfort Package ALDE T	_	67.2	13736	_	0	0	_	_	_
Winter Comfort Package ALDE T	_	69.2	13736	_	_	_	0	0	0
Winter Comfort Package hot-air heating	_	23.2	13735	0	_	_	_	_	_
Winter Comfort Package hot-air heating	_	24.7	13735	_	0	0	_	_	_
Winter Comfort Package hot-air heating	_	25.7	13735		_	_	0	0	0
Miscellaneous									
Registration documents (CoC papers)	_	0	15152	•	•	•	•	•	*

O Optional equipment — Not possible Standard equipment lack Mandatory Δ Not known at the time of publication

GT-P GT Package FA-P Family Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Trend A Class



The bestseller in the Dethleffs model programme has been completely revised: Modern design, extensive standard equipment and practical new functions make the Trend the undisputed price/performance winner. A special comfort feature is the stepless IsoProtect living area floor, which extends from the driver's cab to the bathroom. With the large pull-down bed in the driver's cab, there are always two additional, comfortable sleeping berths on board the Trend Integrated as standard, which do not take up any space during the day.

Technical info	
Overall length, approx.	670 - 740 cm
Overall width, approx.	233 cm
Overall height, approx.	300 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Yoko



+ Upholstery Heron (partial textileleather) O

Plus factors

- Lifetime Smart superstructure with wood-free, GRPclad underbody
- Exclusive rear design with top-entry rear wall,
 ShapeLine LED tail lights and 3rd brake light integrated into the rear spoiler
- + Large rear garage can be loaded on both sides, onehand operation of the garage doors, lighting, 230 V socket and sturdy lashing rails
- + 70 cm wide habitation door with convenient coupe entrance
- + Level Iso-Protect comfort flooring in the living area without landings or steps
- New overhead locker concept with handleless fronts and large storage volume incl. AirPlus overhead locker rear ventilation
- + Pull-down bed in the cab as standard
- + Sleeping area: Outstanding sleeping comfort with 150 mm thick Evopore cold foam mattresses

Wood décor



+ Wood décor Ashton

O optionally available



















Trend A Class Technical info







Trend A Class		l 6617 EB	I 6817 EB	I 6877
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	670	699	699
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 1)	300 1)	300 1)
Headroom in living area, approx.	cm	205	205	205
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3800	3800	3800
Bed dimension: Front bed, L x W, approx.	cm	196 x 150	196 x 150	196 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm			210 x 118 - 80 O
Bed dimension: Rear bed, L x W, approx.	cm	212 x 80 / 201 x 80 / 211 x 144 O	207 x 80 / 194 x 80 / 211 x 192 O	212 x 162
Sleeping berths standard / max.		4	4	4/50
Standard engine		140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	2850 (2708 to 2993)*	2870 (2727 to 3014)*	2920 (2774 to 3066)*
Manufacturer-specified mass for optional equipment*	kg	317	294	244
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4 - 5 🔿
Refrigerator volume (thereof freezer), approx.	I	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	1	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	g I	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	40 x 75 O / 40 x 110	85 x 65 O / 85 x 110	85 x 110
Measurement storage opening right (W x H)	cm	75 x 75 🔾 / 75 x 110	85 x 65 O / 85 x 110	85 x 110



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Trend A Class Technical info







Trend A Class		I 7057 EB	I 7057 DBL	I 7057 EBL
Standard chassis		Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform	Fiat Ducato Light Low Platform
Emission standards		Euro 6e	Euro 6e	Euro 6e
Overall length, approx.	cm	740	740	740
Overall width, approx.	cm	233	233	233
Overall height, approx.	cm	300 1)	300 1)	300 ¹⁾
Headroom in living area, approx.	cm	205	205 205	
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	4035	4035	4035
Bed dimension: Front bed, L x W, approx.	cm	196 x 150	196 x 150	196 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 118 - 80 O		
Bed dimension: Rear bed, L x W, approx.	cm	214 x 80 / 212 x 80 / 211 x 201 O	195 x 150	211 x 80 / 207 x 80 / 211 x 198 O
Sleeping berths standard / max.		4/50	4	4
Standard engine		140 MultiJet 3	140 MultiJet 3	140 MultiJet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Mass in running order (+/-5%)*	kg	3000 (2850 to 3150)*	3010 (2860 to 3161)*	2990 (2841 to 3140)*
Manufacturer-specified mass for optional equipment*	kg	160	150	170
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4 - 5 🔾	4	4
Refrigerator volume (thereof freezer), approx.	I	137 (15) / 137 (15) 🔿	137 (15) / 137 (15) 〇	137 (15) / 137 (15) 🔾
Waste water tank, approx.	- 1	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling]	116 / 20	116 / 20	116 / 20
Measurement storage opening left (W x H)	cm	90 x 75 O / 90 x 110	90 x 110	90 x 75 O / 90 x 110
Measurement storage opening right (W x H)	cm	90 x 75 🔿 / 90 x 110	90 x 110	90 x 75 O / 90 x 110

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment	I 6617 EB	I 6817 EB	1 6877	17057 EB	17057 DBL	I 7057 EBL
Fiat chassis						
Alloy wheel Fiat 16 "	•	•	•	•	•	•
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 6-speed manual transmission	•	•	•	•	•	
Fiat chassis features						
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	•	•	•	•	•	•
Anti-theft device	•	•	•	•	•	•
Automatic Brake Assist after a collision		•				
Captain seats: integrated headrests, two armrests, swivel function	•	•	•	•	•	•
Crosswind Assist						
Cruise control	•	•	•	•	•	•
Cup holder in the centre of the dashboard						
Dashboard with aluminium application	•	•	•	•	•	•
Diesel tank 90 litre incl. 19L AdBlue tank						
Driver and passenger airbags	•	•	•	•	•	•
Driver and passenger detection						
Driver's cab manual A/C	•	•		•	•	
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control						
Front-wheel drive		•				
GRP lightweight leaf spring						
Height and tilt adjustable incl. two padded armrests for the driver and front passenger seat						
Leather steering wheel and gear knob withleather sleeve Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)						
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy						
Steering wheel with control elements						
Trailer Stability Assist						
Tyre inflation kit and towing eye		•				
Widened rear axle		•	•	•	•	
Winter tyres M+S Camping (with snowflake)	•	•	•	•	•	•
Exterior features						
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall						
70 cm wide habitation door						
Bedroom window right and left						
Driver's cab door left		•	•	•	•	
EPS insulation	•	•	•	•	•	
Even Iso-Protect comfort floor in the living area without landings						
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	•	•	•	•	•	•
Flyscreen habitation door						
GRP roof	•	•	•	•	•	
Habitation access with comfortable coupe entrance		•				
Habitation access with comfortable, wide, electric step	•	•	•	•	•	•
Lifetime Smart construction technology: rot-free floor construction with no wood inserts, with GRP cladding on the underslung and roof	•	•	•	•	•	•
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	•	•	•	•	•	•
Panoramic skylight 75x105 cm in the lounge						
Rear garage: two garage door/hatches with one-hand operation, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1 x 230 V socket	•	•	•	•	•	•
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	•	•	•	•	•	•
Exterior design						
Exterior body painted in white	•	•	•	•	•	•
Interior design						
Upholstery Saros	•	•	•	•	•	•
Wood décor Ashton	•	•	•	•	•	•
Textile equipment						

Standard equipment	I 6617 EB	I 6817 EB	1 6877	I 7057 EB	1 7057 DBL	1 7057 EBL
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•	•	•	•	•
Furniture layouts						
AirPlus overhead locker rear ventilation to avoid condensation						
Comfortable lounge seating group with 2 folding seats incl. 3-point belts incl. Isofix and free-standing, rigid table base		_	_			
Double bed high in the rear, transverse	_				_	_
Floor-to-ceiling closet with pull-out step for convenient access to the bed	_	_	•	_	_	_
Floor-to-ceiling wooden sliding door to the bedroom	_	_	_	•	•	•
Height-adjustable double bed	_	_	_	_		_
High-level single beds incl. comfortable access via steps	•	•	_	•	-	•
Manual pull-down bed in the driver's cab						
Modern entrance shelf with practical storage compartments and tension straps	_	•	•	•	•	•
Multifunctional storage space underneath the double bed incl. wardrobe, accessible from inside and outside, illuminated, bed frame adjustable	_	_	•	_	-	_
Overhead locker doors with soft-close function	•	•	•	•	•	•
Overhead lockers in the rear area			-	•	-	
Seating area with mountable and extendible table and two integrated 3-point seatbelts	•	•	•	•	_	_
Two practical tension nets under the overhead locker in the rear bed						
Two practical tension nets under the overhead locker in the rear bed	•	•	•	•	•	•
Wardrobe to the left and right of the queen-size bed	_	_	_	_	•	_
Kitchen						
Fridge (137 I)		•				
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop		•	•	•	•	
Kitchen backsplash with spice rule		•				
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	•	•	•	•	•	•
Bathroom						
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	•	•	•	•	•	•
Large bathroom with separate shower and toilet with locking door to the lounge	_	_	_			
Swiveling bathroom wall for optimal use of space	•	_	_	_		_
Heating						
Digital control element for hot-air heating	•	•	•	•	•	•
Gas hot-air heating 6kW with hot-water boiler						
Heating in the seating unit for optimum heat distribution, built-in	•	•	•	•	•	•
Electrical installation						
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	_	•	•			_
Awning light 12 V		•	•			
Electric block with integrated overvoltage protection and separate ground fault circuit breaker		•	•	•	•	•
Functional lighting (surface-mounted and recessed spotlights)						
LED lighting throughout the vehicle	•	•	•	•	•	•
Leisure battery AGM, 95 Ah						
Number of sockets 1x 12V, 7x 230V, 4x USB		•	•	•	•	•
On-board control panel		•	•		•	
Spotlights in the roof lining above the habitation door						
Water supply						
Fresh water tank in insulated and heated area	•	•	•	•	•	•
Submersible pump						
Gas supply						
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access				•		
Storage space for 2 gos overes man o mining margine of thing coon, man simplified decess						

PACKAGES TREND A CLASS

Package	х	Package X (awning 4.5m) (13734)	х	One	One One	One	Package Two (awning 4.0m) (13733)	Two	Two
Integrated single-lens rear view camera	х	Х	Х	Х	х	Х	Х	Х	Х
Omnistor cassette awning 4.0 m (manual)	х			х			х		
Omnistor cassette awning 4.5 m (manual)		Х			х			х	
Omnistor cassette awning 5.0 m (manual)			х			х			Х
Flat-screen TV bracket				х	х	х	х	х	Х
Automatic HD satellite system 65 Twin				х	х	х	х	х	Х
Flat screen 22" HD TV				х	х	х			
Flat screen 32" HD TV							х	Х	Х
Additional weight (kg)*	35	39	41	51.5	55.5	57.5	54.5	58.5	60.5

Package	Family Package I 6617 EB (13849)	Family Package I 6817, 7057 EB (13849)	Family Package I 6877 (13849)	Family Package I 7057 DBL (13849)	Family Package I 7057 EBL (13849)
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	Х	Х	Х	Х
Light Moments: Indirect ambient lighting above the overhead lockers	Х	х	Х	Х	x
Light Moments: Indirect wall surface ambient lighting	Х	Х	Х	Х	х
Light Moments: illuminated kitchen splashback	Х	Х	Х	Х	х
Preparation for radio system incl. sound package in the driver's cabin	Х	х	Х	Х	x
DAB+ radio antenna mounted on the roof	Х	Х	Х	Х	x
Light Moments: Clad seat chest side with indirect lighting	Х	х	Х		
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts	Х	Х	Х		
Option to convert single bed to double bed	Х	Х			х
Light Moments: Indirect lighting in the bathroom with illuminated shower panel		Х	Х	X	х
Light Moments: Entrance segment with indirect lighting		Х	Х	Х	Х
Additional weight (kg)*	27.1	27.7	20.2	10.7	18.2



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Package	Winter Comfort Package ALDE (13736)	Winter Comfort Package ALDE (13736)	Winter Comfort Package ALDE (13736)
Switch for water pump	Х	Х	х
Insulated under-floor pipes	Х	х	x
Insulated waste water tank	х	х	x
Waste water tank and pipes electrically heated	Х	Х	x
Hot-water carpet for the driver's cab	Х	Х	x
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	Х	х	
XPS insulation	Х		
XPS insulation		Х	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel			х
XPS insulation			Х
Additional weight (kg)*	66.7	68.7	75.7

Package	Winter Comfort Package hot-air heating (13735)	Winter Comfort Package hot-air heating (13735)	Winter Comfort Package hot-air heating (13735)
Switch for water pump	Х	Х	Х
Insulated under-floor pipes	Х	Х	Х
Insulated waste water tank	Х	Х	Х
Waste water tank and pipes electrically heated	Х	Х	х
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	Х	Х	Х
XPS insulation	Х		
XPS insulation		Х	
XPS insulation			Х
Additional weight (kg)*	24.2	26.2	27.2

GT Design Package (14583)

 $\label{lem:condition} \mbox{Double-glazed flush-fitting windows with blackout \& mosquito protection}$

Exterior design GT (rear light moulding with black diffuser, extended stickers, skidplate "red")

Additional weight (kg)*

2

Chassis Package (14582)

Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console

Electric parking brake

LED daytime running lights

Additional weight (kg)* -8.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 6617 EB	I 6817 EB	1 6877	1 7057 EB	17057 DBL	I 7057 EBL
Fiat chassis									
Fiat Ducato Light low platform (3,499 kg), MultiJet 140 (2.2 l / 103 kW / 140 hp), 8-speed torque converter automatic transmission	_	60	140A	0	0	0	0	0	0
Fiat Ducato Light low platform (3,499 kg), MultiJet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission	_	60	180A	0	0	0	0	0	0
Fiat Ducato Maxi low platform (4,250 kg), MultiJet 180 (2.2 l / 132 kW / 180 hp), 8-speed torque converter automatic transmission Weight upgrade	-	60	M180A	0	0	0	0	0	0
1 11			10740			Ŷ			
Weight upgrade 3,650 kg	_	0	10769	0	0	0	0	0	0
Fiat chassis features	_	_							
Additional seat 9)	_	14.5	435	_	_	0	0	_	_
Rear corner steadies (2 pieces)	_	6	390	0	0	0	0	0	0
Reinforced spring for front axle	_	3.75	1889	0	0	0	0	0	0
Tow bar (check permissible gross towing weight for trailer operation)	_	62	273	0	_	_	_	_	_
Tow bar (check permissible gross towing weight for trailer operation)	_	65	273	_	0	0	_	_	_
Tow bar (check permissible gross towing weight for trailer operation)	_	66	273				0	0	0
Exterior features									
Bike rack for 3 bikes (lowerable)	_	20.7	7482	0	0	0	0	0	0
Bike rack for 3 bikes (rear)	_	10.5	938	0	0	0	0	0	0
Double floor in rear garage	_	10	1890	0	_	-	-	-	_
Double floor in rear garage	_	12	1890	_	_	_	0	0	0
Double floor in rear garage	_	13	1890	_	0	0	_	_	_
Double-glazed flush-fitting windows with blackout & mosquito protection	GT-P	1	415	0	0	0	0	0	0
Roof vent with fan	_	1.5	7507	0	0	0	0	0	0
Interior design									
Upholstery Heron (partial textile-leather)	_	0	13726	0	0	0	0	0	0
Upholstery Yoko	_	0	13725	0	0	0	0	0	0
Textile equipment									
Carpet, loose	_	5.7	851	0		_	_	_	_
Carpet, loose	_	6.2	851	_	0	_	_	_	_
Carpet, loose	_	5.5	851	_	_	0	_	_	_
Carpet, loose	_	7.1	851	_	_	_	0	_	_
Carpet, loose	_	8.5	851	_	_	_	_	0	_
Carpet, loose	_	7.5	851	_	_	_	_	_	0
Furniture layouts									
Bed convert for seating lounge transverse	_	5.5	1944			0	_	_	
Bed convert for seating lounge transverse	_	8	1944	_		_	0		_
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0	0	0	0	_	_
Low single-beds for comfortable access and high headroom	_	-13	510	0	0	_	_		_
Low single-beds for comfortable access and high headroom	_	-10.5	510	_	_	_	0	_	0
Option to convert single bed to double bed	FA-P	7.5	1883	0	0		0		0
Kitchen							Í		
Fridge (137 l) with integrated oven	_	12	290	_			0	_	_



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 6617 EB	I 6817 EB	1 6877	I 7057 EB	17057 DBL	I 7057 EBL
Fridge (137 I) with integrated oven	_	11	290	_	_	_	_	0	0
Bathroom									
Shower grate	_	2	1657	0	0	0	0	0	0
Window in bathroom	_	5	372	_	0	0	0	0	0
Multimedia									
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto ⁶⁾	_	3.65	9582	0	0	0	0	0	0
Second rear view camera in rear moulding	_	1	11541	0	0	0	0	0	0
Heating									
Floor heating electric (partial) ¹⁴⁾	_	5	763	0	0	0	0	0	0
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl.		1				_	_	^	
digital control panel		1	330	0	0	0	0	0	0
Hot-water carpet for the driver's cab ¹³⁾	_	3.5	6709	0	0	0	0	0	0
Hot-water floor heating ¹³⁾	_	11	1603	0	0	0	0	0	0
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	-	40	761	0	0	0	_	_	-
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		46	761	_	_	_	0	0	0
Electrical installation									
2nd Leisure battery Dual Battery System (Lithium), 140 Ah ⁷⁾	_	19	13968	0	0	0	0	0	0
Second leisure battery AGM, 95 Ah ⁷⁾	_	27	830	0	0	0	0	0	0
Solar power system 100 watt	_	12.6	922	0	0	0	0	0	0
Water supply									
Insulated waste water tank	_	11	13742	0	0	0	0	0	0
Outdoor shower (cold water)	_	0.5	793	0	0	0	0	0	0
Switch for water pump	_	0.2	397	0	0	0	0	0	0
Gas supply									
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577	0	0	0	0	0	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0	0	0	0	0	0
Safety									
2 kg fire extinguisher	_	4	1878	0	0	0	0	0	0
Safe	_	4.7	13739	0	0	0	0	0	0
Smoke detector	_	0.2	1891	0	0	0	0	0	0
Packages									
Chassis Package	_	-8.1	14582	0	0	0	0	0	0
Family Package I 6617 EB	_	27.1	13849	0	_	_	_	_	_
Family Package I 6817, 7057 EB	_	27.7	13849	_	0	_	0	_	_
Family Package I 6877	_	20.2	13849	_	_	0	_	_	_
Family Package I 7057 DBL	_	10.7	13849	_	_	_	_	0	_
Family Package I 7057 EBL	_	18.2	13849	_	_	_	_	_	0
GT Design Package	_	2	14583	0	0	0	0	0	0
Package One (awning 4.0m)		51.5	13732	0	_	_	_	_	_
Package One (awning 4.5m)	_	55.5	13732	_	0	0	_	_	_



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 6617 EB	I 6817 EB	1 6877	I 7057 EB	17057 DBL	I 7057 EBL
Package One (awning 5.0m)	_	57.5	13732	_	_	_	0	0	0
Package Two (awning 4.0m)	_	54.5	13733	0	_	_	_	_	_
Package Two (awning 4.5m)	_	58.5	13733	_	0	0	_	_	_
Package Two (awning 5.0m)	_	60.5	13733	_	_	_	0	0	0
Package X (awning 4.0m)	_	35	13734	0	_	_	_	_	_
Package X (awning 4.5m)	_	39	13734	_	0	0	_	_	_
Package X (awning 5.0m)	_	41	13734	_	_	_	0	0	0
Pre-wiring kit	_	7.6	11350	0	0	0	0	0	0
Winter Comfort Package ALDE	_	66.7	13736	0	_	_	_	_	_
Winter Comfort Package ALDE	_	68.7	13736	_	0	0	_	_	_
Winter Comfort Package ALDE	_	75.7	13736	_	_	_	0	0	0
Winter Comfort Package hot-air heating	_	24.2	13735	0	_	_	_	_	_
Winter Comfort Package hot-air heating	_	26.2	13735	_	0	0	_	_	_
Winter Comfort Package hot-air heating	_	27.2	13735	_	_	_	0	0	0
Miscellaneous									
Registration documents (CoC papers)	-	0	15152	•	•	*	*	•	*

O Optional equipment — Not possible Standard equipment lack Mandatory Δ Not known at the time of publication

GT-P GT Package FA-P Family Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Esprit A Class



The Esprit combines modern Nordic-style design with excellent top-class comfort. Its heatable double floor with frost-proof water installation makes it a winter-proof year-round companion. With a height of 26 cm, it offers usable additional storage space.

Technical info	
Overall length, approx.	779 cm
Overall width, approx.	232 cm
Overall height, approx.	298 cm
Headroom in living area, approx.	205 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Nubia



+ Rubino real leather upholstery



+ Real leather individual O

Wood décor



+ Wood décor Noce Nagano

O optionally available

Plus factors

- 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more.
- + Ideal driving characteristics: Premium low platform chassis with 145 mm lowering and up to 4.5 t gross vehicle weight
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Spacious rear garage, with doors on both sides, 250 kg surface load, anti-slip floor covering, fleece lining, lashing rails, lighting as well as one-hand operation and 2-point locking system
- + Gourmet kitchen with 3-burner stove, generous drawers with soft-close retraction and central locking, cutting board, apothecary pull-out, and much more.
- + Large, comfortable pull-down bed with 200 x 150 cm lying surface, high-quality cold foam mattress and wooden slatted frame. Electrically operated



























Esprit A Class Technical info









Esprit A Class		l 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform
Emission standards		Euro VI-E	Euro VI-E	Euro VI-E	Euro VI-E
Overall length, approx.	cm	779	779	779	779
Overall width, approx.	cm	232	232	232	232
Overall height, approx.	cm	298 1)	298 1)	298 1)	298 ¹⁾
Headroom in living area, approx.	cm	205	205	205	205
Towable load braked/ unbraked	kg	1750 / 750	1750 / 750	1750 / 750	1750 / 750
Wheelbase, approx.	nm	4500	4500	4500	4500
Bed dimension: Front bed, L W, approx.	. x cm	200 x 150	200 x 150	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 123 - 88 O		206 x 123 - 88 O	
Bed dimension: Rear bed, L W, approx.	x cm	215 x 80 / 220 x 80 / 210 x 200 - 193	215 x 80 / 220 x 80 / 210 x 200 - 193	200 x 160	200 x 160
Sleeping berths standard / max.		4 / 5 🔿	4	4 / 5 🔾	4
Standard engine		180 MultiJet 3 Power	180 MultiJet 3 Power	180 MultiJet 3 Power	180 MultiJet 3 Power
kW (bhp)		132 (180)	132 (180)	132 (180)	132 (180)
Mass in running order (+/-5%)*	kg	3450 (3278 to 3623)*	3530 (3354 to 3707)*	3450 (3278 to 3623)*	3480 (3306 to 3654)*
Manufacturer-specified mas for optional equipment*	s kg	447	377	447	427



The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Esprit A Class Technical info









Esprit A Class	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Technically permissible maximum laden mass* kg	4250	4250	4250	4250
Permitted number of seats (including driver)*	4 - 5 🔿	4	4 - 5 0	4
Refrigerator volume (thereof freezer), approx.	136 (23) / 177 (35) 🔾	136 (23) / 177 (35) O	136 (23) / 177 (35) O	136 (23) / 177 (35) 🔿
Waste water tank, approx.	156	156	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	166 / 20	166 / 20	166 / 20	166 / 20
Measurement storage opening left (W x H) cm	100 x 80 O / 100 x 110	100 x 80 O / 100 x 110	100 x 105	100 x 105
Measurement storage opening right (W x H) cm	100 x 80 O / 100 x 110	100 x 80 O / 100 x 110	100 x 105	100 x 105

O Optional equipment — Not possible • Standard equipment • Mandatory A Not known at the time of publication



The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional requipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

| 7150-2 EB | 7150-2 EBL | 7150-2 DBM | 7150-2 DBL

Fiat chassis				
Alloy wheel Fiat 16 "		•		_
Fiat Ducato Maxi ALKO low platform wide-track rear axle (4,250 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	•	•	•	•
Fiat chassis features				
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)				
Additional protection for radiator through grille at front of vehicle				
Anti-theft device				
Automatic Brake Assist after a collision				
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console				
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests				
Crosswind Assist	•	•		•
Cruise control				
Cup holder in the centre of the dashboard		•		
Dashboard with aluminium application		•		•
Diesel tank 90 litre incl. 19L AdBlue tank				•
Driver and passenger airbags	•	•	•	•
Driver and passenger detection				•
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control	•	•	•	•
Front-wheel drive				
Leather steering wheel and gear knob withleather sleeve	•	•	•	•
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)				
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation	•	•	•	•
Steering wheel with control elements				•
Trailer Stability Assist	•	•	•	•
Tyre inflation kit and towing eye				
Winter tyres M+S Camping (with snowflake)	•	•	•	•
Exterior features				
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall	•	•	•	•
70 cm wide habitation door with window and blind				
Bedroom window right and left	•	•	•	•
Double floor storage, some of which can be loaded across almost the entire vehicle width		•		
Double-glazed flush-fitting windows with blackout & mosquito protection	•	•	•	•
Driver's cab door left				
Electric closing aid for habitation door			•	•
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm				
Flyscreen habitation door				
GRP roof				
Habitation access with comfortable coupe entrance				
Habitation access with comfortable, wide, electric step				
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	•	•	•	•
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed		•		•
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	•	•	•	•
Side panels and rear panel in smooth aluminium sheets				
Skylight 40 x 40 cm above the seating lounge	•	•	•	•
Exterior design				
Exterior body painted in white	•	•	•	•
Interior design				
Upholstery Kari		•	•	
Wood décor Noce Nagano				
Textile equipment				

Standard equipment	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•	•	•
Furniture layouts				
AirPlus overhead locker rear ventilation to avoid condensation				
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts				
Cosy lounge seating group with free-standing, rigid table base				
Double bed high				
Electric pull-down bed in the driver's cab				•
Floor-to-ceiling wooden sliding door to the bedroom				
High-level single beds incl. comfortable access via steps			_	_
No steps in living room				
Option to convert single beds to double bed			_	_
Overhead locker doors with soft-close function	•			
Overhead lockers in the rear area		•	_	_
Shoe cabinet in entrance area	•			
Wardrobe to the left and right of the queen-size bed		•		•
Kitchen				Ď
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l) Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking				
		å	å	i
Bathroom				
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	•	•	•	•
Large bathroom with separate shower and toilet with locking door to the lounge	•			
Shower grate	•	_	•	_
Shower grate	_		_	
Shower panel and bathroom accessories in black	•	•	•	•
Window in bathroom	•	•	•	•
Heating				
Digital control element for hot-air heating	•	•	•	•
Gas hot-air heating 6kW with hot-water boiler	•	•	•	•
Heating in the seating unit for optimum heat distribution, built-in	•			
Electrical installation				
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator				
Awning light 12 V				
Electric block with integrated overvoltage protection and separate ground fault circuit breaker				•
LED lighting throughout the vehicle	•			•
Leisure battery AGM, 95 Ah				
Luxus on-board control panel				
Number of sockets 1x 12V, 7x 230V, 2x USB				•
Spotlights in the roof lining above the habitation door	•	•		•
Water supply				أ
** 1				
Pressurized water pump system				
Switch for water pump				
Gas supply				
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	•			

PACKAGES ESPRIT A CLASS

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	X	Х
Electric block EBL 102	Х	Х
Victron control panel above the habitation door	Х	Х
Victron Energy MultiPlus charging/inverter combination 1600W/70A	Х	
168 Ah lithium battery	Х	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		Х
336 Ah lithium battery		Х
Additional weight (kg)*	63	113

Travel Package (14584)

Preparation for radio system incl. sound package in the driver's cabin

DAB+ radio antenna mounted on the roof

Panoramic skylight 75x105 cm above the seating lounge

Light Moments: Indirect ambient lighting above the overhead lockers

Rear corner steadies (2 pieces)

Electric windscreen blinds

Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter

Extractor fan (extracted air) with draught stopper

Integrated single-lens rear view camera

Central locking for the drive's cab, habitation and garage door

Additional weight (kg)* 48.5

Light Moments (11137)

Light Moments: Illuminated entrance handle

Light Moments: Indirect lighting in the bathroom with illuminated shower panel

Light Moments: plinth lighting throughout the vehicle Light Moments: Continuous canopy with indirect lighting

Light Moments: illuminated kitchen splashback

Light Moments: Indirect dimmable wall surface ambient lighting

Additional weight (kg)*

Esprit GT (14585)

LED low beam

Lateral sun shades, as a roller blind for driver and passenger

Panorama skylight 70 x 50 cm in the bedroom

Interior design GT incl. extended kitchen back panel

Exterior design GT Advance (rear light moulding with black diffuser, I-front paint partially black, radiator grille with chrome piping, skidplate "red")

High characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights, 3rd brake light integrated in rear spoiler and retracted rear wall.

Additional weight (kg)* 15.7



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Weight upgrade							
Weight upgrade 4,500 kg	_	0	1585	0	0	0	0
Fiat chassis features							
Additional seat ⁹⁾	_	17	435	0		0	
Electric windscreen blinds	_	7	1782	0	0	0	0
Hydraulic lifting jacks with automatic levelling and weighing function	_	70	9663	0	0	0	0
LED low beam	GT	0.5	7152	0	0	0	0
Reinforced spring for front axle	_	3.75	1889	0	0	0	0
SKA captain seat with air suspension	_	20	7505	0	0	0	0
Seat heating and ventilation of the seat area ^{15) 16)}	_	0	11147	0	0	0	0
Tow bar (check permissible gross towing weight for trailer operation)	_	30	273	0	0	0	0
Exterior features							
Bike rack for 3 bikes (lowerable)	_	20.7	7482	0	0	0	0
Bike rack for 3 bikes (rear)	_	10.5	938	0	0	0	0
Omnistor cassette awning 5.0 m (manual)	_	40	697	0	0	0	0
Panoramic skylight 75x105 cm above the seating lounge	_	16.5	849	0	0	0	0
Interior design							
Real leather individual ^{15) 17)}	_	0	9785	0	0	0	0
Rubino real leather upholstery ¹⁵⁾	_	0	10443	0	0	0	0
Upholstery Nubia	_	0	10442	0	0	0	0
Textile equipment							
Carpet, loose	_	8.2	851	0	_	-	_
Carpet, loose	_	10.7	851	_	_	_	0
Carpet, loose	_	10	851	_	0	_	_
Carpet, loose	_	9.7	851	_	_	0	_
Furniture layouts							
Bed construction seating group transverse incl. lowerable table base	_	15.3	1944	0	_	0	_
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0	_	0	_
Low single-beds for comfortable access and high headroom	_	20.5	510	0	0	_	_
Overhead lockers in the driver's cab instead of pull-down bed	_	-40	679	0	0	0	0
Kitchen							
Extractor fan (extracted air) with draught stopper	_	1.5	344	0	0	0	0
Fridge (177 l), can be opened on both sides, with integrated oven	_	16	290	0	0	0	0
Winter cover for refrigerator vents	_	0.3	282	0	0	0	0
Bathroom							
Ceramic toilet 18)	_	9.1	7243	0	0	0	0
Macerator toilet with waste-holding tank	_	44	1625	0	0	0	0
Multimedia							
32" Smart TV incl. flat screen holder	_	10	9807+325	0	0	0	0
Additional 22' flat screen incl. flat screen bracket	_	5.5	7490+1809	0	0	0	0
Automatic satellite system 85 Twin	_	16	1637	0	0	0	0
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto ⁶⁾	_	3.65	9582	0	0	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 7150-2 EB	I 7150-2 EBL	I 7150-2 DBM	I 7150-2 DBL
Flat screen 22" incl. flat screen bracket	_	5.2	1799+325	0	0	0	0
Flat-screen TV bracket	_	2	325	0	0	0	0
Second rear view camera in rear moulding	_	1	11541	0	0	0	0
Sound package in living area ⁶⁾	_	9	9964	0	0	0	0
Top View 360° HD camera ^{19) 20)}	_	4.5	7173	0	0	0	0
Heating							
Gas hot-air heating 6kW with 1.8kW electric heating element and hot-water boiler incl. digital control panel	_	1	330	0	0	0	0
Heat exchanger for hot-water heating ¹³⁾	_	7.5	565	0	0	0	0
Hot-water carpet for the driver's cab ¹³⁾	_	3.5	6709	0	0	0	0
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	_	40	761	0	0	0	0
Air Conditioning							
Roof A/C	_	38.5	609	0	0	0	0
Electrical installation							
Solar power system 100 watt	_	12.6	922	0	0	0	0
Water supply							
Outdoor shower installed in rear garage (hot/cold water)	_	2.4	1574	0	0	0	0
Gas supply							
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577	0	0	0	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0	0	0	0
Safety							
2 kg fire extinguisher	_	4	1878	0	0	0	0
Alarm system (for door with central locking)	_	0.5	322	0	0	0	0
Safe	_	4.7	323	0	0	0	0
Packages							
Dual Battery System Package 1 ⁷⁾	_	63	7488	0	0	0	0
Dual Battery System Package 2 ⁷⁾	_	113	7489	0	0	0	0
Esprit GT	_	15.7	14585	0	0	0	0
Light Moments	_	11	11137	0	0	0	0
Pre-wiring kit	_	7.6	11350	0	0	0	0
Travel Package	_	48.5	14584	0	0	0	0
Miscellaneous							
Registration documents (CoC papers)		0	15152	*	*	*	*

O Optional equipment ─ Not possible ● Standard equipment ♦ Mandatory △ Not known at the time of publication

GT GT Package



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Alpa Coach built




The motorhome for travelling couples. With generous space, a huge panoramic seating group and comfortable single beds in the alcove, this motorhome is ideally suited for comfortable travelling as a couple. And even in freezing temperatures, because the heated double floor with frost-protected water installation makes it absolutely winterproof.

Technical info	
Overall length, approx.	730 - 855 cm
Overall width, approx.	232 cm
Overall height, approx.	327 cm
Headroom in living area, approx.	209 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Melia





+ Real leather upholstery Colin O



+ Real leather individual O

Wood décor



+ Wood décor Ashton

O optionally available

Plus factors

- 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, LED daytime running lights, multifunction leather steering wheel and state-of-the-art driving assistance systems
- + Ideal driving characteristics: Premium low platfrom chassis with 145 mm lowering and up to 4.8 t or 5.4 t permissible total mass
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Huge panoramic round seating area with plenty of space to eat and linger
- + Comfortable lengthwise single beds with 195 x 80 cm and 205 x 80 cm lying area in the alcove incl. large access steps

























Alpa Coach built Technical info





Alpa Coach built		A 6820-2	A 7820-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	730	855
Overall width, approx.	cm	232	232
Overall height, approx.	cm	327 1)	327 1)
Headroom in living area, approx.	cm	209	209
Towable load braked/unbraked	kg	1750 / 750	1800 / 750
Wheelbase, approx.	mm	4070	4600
Bed dimension alcove, L x W, approx.	cm	205 x 80 / 195 x 80 / 210 x 155	205 x 80 / 195 x 80 / 210 x 155
Bed dimension: Rear bed, L x W, approx.	cm	210 x 170 O	210 x 150 O
Sleeping berths standard / max.		2 / 4 O	2 / 4 O
Standard engine		180 MultiJet 3 Power	180 MultiJet 3 Power
kW (bhp)		132 (180)	132 (180)
Mass in running order (+/-5%)*	kg	3480 (3306 to 3654)*	3945 (3748 to 4142)*
Manufacturer-specified mass for optional equipment*	kg	832	854
Technically permissible maximum laden mass*	kg	4500	5000
Permitted number of seats (including driver)*		2 - 4 O	2 - 4 O
Refrigerator volume (thereof freezer), approx.	1	136 (23) / 153 (29) 🔾	136 (23) / 177 (35) 🔿
Waste water tank, approx.	1	137	137
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	140 / 20	140 / 20
Measurement storage opening left (W x H)	cm	95 x 105	105 x 105
Measurement storage opening right (W x H)	cm	95 x 105	105 x 105
Clear dimensions of rear garage door/flap (W x H)	cm	105 x 60 ○	105 x 60 🔾

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Fiat chassis		
Alloy wheel FIAT 16", black (for 3-axle)		
Alloy wheel Fiat 16 ", black		
Fiat Ducato Maxi ALKO low platform 3-axle (5,000 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	_	
Fiat Ducato Maxi ALKO low platform wide-track rear axle (4,500 kg) MultiJet 180 (2.2 / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	•	_
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)		
Anti-theft device		
Automatic Brake Assist after a collision		
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console		
Captain seats for driver and front passenger, swivel function		
Crosswind Assist		
Cruise control		
Cup holder in the centre of the dashboard		
DAB+ radio antenna integrated into right exterior mirror		
Dashboard with aluminium application		
Daytime running lights integrated into headlights		
Diesel tank 90 litre incl. 191 AdBlue tank		
Driver and passenger airbags		
Driver and passenger detection		
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control		
Electrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator		
Exterior colour chassis white		
Fog lights incl. cornering light		
Front-wheel drive		
Full LED low beam	•	
Height and tilt adjustment and double armrests for driver and passenger seat	•	
Leather steering wheel and gear knob withleather sleeve	•	
Padded double armrests, fabric cover		
Painted front bumper in body colour incl. black skid plate	•	
Preparation for radio system incl. loudspeakers in the driver's cabin		
Steering wheel with control elements	•	•
Trailer Stability Assist		
Tyre inflation kit and towing eye	•	•
Winter tyres M+S Camping (with snowflake)		
Exterior features		
70 cm wide living room door with window and blackout, electric closing aid and gas pressure damper as hold-open device		
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler	•	•
Double floor storage, some of which can be loaded across almost the entire vehicle width	•	
Double-glazed flush-fitting windows with blackout & mosquito protection	•	•
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm		
Flyscreen habitation door	•	•
GRP roof		
Habitation access with comfortable coupe entrance	•	
Habitation access with comfortable, wide, electric step		•
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof	•	•
Opening window in overcab right		•
Panoramic skylight 75x105 cm above U-shaped seating	•	•
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	•	•
Side panels and rear panel in smooth aluminium sheets	•	•
Exterior design		

Standard equipment

2-0200 F

Exterior body painted in white	•	•
Interior design		
Upholstery Samir	•	•
Wood décor Ashton		
Textile equipment		
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•
Furniture layouts		
AirPlus overhead locker rear ventilation to avoid condensation	•	•
Full body mirror	•	•
Overhead locker doors with soft-close function	•	
Overhead lockers in the rear area	•	•
U-shaped seating in the lounge with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	_	
U-shaped seating with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	•	_
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	_	
Kitchen		
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	•	•
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	•	•
Kitchen overhead locker with illuminated roof lining	•	
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	•	•
Bathroom		
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	•	•
Large bathroom with separate shower and toilet with locking door to the lounge	•	
Shower grate	•	•
Shower panel and bathroom accessories in black	•	
Heating Heating		
Heating in the seating unit for optimum heat distribution, built-in	•	
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	•	•
Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	-	
Awning light 12 V		•
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	•	•
LED lighting throughout the vehicle		
Leisure battery AGM, 95 Ah	•	•
Luxus on-board control panel	•	
Number of sockets 1x 12V, 6x 230V, 2x USB	•	-
Number of sockets 1x 12V, 7x 230V, 2x USB	_	
Spotlights in the roof lining above the habitation door	•	•
Water supply		
Fresh water and waste water tanks installed in double floor (insulated area)	•	•
Pressurized water pump system	•	
Switch for water pump	•	•
Gas supply		
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	•	•

PACKAGES ALPA COACH BUILT

Package	GT Package ALPA A (13827)	GT Package Silver ALPA A (13828)
Styling Package (overcab design elements)	Х	X
Panorama skylight 70 x 50 cm in the overcab	Х	Х
Exterior design GT (rear light moulding with black diffuser, skidplate "red")	Х	X
High characteristic Dethleffs Exklusiv rear light carrier with ShapeLine LED taillights and 3rd brake light	x	х
Side panels in metallic titanium silver		X
Additional weight (kg)*	23.3	23.3

Package	Travel Package A 6820-2 (14586)	Travel Package A 7820-2 (14586)
Light Moments: Indirect ambient lighting above the overhead lockers	X	Х
Cab blackout blinds	X	Х
Extractor fan (extracted air) with draught stopper	X	Х
Rear corner steadies (2 pieces)	X	Х
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	X	Х
Rear view camera (single camera)	X	Х
Sky Roof (2 x panoramic skylight 70x50cm crossways) over the seating lounge in the rear	х	
Central locking for the drive's cab, habitation and garage door	X	Х
Sky roof (second panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp		х
Additional weight (kg)*	30.9	47.9

Package	Dual Battery System Package 2 (7489)	Dual Battery System Package 1 (7488)
Victron PowerAssist and PowerControl	X	Х
Electric block EBL 102	Χ	Х
Victron control panel above the habitation door	Χ	Х
Victron Energy MultiPlus charging/inverter combination 3000W/120A	Χ	
336 Ah lithium battery	Χ	
Victron Energy MultiPlus charging/inverter combination 1600W/70A		X
168 Ah lithium battery		X
Additional weight (kg)*	113	63



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Light Moments (13845)

Light Moments: Indirect wall surface ambient lighting

Light Moments: Indirect lighting in the bathroom with illuminated shower panel

Light Moments: Illuminated wardrobe

Light Moments: Pedestal lighting in the kitchen

Additional weight $(kg)^*$ 2.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Neglit upgrade Neglit Neglit upgrade Neglit Neglit Neglit upgrade Neglit Neglit Neglit upgrade Neglit	Optional equipment*	Included in package	Additional weight (kg)*	Code	A 6820-2	A 7820-2	
uggrade 4,800 kg with air spring HA, reinforced coil springs VA and 16° aluminium rims. 9 Weight spring the 4,800 kg with air supension rear acte, reinforced coil springs front acte, complete set of aluminium wheces with all-weather tyres 225/65 RiO Weight upper de 1,800 kg — 3,5 7497 — 0 Sench with 3 point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1941) 9 Bed and seating facility of the seaton of the se	Weight upgrade						
A Sabo C Sabo	Single folding seats rear right and left incl. Isofix, bed construction seating group as well as the weight upgrade 4,800 kg with air spring HA, reinforced coil springs VA and 16" aluminium rims. ⁹⁾	_	151	1604, 1605	0	_	
Bench with 3-point seathelts for seats facing away from driving direction incl. bed convert for seating lounge (1944)		-	40	8460	0	_	
Bench with 3-point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1944)	Weight upgrade to 5,400 kg		3.5	7497	_	0	
launge (1941)	Fiat chassis features						
Tow bar (check permissible gross towing weight for trailer operation) — 30 273 ○ Exterior features Double floor in rear garage — 13 1890 — — Omnistor cassette avaring 5.0 m (electric) — 40 428 — — Omnistor cassette avaring 5.0 m (manual) — 40 697 — — Omnistor cassette avaring 5.0 m (manual) — 64 550 — — Omnistor cassette avaring 6.0 m (electric) — 70 519 — — Omnistor cassette avaring 6.0 m (manual) — 64 550 — — Omnistor cassette avaring 6.0 m (electric) — 70 519 — O Omnistor cassette avaring 6.0 m (electric) — 64 550 — — Opening window in overcable fit — 5 622 O O Rod vert with fitted — 0 511 O Iterative design — 0 511		_	36	9116	_	0	
Double floor in rear garage	Hydraulic lifting jacks with automatic levelling and weighing function	_	70	9663	0	0	
Double floor in rear garage	Tow bar (check permissible gross towing weight for trailer operation)		30	273	0	0	
Double floor in rear garage	Exterior features						
Omnistor cassette awning 5.0 m (electric) — 40 428 0 — Omnistor cassette awning 5.0 m (manual) — 40 697 0 — Omnistor cassette awning 6.0 m (melectric) — 70 519 — 0 Omnistor cassette awning 6.0 m (manual) — 64 560 — 0 Opening window in overcab left — 5 622 0 0 Roof vent with fan — 1.5 7507 0 0 Storage access in the rear — 9 1732 0 0 Exterior design Side panels in metallic titanium silver — 0 511 0 0 Interior design Real leather individual ¹⁷⁾ — 0 9785 0 0 Real leather upholstery Colin — 0 11952 0 0 Upholstery Melia — 0 11952 0 0 Upholstery Melia — 7.9 851 0 — Carpet, loose — 7.9 851 0 — Carpet, loose — 10.1 851 — 0 Extile equipment Carpet, loose — 7.9 851 0 — Extile equipment Carpet, loose — 10.1 851 — 0 Extile equipment Carpet, loose — 7.9 851 0 — <td c<="" td=""><td>Double floor in rear garage</td><td>_</td><td>13</td><td>1890</td><td>_</td><td>0</td></td>	<td>Double floor in rear garage</td> <td>_</td> <td>13</td> <td>1890</td> <td>_</td> <td>0</td>	Double floor in rear garage	_	13	1890	_	0
Omnistor cassette awning 5.0 m (manual) — 40 697 ○ Omnistor cassette awning 6.0 m (electric) — 70 519 — ○ Omnistor cassette awning 6.0 m (electric) — 64 560 — ○ Opening window in overcab left — 5 622 ○ ○ Roof vent with fan — 1.5 7507 ○ ○ Storage access in the rear — 9 1732 ○ ○ Exterior design Side panels in metallic titanium silver — 0 511 ○ ○ Interior design — 0 511 ○ ○ ○ Interior design ○ ○ 0 11952 ○ ○ ○ ○ 0 11952 ○ ○ ○ ○ 0 11952 ○ ○ ○ ○ 0 11952 ○ ○ ○ ○ 0 11952 ○ ○ ○<	Double floor in rear garage	_	12	1890	0	_	
Omnistor cassette awning 6.0 m (electric) — 70 519 — 0 Omnistor cassette awning 6.0 m (manual) — 64 560 — 0 Opening window in overcab left — 5 622 O O Roof vent with fan — 1.5 7507 O O Storage access in the rear — 9 1732 O O Exterior design — 7 0 511 O O Real leather individual ¹⁷⁾ — 0 79785 O O Real leather upholstery Colin — 0 11952 O O Upholstery Melia — 0 11950 O O Textile equipment — 7.9 851 O — Carpet, loose — 10.1 851 — O Furniture layouts — 10.1 851 — O Bed convert for seating lounge transverse — 4 1944 — O Bed convert for seating lounge transverse — 4 1944 — O Bed convert for seating lounge transverse — 18.5 290 O — Fridge (133 I), can be opened on both sides, with integrated oven — 18.5 290 O — Fridge (177 I), can be opened on both sides, with integrated oven — 18.5 290 O — Ceramic toilet ¹⁸⁹ — 9.1 7243 O — Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof ¹⁸⁹ — 0.8 1681 O O	Omnistor cassette awning 5.0 m (electric)	_	40	428	0	_	
Omnistor cassette awning 6.0 m (manual) − 64 560 − O Opening window in overcab left − 5 622 ○ O Roof vent with fan − 1.5 7507 ○ ○ Storage access in the rear − 9 1732 ○ ○ ***********************************		_	40	697	0	_	
Opening window in overcab left − 5 622 ○ ○ Roof vent with fan − 1.5 7507 ○ ○ O Storage access in the rear − 9 1732 ○ ○ Exterior design Use and the read lick titanium silver − 0 511 ○ ○ Interior design Use and the read lick titanium silver − 0 511 ○ ○ Interior design Use and the read lick titanium silver − 0 511 ○ ○ 0 100 100 ○ ○ 0 110 ○ ○ ○ 0 110 ○		_	70	519	_	0	
Roof vent with fan		_		560	_	0	
Storage access in the rear		_				0	
Exterior design Side panels in metallic titanium silver — 0 511 O Interior design Real leather individual ¹⁷⁾ — 0 9785 O O Real leather upholstery Colin — 0 11952 O O Upholstery Melia — 0 11952 O O Upholstery Melia — 0 11952 O O Extitle equipment — 0 11950 O O Carpet, loose — 7.9 851 O — Carpet, loose — 7.01 851 O O Eductionse — 7.9 851 O O Eductionse — 7.0 851 O O Eductionse — 7.9 851 O O Eductionse — 4 1944 O O Fridge (153 l), can be opened on both sides, with integrated		_					
Side panels in metallic titanium silver — 0 511 ○ ○ Interior design □ 0 9785 ○ ○ ○ Real leather individual ¹⁷⁾ — 0 19785 ○ ○ ○ Real leather upholstery Colin — 0 11952 ○ ○ ○ □ 11952 ○ ○ ○ □ □ 11952 ○ ○ ○ □	Storage access in the rear		9	1732	0	0	
Interior design Real leather individual ¹⁷⁾ — 0 9785 ○ ○ Real leather upholstery Colin — 0 11952 ○ ○ Upholstery Melia — 0 11950 ○ ○ Textile equipment Carpet, loose — 7.9 851 ○ — Carpet, loose — 10.1 851 — ○ Furniture layouts Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 5 1944 — ○ Fridge (153 I), can be opened on both sides, with integrated oven — 18.5 290 — Fridge (177 I), can be opened on both sides, with integrated ov	Exterior design						
Real leather individual ¹⁷⁾ — 0 9785 ○ ○ Real leather upholstery Colin — 0 11952 ○ ○ Upholstery Melia — 0 11950 ○ ○ Textile equipment Carpet, loose — 7.9 851 ○ — Carpet, loose — 10.1 851 — ○ Furniture layouts Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Rittchen — 18.5 290 ○ — Kittchen Fridge (153 l), can be opened on both sides, with integrated oven — 18.5 290 ○ — Bathroom Ceramic toilet ¹⁸ — 9.1 7243 ○ — Macerator toilet with waste-holding tank — 9.8<	Side panels in metallic titanium silver	_	0	511	0	0	
Real leather upholstery Colin — 0 11952 O Upholstery Melia — 0 11950 O Textile equipment Carpet, loose — 7.9 851 O — Carpet, loose — 10.1 851 — O Furniture layouts Bed convert for seating lounge transverse — 4 1944 — O Bed convert for seating lounge transverse — 4 1944 — O Kitchen Fridge (153 I), can be opened on both sides, with integrated oven — 18.5 290 — Fridge (177 I), can be opened on both sides, with integrated oven — 18.5 290 — Bathroom Ceramic toilet ¹⁸⁾ — 9.1 7243 O — Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof ¹⁸⁾ — 0.8 1681 O	Interior design						
Upholstery Melia — 0 11950 ○ ○ Textile equipment Carpet, loose — 7.9 851 ○ — Carpet, loose — 10.1 851 — ○ Furniture layouts Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 18.5	Real leather individual ¹⁷⁾	_	0	9785	0	0	
Textile equipment Carpet, loose — 7.9 851 ○ — Carpet, loose — 10.1 851 — ○ Furniture layouts Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 5 1944 ○ — Kitchen Fridge (153 I), can be opened on both sides, with integrated oven — 18.5 290 ○ — Fridge (177 I), can be opened on both sides, with integrated oven — 18.5 290 ○ — Bathroom Ceramic toilet 18) — 9.1 7243 ○ — Macerator toilet with waste-holding tank — 9.1 7243 ○ — Toilet ventilation via the roof 18) — 0.8 1681 ○ ○ Multimedia	Real leather upholstery Colin	_	0	11952	0	0	
Carpet, loose — 7.9 851 ○ — Furniture layouts Bed convert for seating lounge transverse — 4 1944 — ○ Bed convert for seating lounge transverse — 5 1944 ○ — Kitchen Fridge (153 l), can be opened on both sides, with integrated oven — 18.5 290 ○ — Fridge (177 l), can be opened on both sides, with integrated oven — 18.5 290 — ○ Bathroom Ceramic toilet ¹⁸⁾ — 9.1 7243 ○ — Macerator toilet with waste-holding tank — 44 1625 ○ ○ Toilet ventilation via the roof ¹⁸⁾ — 0.8 1681 ○ ○ Multimedia	Upholstery Melia	_	0	11950	0	0	
Carpet, loose - 10.1 851 - 0 Furniture layouts Bed convert for seating lounge transverse - 4 1944 - 0 Bed convert for seating lounge transverse - 5 1944 0 - Kitchen Fridge (153 I), can be opened on both sides, with integrated oven - 18.5 290 0 - Fridge (177 I), can be opened on both sides, with integrated oven - 18.5 290 - 0 Bathroom Ceramic toilet 18) - 9.1 7243 0 - Macerator toilet with waste-holding tank - 44 1625 0 0 Toilet ventilation via the roof 18) - 0.8 1681 0 0	Textile equipment						
Furniture layouts Bed convert for seating lounge transverse - 4 1944 - 0 Bed convert for seating lounge transverse - 5 1944 0 - Kitchen Fridge (153 I), can be opened on both sides, with integrated oven Fridge (177 I), can be opened on both sides, with integrated oven - 18.5 290 - 0 Fridge (177 I), can be opened on both sides, with integrated oven - 18.5 290 - 0 Bathroom Ceramic toilet 18) - 9.1 7243 0 - Macerator toilet with waste-holding tank - 44 1625 0 0 Toilet ventilation via the roof 18) Multimedia	Carpet, loose	_	7.9	851	0	_	
Bed convert for seating lounge transverse — 4 1944 — 0 Bed convert for seating lounge transverse — 5 1944 O — Kitchen Fridge (153 I), can be opened on both sides, with integrated oven — 18.5 290 — Fridge (177 I), can be opened on both sides, with integrated oven — 18.5 290 — 0 Bathroom Ceramic toilet 18) — 9.1 7243 O — Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof 18) — 0.8 1681 O O Multimedia	Carpet, loose	_	10.1	851	_	0	
Bed convert for seating lounge transverse — 4 1944 — 0 Bed convert for seating lounge transverse — 5 1944 O — Kitchen Fridge (153 I), can be opened on both sides, with integrated oven — 18.5 290 — Fridge (177 I), can be opened on both sides, with integrated oven — 18.5 290 — 0 Bathroom Ceramic toilet 18) — 9.1 7243 O — Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof 18) — 0.8 1681 O O Multimedia	Furniture layouts						
Bed convert for seating lounge transverse — 5 1944 O — Kitchen Fridge (153 I), can be opened on both sides, with integrated oven — 18.5 290 O — Fridge (177 I), can be opened on both sides, with integrated oven — 18.5 290 — O Bathroom Ceramic toilet 18 — 9.1 7243 O — Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof 18 — 0.8 1681 O O Multimedia		_	4	1944		0	
KitchenFridge (153 I), can be opened on both sides, with integrated oven-18.5290-Fridge (177 I), can be opened on both sides, with integrated oven-18.5290-BathroomCeramic toilet 18)-9.17243O-Macerator toilet with waste-holding tank-441625OToilet ventilation via the roof 18)-0.81681OMultimedia		_			0	_	
Fridge (177 I), can be opened on both sides, with integrated oven Bathroom Ceramic toilet ¹⁸⁾ — 9.1 7243 O — Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof ¹⁸⁾ — 0.8 1681 O O Multimedia							
Bathroom Ceramic toilet ¹⁸⁾ - 9.1 7243 O - Macerator toilet with waste-holding tank - 44 1625 O O Toilet ventilation via the roof ¹⁸⁾ - 0.8 1681 O O Multimedia	Fridge (153 l), can be opened on both sides, with integrated oven	_	18.5	290	0	_	
Ceramic toilet ¹⁸⁾ – 9.1 7243 O – Macerator toilet with waste-holding tank – 44 1625 O O Toilet ventilation via the roof ¹⁸⁾ – 0.8 1681 O O Multimedia	Fridge (177 l), can be opened on both sides, with integrated oven	_	18.5	290	_	0	
Macerator toilet with waste-holding tank — 44 1625 O O Toilet ventilation via the roof ¹⁸⁾ — 0.8 1681 O O Multimedia	Bathroom						
Toilet ventilation via the roof ¹⁸⁾ — 0.8 1681 O O Multimedia	Ceramic toilet ¹⁸⁾	_	9.1	7243	0	_	
Toilet ventilation via the roof ¹⁸⁾ — 0.8 1681 O O Multimedia	Macerator toilet with waste-holding tank	_	44	1625	0	0	
	-	_	0.8	1681	0	0	
32" TV (incl. bracket) incl. soundboard – 9 9127 O O	Multimedia						
	32" TV (incl. bracket) incl. soundboard	-	9	9127	0	0	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

Optional equipment*	Included in package	Additional weight (kg)*	Code	A 6820-2	A 7820-2
Additional 22' flat screen incl. flat screen bracket	_	5.5	7490+1809	0	0
Automatic satellite system 85 Twin	_	16	1637	0	0
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	_	3.65	9582	0	0
Flat screen 22" incl. flat screen bracket	_	5.2	1799+325	0	0
Flat-screen TV bracket		2	325	0	0
Rear view camera (single camera)	_	1.1	1642	0	0
Second rear view camera in rear moulding		1	11541	0	0
Top View 360° HD camera ^{19) 20)}	_	4.5	7173	0	0
Heating					
Electrically heated overcab bed	_	16.5	1740	0	0
Heat exchanger for hot-water heating	_	7.5	565	0	0
Hot-water carpet for the driver's cab	_	3.5	6709	0	0
Air Conditioning					
Roof A/C	_	38.5	609	0	0
Electrical installation					
Solar power system 100 watt	_	12.6	922	0	0
Water supply					
Outdoor shower (cold water)	_	0.5	793	0	0
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577	0	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0	0
Safety					
2 kg fire extinguisher	_	4	1878	0	0
Alarm system (for door with central locking)	_	0.5	322	0	0
Safe		10.5	323	0	0
Packages					
Dual Battery System Package 1	_	63	7488	0	0
Dual Battery System Package 2	_	113	7489	0	0
GT Package ALPA A	_	23.3	13827	0	0
GT Package Silver ALPA A	_	23.3	13828	0	0
Light Moments	_	2.5	13845	0	0
Pre-wiring kit	_	7.6	11350	0	0
Travel Package A 6820-2		30.9	14586	0	_
Travel Package A 7820-2	_	47.9	14586	_	0
Miscellaneous					
Registration documents (CoC papers)	-	0	15152	•	•

O Optional equipment — Not possible

Standard equipment

Mandatory

Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Alpa A Class



The motorhome for travelling couples. With generous space, a huge panoramic seating group and comfortable pull-down bed, this motorhome is ideally suited for comfortable travelling as a couple. And even in freezing temperatures, because the heated double floor with frost-protected water installation makes it absolutely winterproof.

Technical info	
Overall length, approx.	745 - 855 cm
Overall width, approx.	232 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Melia
O



+ Real leather upholstery Colin O



+ Real leather individual O

Wood décor



+ Wood décor Ashton

O optionally available

Plus factors

- 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more.
- + Ideal driving characteristics: Premium low platfrom chassis with 145 mm lowering and up to 4.8 t or 5.4 t permissible total mass
- + Absolute winter resistance due to heated raised floor with installation laid frost-protected
- + Hot water heating as standard. Comfortable warmth even at the frostiest temperatures. Ideal for allergy sufferers, as no dust whirling up.
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- Huge panoramic round seating area with plenty of space to eat and linger
- + Exceptional: single beds pull-down bed, electrically lowerable, 2 x 210 x 75 cm lying surface, including large steps for a safe step.































Alpa A Class		l 6820-2	I 7820-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	745	855
Overall width, approx.	cm	232	232
Overall height, approx.	cm	304 1)	304 1)
Headroom in living area, approx.	cm	208	208
Towable load braked/unbraked	kg	1750 / 750	1800 / 750
Wheelbase, approx.	mm	4250	4600
Bed dimension: Front bed, L x W, approx.	cm	2x 210 x 75 / 200 x 165	2x 210 x 75 / 200 x 165
Bed dimension: Rear bed, L x W, approx.	cm	210 x 170 - 180 O	210 x 150 - 210 🔾
Sleeping berths standard / max.		2 / 4 O	2 / 4 O
Standard engine		180 MultiJet 3 Power	180 MultiJet 3 Power
kW (bhp)		132 (180)	132 (180)
Mass in running order (+/-5%)*	kg	3510 (3335 to 3686)*	3990 (3791 to 4190)*
Manufacturer-specified mass for optional equipment*	kg	800	809
Technically permissible maximum laden mass*	kg	4500	5000
Permitted number of seats (including driver)*		2 - 4 O	2 - 4 🔿
Refrigerator volume (thereof freezer), approx.	1	136 (23) / 153 (29) 🔿	136 (23) / 177 (35) 🔾
Waste water tank, approx.	I	120	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	130 / 20	166 / 20
Measurement storage opening left (W x H)	cm	100 x 85	105 x 85
Measurement storage opening right (W x H)	cm	100 x 85	105 x 85

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

16820-2

	_	_
Fiat chassis		
Alloy wheel FIAT 16", black (for 3-axle)	_	•
Alloy wheel Fiat 16 ", black		_
Fiat Ducato Maxi ALKO low platform 3-axle (5,000 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	_	•
Fiat Ducato Maxi ALKO low platform wide-track rear axle (4,500 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission	•	_
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)		
Additional protection for radiator through grille at front of vehicle		
Anti-theft device		
Automatic Brake Assist after a collision		
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console		
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests		
Crosswind Assist		
Cruise control		
Cup holder in the centre of the dashboard	•	
Dashboard with aluminium application		
Diesel tank 90 litre incl. 19L AdBlue tank		
Driver and passenger airbags		
Driver and passenger detection		
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control		
Front-wheel drive	•	
Leather steering wheel and gear knob withleather sleeve		
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	•	
Pleated blinds in the windscreen and side windows of the drive's cab for the best insulation and privacy	•	
Reinforced spring for front axle	•	
Steering wheel with control elements	•	
Trailer Stability Assist		
Tyre inflation kit and towing eye	•	•
Winter tyres M+S Camping (with snowflake)		
Exterior features		
70 cm wide living room door with window and blackout, electric closing aid and gas pressure damper as hold-open device		
Bedroom window right and left		
Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler		
Double floor storage, some of which can be loaded across almost the entire vehicle width	•	
Double-glazed flush-fitting windows with blackout & mosquito net (Privacy Black)		
Driver's cab door left	•	
Electric closing aid for habitation door		
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	•	
Flyscreen habitation door	•	•
GRP roof	•	•
Habitation access with comfortable coupe entrance	•	
Habitation access with comfortable, wide, electric step	•	
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof		
Panoramic skylight 75x105 cm above U-shaped seating	•	
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	•	
Side panels and rear panel in smooth aluminium sheets	•	•
Exterior design		
Exterior body painted in white	•	
Interior design		
Upholstery Samir		
Wood décor Ashton		

Textile equipment		
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	
Furniture layouts		
AirPlus overhead locker rear ventilation to avoid condensation	•	•
Electric pull-down bed for single-bed use (without add-on elements)	•	•
Full body mirror	•	
Overhead locker doors with soft-close function	•	•
Overhead lockers in the rear area	•	
U-shaped seating in the lounge with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest		•
U-shaped seating with free-standing, rigid table base and surrounding seating and backrest cushions with flexible headrest	•	_
Wardrobe floor-to-ceiling with convenient linen drawers in upper area		•
Kitchen		
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	•	•
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking		
Kitchen overhead locker with illuminated roof lining	•	•
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	•	
Bathroom		
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	•	
Large bathroom with separate shower and toilet with locking door to the lounge	•	
Shower grate		
Shower panel and bathroom accessories in black	•	
Heating		
Heating in the seating unit for optimum heat distribution, built-in	-	—
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel		
Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	
Awning light 12 V	•	•
Electric block with integrated overvoltage protection and separate ground fault circuit breaker		
LED lighting throughout the vehicle	•	•
Leisure battery AGM, 95 Ah		
Luxus on-board control panel	•	•
Number of sockets 1x 12V, 6x 230V, 2x USB	•	_
Number of sockets 1x 12V, 7x 230V, 2x USB		•
Spotlights in the roof lining above the habitation door		
Water supply		
Fresh water and waste water tanks installed in double floor (insulated area)	•	
Pressurized water pump system		•
Switch for water pump		
Gas supply		
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access		
Storage space for 2 gos societs with a mining weight of 11 kg coch, with simplified access		

PACKAGES ALPA A CLASS

Package	GT Package ALPA I (13825)	GT Package Silver ALPA I (13826)
Exterior design GT (rear light moulding with black diffuser, radiator grille with chrome piping, skidplate "red")	х	х
LED low beam	Х	Х
High characteristic Dethleffs Exklusiv rear light carrier with ShapeLine LED taillights and 3rd brake light	х	х
Side panels in metallic titanium silver		Х
Additional weight (kg)*	5.5	5.5

Package	Travel Package I 6820-2 (14587)	Travel Package I 7820-2 (14587)
Preparation for radio system incl. sound package in the driver's cabin	X	Х
Light Moments: Indirect ambient lighting above the overhead lockers	X	Х
Extractor fan (extracted air) with draught stopper	X	Х
Rear corner steadies (2 pieces)	X	Х
DAB+ radio antenna mounted on the roof	X	Х
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	X	X
Rear view camera (single camera)	X	Х
Sky Roof (2 x panoramic skylight 70x50cm crossways) over the seating lounge in the rear	x	
Central locking for the drive's cab, habitation and garage door	X	Х
Sky roof (second panoramic skylight 75x105cm lengthwise over the seating lounge in the rear) incl. roof lining and lamp		х
Additional weight (kg)*	31.6	48.6

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	X	X
Electric block EBL 102	X	X
Victron control panel above the habitation door	X	X
Victron Energy MultiPlus charging/inverter combination 1600W/70A	X	
168 Ah lithium battery	X	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		X
336 Ah lithium battery		X
Additional weight (kg)*	63	113



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Light Moments (13845)

Light Moments: Indirect wall surface ambient lighting

Light Moments: Indirect lighting in the bathroom with illuminated shower panel

Light Moments: Illuminated wardrobe

Light Moments: Pedestal lighting in the kitchen

Additional weight (kg)*

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

Optional equipment*	Included in package	Additional weight (kg)*	Code	1 6820-2	1 7820-2
Weight upgrade					
Single folding seats rear right and left incl. Isofix, bed construction seating group as well as the weight upgrade 4,800 kg with air spring HA, reinforced coil springs VA and 16" aluminium rims. ⁹⁾	_	151	1604, 1605	0	_
Weight upgrade to 4,800 kg (incl. air suspension rear axle, reinforced coil springs front axle, complete set of aluminium wheels with all-weather tyres 225/65 R16)	-	40	8460	0	_
Weight upgrade to 5,400 kg	_	0.5	7497	_	0
Fiat chassis features					
Bench with 3-point seatbelts for seats facing away from driving direction incl. bed convert for seating lounge (1944) 9)	_	36	9116	-	0
Hydraulic lifting jacks with automatic levelling and weighing function	_	70	9663	0	0
SKA captain seat with air suspension	_	20	7505	0	0
Seat heating and ventilation of the seat area ^{16) 15)}	_	0	11147	0	0
Tow bar (check permissible gross towing weight for trailer operation)	_	30	273	0	0
Exterior features					
Omnistor cassette awning 5.0 m (electric)	_	40	428	0	_
Omnistor cassette awning 5.0 m (manual)	_	40	697	0	_
Omnistor cassette awning 6.0 m (electric)	_	70	519	_	0
Omnistor cassette awning 6.0 m (manual)	_	64	560	_	0
Roof vent with fan	_	1.5	7507	0	0
Exterior design					
Side panels in metallic titanium silver	_	0	511	0	0
Interior design					
Real leather individual ^{15) 17)}	_	0	9785	0	0
Real leather upholstery Colin ¹⁵⁾	_	0	11952	0	0
Upholstery Melia	_	0	11950	0	0
Textile equipment					
Carpet, loose	_	8.1	851	0	
Carpet, loose	_	9.5	851	_	0
Furniture layouts					
Bed convert for seating lounge transverse	_	4	1944		0
Bed convert for seating lounge transverse	_	5	1944	0	_
Kitchen			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Fridge (153 I), can be opened on both sides, with integrated oven	_	18.5	290	0	_
Fridge (177 l), can be opened on both sides, with integrated oven	_	18.5	290	_	0
Bathroom					
Ceramic toilet ¹⁸⁾	_	9.1	7243	0	0
Macerator toilet with waste-holding tank	_	44	1625	0	0
Toilet ventilation via the roof ¹⁸⁾	_	0.8	1681	0	0
Multimedia					
32" TV (incl. bracket) incl. soundboard	_	9	9127	0	0
Additional 22' flat screen incl. flat screen bracket	_	5.5	7490+1809	0	0
Automatic satellite system 85 Twin	_	16	1637	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Optional equipment*	Included in package	Additional weight (kg)*	Code	1 6820-2	17820-2
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto ⁶⁾		3.65	9582	0	0
Flat screen 22" incl. flat screen bracket	_	5.2	1799+325	0	0
Flat-screen TV bracket		2	325	0	0
Rear view camera (single camera)	_	1.1	1642	0	0
Second rear view camera in rear moulding		1	11541	0	0
Top View 360° HD camera ^{19) 20)}	_	4.5	7173	0	0
Heating					
Heat exchanger for hot-water heating	_	7.5	565	0	0
Hot-water carpet for the driver's cab	_	3.5	6709	0	0
Air Conditioning					
Roof A/C	_	38.5	609	0	0
Electrical installation					
Solar power system 100 watt	_	12.6	922	0	0
Water supply					
Outdoor shower (cold water)	_	0.5	793	0	0
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577	0	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0	0
Safety					
2 kg fire extinguisher	_	4	1878	0	0
Alarm system (for door with central locking)	_	0.5	322	0	0
Safe	_	10.5	323	0	0
Smoke detector		0.2	1891	0	0
Packages					
Dual Battery System Package 1	_	63	7488	0	0
Dual Battery System Package 2	_	113	7489	0	0
GT Package ALPA I	_	5.5	13825	0	0
GT Package Silver ALPA I	_	5.5	13826	0	0
Light Moments	_	2.5	13845	0	0
Pre-wiring kit	_	7.6	11350	0	0
Travel Package I 6820-2		31.6	14587	0	_
Travel Package I 7820-2	-	48.6	14587	_	0
Miscellaneous					
Registration documents (CoC papers)	_	0	15152	•	•

O Optional equipment — Not possible • Standard equipment • Mandatory 🛆 Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

XL Family Coach built




Experience motorhome freedom in a new dimension: 860 cm overall length, 5.4 t permissible total mass, six sleeping and seating areas. The Globetrotter XL Family is the perfect vehicle for large families and motorhome professionals who plan their trips in weeks and months rather than days. It offers plenty of space, storage room and load options. And thanks to its ingenious double floor concept and hot water heating as standard, it is absolutely winter-proof.

Technical info	
Overall length, approx.	860 cm
Overall width, approx.	232 cm
Overall height, approx.	327 cm
Headroom in living area, approx.	209 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Floyd

Wood décor



+ Wood décor Noce Nagano

Plus factors

- + 180 hp (132 kW) MultiJet engine, 8-speed torque converter automatic transmission, full LED headlights, cruise control, air conditioning, state-of-the-art assistance systems and much more.
- + Ideal driving characteristics: Premium low platform chassis with 145 mm lowering and 5.4 tonnes gross vehicle weight rating
- + Absolutely winter-proof: 40 cm high raised floor with frost-proof water installation.
- + Hot water heating for even heat distribution and a cosy feeling even in icy temperatures
- + Huge, heated rear garage with 250 kg surface load, loadable on both sides, anti-slip floor covering, lashing rails, lighting, 230 V socket
- + Double-glazed flush-fitting windows
- + Side walls, rear and roof made of robust, hail-resistant GRP with XPS insulation
- + Luxurious standard equipment including aluminium wheels, 6m awning, refrigerator with oven, 0mnivent roof ventilator, Naviceiver with 9-inch touch display, 2 rear view cameras and much more.



























XL Family Coach built Technical info

XL Family Coach built		A 7872-2
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E
Overall length, approx.	cm	860
Overall width, approx.	cm	232
Overall height, approx.	cm	327
Headroom in living area, approx.	cm	209
Towable load braked/unbraked	kg	1800 / 750
Wheelbase, approx.	mm	4600
Bed dimension alcove, L x W, approx.	cm	210 x 165
Bed dimension: Central / middle bed, L X W, approx.	cm	195 x 130
Bed dimension: Rear bed, L x W, approx.	cm	211 x 152
Sleeping berths standard / max.		6
Standard engine		180 MultiJet 3 Power
kW (bhp)		132 (180)
Mass in running order (+/-5%)*	kg	3860 (3667 to 4053)*
Manufacturer-specified mass for optional equipment*	kg	1019
Technically permissible maximum laden mass*	kg	5400
Permitted number of seats (including driver)*		6
Refrigerator volume (thereof freezer), approx.	1	137 (15)
Waste water tank, approx.	I	150
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	160 / 20
Measurement storage opening left (W x H)	cm	105 x 135
Measurement storage opening right (W x H)	cm	105 x 135

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

lloy wheel Fiat 16 ", black
iat Ducato Maxi ALKO low platform 3-axle (5,400 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission
iat chassis features
BS (anti-lock braking system) / EBD (electronic brakeforce distribution)
nti-theft device
utomatic Brake Assist after a collision
utomatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console
ab blackout blinds
aptain seats for driver and front passenger, swivel function
rosswind Assist
ruise control
up holder in the centre of the dashboard
AB+ radio antenna integrated into right exterior mirror
ashboard with aluminium application
aytime running lights integrated into headlights
iesel tank 90 litre incl. 19L AdBlue tank
river and passenger airbags
river and passenger detection
SP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control
lectrically adjustable and heated exterior mirrors incl. blind spot mirror and integrated turn indicator
xterior colour chassis white
og lights incl. cornering light
ront-wheel drive
ull LED low beam
leight and tilt adjustment and double armrests for driver and passenger seat
eather steering wheel and gear knob withleather sleeve
added double armrests, fabric cover
ainted front bumper in body colour incl. black skid plate
reparation for radio system incl. loudspeakers in the driver's cabin
rear axle mudflaps
afety Package II: headrests and safety belts for seat facing away from driving direction
teering wheel with control elements
railer Stability Assist
yre inflation kit and towing eye
Vinter tyres M+S Camping (with snowflake)
xterior features
0 cm wide habitation door
pethleffs Exclusive rear light carrier with 3rd brake light
houble floor storage, some of which can be loaded across almost the entire vehicle width
Pouble-glazed flush-fitting windows with blackout & mosquito protection
xterior design GT (rear light moulding with black diffuser, front I-paint partly black, radiator grille with chrome piping, skidplate "red")
loor thickness: 42 mm, side wall thickness: 34mm and roof thickness: 35 mm
lyscreen habitation door
RP roof
labitation access with comfortable coupe entrance
labitation access with comfortable, wide, electric step
labitation door with window incl. blackout and central locking (incl. cab door)
arge rear garage: two garage doors/flaps with turn/tighten lock, rear lowering (250 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1 30 V socket
ifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation
mnistor cassette awning 6.0 m (manual) ²¹⁾
pening window in overcab right

Number of sockets 1x 12V, 7x 230V, 4x USB On-board control panel Pre-wiring for solar Spotlights in the roof lining above the habitation door Water supply Fresh water and waste water tanks installed in double floor (insulated area) Submersible pump Switch for water pump Gas supply Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter Outdoor gas socket gas pressure 30 mbar Storage space for 2 gas bottles with a filling weight of 11 kg each

PACKAGES XL FAMILY COACH BUILT

Technic Package (14140)

Hydraulic lifting jacks with automatic levelling and weighing function

Top View 360° HD camera

Roof A/C

Additional weight (kg)*

113

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Additional Code Included in Optional equipment* weight (kg)* package A 7872-2 Fiat chassis features 0 Rear corner steadies (2 pieces) 6.8 0 Tow bar (check permissible gross towing weight for trailer operation) 35 273 **Exterior features** Bike rack for 3 bikes (lowerable) 21.1 7482 0 Omnistor cassette awning 6.0 m (electric) ²¹⁾ 0 Multimedia 32" Smart TV incl. flat screen holder 10 9807+325 \bigcirc Automatic satellite system 85 Twin 1637 0 Flat screen 22" incl. flat screen bracket 5.2 1799+325 \bigcirc 2 Flat-screen TV bracket 325 0 Heating Electrically heated overcab bed 16.5 1740 0 **Electrical installation** Second leisure battery AGM, 95 Ah 7) 0 27 830 Safety 2 kg fire extinguisher 1878 0 Smoke detector 0.2 1891 0 **Packages** Technic Package ²⁰⁾ 113 14140 0 Miscellaneous Registration documents (CoC papers) 0 15152

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the

Globetrotter XL A Class




This lifestyle luxury motorhome combines spacious living, modern design and genuine driving dynamics. The sporty design language translates a premium wide-track low-platform chassis into real driving experiences. With the Globetrotter XLI, you are just as good on the road as it looks: sporty, dynamic and safe - and thanks to the winterproof double floor construction, 365 days a year.

Technical info	
Overall length, approx.	861 cm
Overall width, approx.	232 cm
Overall height, approx.	304 cm
Headroom in living area, approx.	208 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Melia



+ Real leather upholstery Colin O



+ Real leather individual O

Wood décor



- + Wood décor Amberes Oak
- O optionally available

Plus factors

- + 180 hp (136 kW) Multijet engine, 8-speed torque converter automatic transmission, automatic climate control, multifunction leather steering wheel and much more
- + Ideal driving characteristics: Premium low platform chassis with 220 mm lowering and up to 5.4 t gross vehicle mass
- + Absolute winter resistance due to heated raised floor with frost-protected installation.
- + Hot water heating as standard. Comfortable warmth even at the frostiest temperatures. Ideal for allergy sufferers, as no dust whirling up.
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Gourmet kitchen with mineral countertop, 3-burner high-efficiency stove, generous drawers with soft-close retraction and central locking, apothecary pull-out, and more
- + Spacious bathroom with sliding door to the bedroom





































Globetrotter XL A Class		I 7850-2 DBM	I 7850-2 EB
Standard chassis		Fiat Ducato Maxi AL-KO Low Platform 3-axle	Fiat Ducato Maxi AL-KO Low Platform 3-axle
Emission standards		Euro VI-E	Euro VI-E
Overall length, approx.	cm	861	861
Overall width, approx.	cm	232	232
Overall height, approx.	cm	304 1)	304 1)
Headroom in living area, approx.	cm	208	208
Towable load braked/unbraked	kg	1800 / 750	1800 / 750
Wheelbase, approx.	mm	4500	4500
Bed dimension: Front bed, L x W, approx.	cm	200 x 150	200 x 150
Bed dimension: Central / middle bed, L X W, approx.	cm	206 x 150 - 90 O	206 x 150 - 95 O
Bed dimension: Rear bed, L x W, approx.	cm	200 x 150	210 x 200 - 145 / 2x 200 x 82
Sleeping berths standard / max.		4 / 5 🔿	4/50
Standard engine		180 MultiJet 3 Power	180 MultiJet 3 Power
kW (bhp)		132 (180)	132 (180)
Mass in running order (+/-5%)*	kg	4050 (3848 to 4253)*	4050 (3848 to 4253)*
Manufacturer-specified mass for optional equipment*	kg	589	589
Technically permissible maximum laden mass*	kg	5000	5000
Permitted number of seats (including driver)*		4 - 5 0	4 - 5 🔿
Refrigerator volume (thereof freezer), approx.	I	136 (23) / 177 (35) O	136 (23) / 177 (35) 〇
Waste water tank, approx.	1	156	156
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	166 / 20	166 / 20
Measurement storage opening left (W x H)	cm	100 x 105	100 x 80 O / 100 x 110
Measurement storage opening right (W x H)	cm	100 x 105	100 x 80 O / 100 x 110

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5$ % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Fiat chassis		
Alloy wheel FIAT 16", black (for 3-axle)	•	
Fiat Ducato Maxi ALKO low platform 3-axle (5,000 kg) MultiJet 180 (2.2 l / 132 kW / 180 hp) Heavy Duty, 8-speed torque converter automatic transmission		
Fiat chassis features		
ABS (anti-lock braking system) / EBD (electronic brakeforce distribution)	•	
Additional protection for radiator through grille at front of vehicle	•	
Automatic Brake Assist after a collision		
Automatic cab air conditioning, digital speedometer with 7" instrument cluster and wireless phone charger in the centre console	•	•
Captain seat with integrated headrest, rotatable, height and tilt adjustable incl. two padded armrests		
Crosswind Assist	•	
Cruise control		
Cup holder in the centre of the dashboard	•	
Dashboard with aluminium application		
Diesel tank 90 litre incl. 19L AdBlue tank	•	
Driver and passenger airbags		
Driver and passenger detection		•
ESP incl. ASR, Traction Plus, Hill Holder and Hill Descent Control		•
Front-wheel drive	•	•
Leather steering wheel and gear knob withleather sleeve		(
Low-vibration coach-style exterior mirrors that can be heated and adjusted electrically (two-piece)	•	_
Pleated privacy blind in the windscreen can be adjusted horizontally and laterally for the best insulation		-
Reinforced spring for front axle	•	-
Steering wheel with control elements		-
Trailer Stability Assist	•	
Tyre inflation kit and towing eye		-
Winter tyres M+S Camping (with snowflake)	•	-
Exterior features		
70 cm wide habitation door with window and blind	•	
Bedroom window right and left		
Central locking for the drive's cab, habitation and garage door	•	-
Dethleffs Exclusive GRP rear in modern coach look with ShapeLine LED taillights and integrated 3rd brake light		
Double floor storage, some of which can be loaded across almost the entire vehicle width		(
Double-glazed flush-fitting windows with blackout & mosquito protection		
Driver's cab door left		(
Electric closing aid for habitation door		(
Floor thickness: 43 mm, side wall thickness: 34mm and roof thickness: 35 mm	•	
Flyscreen habitation door		-
GRP roof	•	-
Habitation access with comfortable coupe entrance		-
Habitation access with comfortable, wide, electric step	•	
Lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof		-
Panoramic skylight 40x40 cm with flyscreen and blackout blinds above the pull-down bed	•	
Rear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP anti-slip flooring and fleece cove	•	(
Side panels and rear panel in smooth aluminium sheets	•	
Skylight 40 x 40 cm above the seating lounge	•	(
Exterior design		
Exterior body painted in white	•	
Interior design		
Upholstery Samir	•	
Wood décor Amberes Oak		1

Standard equipment

17850-2 DBM 17850-2 EB

	_	
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•
Furniture layouts		
AirPlus overhead locker rear ventilation to avoid condensation	•	•
Cosy L-shaped lounge with free-standing, rigid table base and two integrated 3-point seatbelts	•	•
Double bed high	•	_
Electric pull-down bed in the driver's cab		•
Floor-to-ceiling wooden sliding door to the bedroom	•	•
Full body mirror	•	
High-level single beds incl. comfortable access via steps		•
No steps in living room	•	•
Option to convert single beds to double bed		•
Overhead locker doors with soft-close function	•	•
Sideboard incl. pull-out leg support, drawers and illuminated wall panels	•	•
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	•	•
Wardrobe to the left and right of the queen-size bed	•	_
Kitchen		
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)		
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking		
Worktop made of solid surface material		
	Ť	
Bathroom		
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	•	•
arge bathroom with separate shower and toilet with locking door to the lounge.		
Shower grate	•	•
Shower panel and bathroom accessories in black		
Window in bathroom		_
Multimedia		
DAB+ radio antenna mounted on the roof	•	•
Flat-screen TV bracket	•	•
Heating .		
Heat exchanger for hot-water heating	•	•
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	•	•
Electrical installation		
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator		
Awning light 12 V		
Dethieffs connect - System Control Unit		
Electric block with integrated overvoltage protection and separate ground fault circuit breaker		
LED lighting throughout the vehicle		
Leisure battery AGM, 95 Ah		
ight Moments: illuminated kitchen splashback Number of sockets 1x 12V, 8x 230V, 2x USB		
Premium on-board control panel with touchscreen		
Spotlights in the roof lining above the habitation door		
Two-tone sockets and switches		
Water supply		
Fresh water and waste water tanks installed in double floor (insulated area)	•	•
Pressurized water pump system		
Switch for water pump	•	•
Gas supply		
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	•	•
	-	

PACKAGES GLOBETROTTER XL A CLASS

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	Χ	Х
Electric block EBL 102	X	X
Victron control panel above the habitation door	X	X
Victron Energy MultiPlus charging/inverter combination 1600W/70A	X	
168 Ah lithium battery	Χ	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		Х
336 Ah lithium battery		X
Additional weight (kg)*	63	113

Travel Package (14588)

Preparation for radio system incl. sound package in the driver's cabin

Panoramic skylight 75x105 cm above the seating lounge

Light Moments: Indirect ambient lighting above the overhead lockers

Rear corner steadies (2 pieces)

Electric windscreen blinds

Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter

Extractor fan (extracted air) with draught stopper

Integrated single-lens rear view camera

Second rear view camera in rear moulding

Additional weight (kg)* 40.5

GT Package (14589)

LED low beam

Lateral sun shades, as a roller blind for driver and passenger

Panorama skylight 70 x 50 cm in the bedroom

Interior design GT incl. extended kitchen back panel

Additional weight (kg)* 10.4

Light Moments (11993)

Light Moments: plinth lighting throughout the vehicle

Light Moments: Continuous canopy with indirect lighting

Light Moments: Indirect dimmable wall surface ambient lighting

Light Moments: Indirect lighting in the bathroom with illuminated shower panel
Light Moments: Indirect lighting of the sideboard/side couch on the right and of the entrance module as well as of the kitchen tall cupboard

Additional weight (kg)* 14.8



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 7850-2 DBM	I 7850-2 EB
Weight upgrade					
Weight upgrade to 5,400 kg	_	0.5	7497	0	0
Fiat chassis features					
Electric windscreen blinds		7	1782	0	0
Extra seat incl. side couch instead of sideboard ²²⁾ ²³⁾ ⁹⁾	_	11	435	0	0
Hydraulic lifting jacks with automatic levelling and weighing function	_	70	9663	0	0
LED low beam	GT	0.5	7152	0	0
Rear corner steadies (2 pieces)	_	6.5	390	0	0
SKA captain seat with air suspension	_	20	7505	0	0
Seat heating and ventilation of the seat area ^{15) 16)}	_	0	11147	0	0
Tow bar (check permissible gross towing weight for trailer operation)	_	30	273	0	0
Exterior features					
Double floor in rear garage	-	5	1890	0	0
Omnistor cassette awning 6.0 m (electric)	_	70	519	0	0
Omnistor cassette awning 6.0 m (manual)	_	64	560	0	0
Panorama skylight 70 x 50 cm in the bedroom	GT	6	246	0	0
Panoramic skylight 75x105 cm above the seating lounge	_	16.5	849	0	0
Roof vent with fan		1.5	7507	0	0
Exterior design					
Exterior paint on the front bonnet, GRP rear and side panels in metallic titanium silver	_	2.5	511	0	0
Interior design					
Real leather individual ^{15) 17)}	_	0	9785	0	0
Real leather upholstery Colin ¹⁵⁾	_	0	11952	0	0
Upholstery Melia	_	0	11950	0	0
Textile equipment					
Carpet, loose	_	11.1	851	0	_
Carpet, loose	_	9.8	851	_	0
Furniture layouts					
Bed convert for seating lounge transverse ²⁴⁾	_	9	1944	0	0
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0	0
Low single-beds for comfortable access and high headroom	_	20.5	510	_	0
Overhead lockers in the driver's cab instead of pull-down bed	_	-40	679	0	0
Kitchen					
Extractor fan (extracted air) with draught stopper	_	1.5	344	0	0
Fridge (177 I), can be opened on both sides, with integrated oven	_	18.5	290	0	0
Winter cover for refrigerator vents	_	0.3	282	0	0
Bathroom					
Ceramic toilet ¹⁸⁾		9.1	7243	0	0
Macerator toilet with waste-holding tank	_	48	1625	0	0
Toilet ventilation via the roof ¹⁸⁾	_	0.8	1681	0	0
Multimedia					



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Optional equipment*	Included in package	Additional weight (kg)*	Code	I 7850-2 DBM	I 7850-2 EB
32" Smart TV incl. flat screen holder	_	8	9807	0	0
Additional 22' flat screen incl. flat screen bracket	_	5.5	7490+1809	0	0
Automatic satellite system 85 Twin		16	1637	0	0
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto ⁶⁾	_	3.65	9582	0	0
Integrated single-lens rear view camera ²⁵⁾		1	7636	0	0
Second rear view camera in rear moulding ²⁵⁾	_	1	11541	0	0
Sound Package Plus ⁶⁾		15.5	8082	0	0
Top View 360° HD camera ^{19) 20)}	_	4.5	7173	0	0
Heating					
Hot-water carpet for the driver's cab	_	3.5	6709	0	0
Air Conditioning					
Roof A/C	-	38.5	609	0	0
Electrical installation					
Solar power system 100 watt	-	12.6	922	0	0
Water supply					
Outdoor shower installed in rear garage (hot/cold water)	_	2.4	1574	0	0
Gas supply					
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	-	2.5	1577	0	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0	0
Safety					
2 kg fire extinguisher	_	4	1878	0	0
Alarm system (for door with central locking)	_	0.5	322	0	0
Safe	_	4.7	323	0	0
Smoke detector	_	0.2	1891	0	0
Packages					
Dual Battery System Package 1 ⁷⁾	_	63	7488	0	0
Dual Battery System Package 2 ⁷⁾	_	113	7489	0	0
GT Package	_	10.4	14589	0	0
Light Moments	_	14.8	11993	0	0
Pre-wiring kit	_	7.6	11350	0	0
Travel Package	_	40.5	14588	0	0
Miscellaneous					
Registration documents (CoC papers)	_	0	15152	*	+

O Optional equipment ─ Not possible ● Standard equipment ♦ Mandatory △ Not known at the time of publication

GT GT Package



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

IVECO

Globetrotter XXL Coach built

The big luxury! With its robust Iveco Daily chassis with rear-wheel drive, the Globetrotter XXL A is the workhorse in the Dethleffs model range. Ideal for towing trailers weighing up to 3.5 tonnes. Perfectly equipped, with plenty of space and absolutely winterproof thanks to frost-proof installation in the double floor!

Technical info	
Overall length, approx.	884 cm
Overall width, approx.	235 cm
Overall height, approx.	345 cm
Headroom in living area, approx.	211 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Melia

0



+ Real leather upholstery Colin O



+ Real leather individual O

Wood décor



+ Wood décor Amberes Oak

O optionally available

Plus factors

- + Powerful 3.0 l JTD engine with 210 hp (154 kW), automatic transmission, rear-wheel drive, dual tires, air suspension drive axle, full LED low and high beams
- + Absolute winter resistance due to heated raised floor with frost-protected installation.
- + Hot water heating as standard. Comfortable warmth even at the frostiest temperatures. Ideal for allergy sufferers, as no dust whirling up.
- + Professional self-sufficiency due to 150 Ah battery and 230 l fresh water tank
- + Lifetime Plus superstructure technology with absolutely rot-proof and durable wall construction
- + Gourmet kitchen with mineral countertop, 3-burner high-efficiency stove, generous drawers with soft-close retraction and central locking, apothecary pull-out, and more.
- + Spacious bathroom with sliding door to the bedroom





























Globetrotter XXL Coach built Technical info

Frame Euro VI-E	Globetrotter XXL Coach built		A 9000-2 EB
overall length, approx. cm 884 overall width, approx. cm 235 overall height, approx. cm 345 ° deadroom in living area, approx. cm 211 owable load braked/unbraked kg 3500 / 750 Wheelbase, approx. mm 4750 sed dimension alcove, L x W, approx. cm 215 x 150 ded dimension: Central / middle bed, L x W, approx. cm 210 x 200 - 160 / 200 ded dimension: Rear bed, L x W, approx. cm 210 x 200 - 160 / 200 desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD desping berths standard / max. 6 3.0 I J TD	Standard chassis		,
Deveral width, approx. Cm 235 Deveral height, approx. Cm 345 Deveral height, approx. Cm 211 Deveral height, approx. Cm 211 Deveral height, approx. Cm 250 Deveral height, approx. Cm 250 Deveral height, approx. Cm 250 Deveral height, approx. Cm 215 x 150 Deveral height, approx. Deveral he	Emission standards		Euro VI-E
Averall height, approx. Are dedroom in living area, approx. Are dedroom in living area, approx. Are ded dimension alcove, L x W, approx. Are dimension alcove, L x W, approx. Are dimension: Central / middle bed, L x W, approx. Are dimension: Rear bed, L x W, approx. Are dimens	Overall length, approx.	cm	884
teadroom in living area, approx. forwable load braked/unbraked kg 3500 / 750 mm 4750 wheelbase, approx. form 215 x 150 216 x 150 216 x 150 217 x 150 217 x 150 218 x 150 / 210 x 130 218 x 130 / 210 x 130 218 x 130 / 210 x 130 218 x 130 / 210 x 130 210 x 200 - 160 / 200 80 / 195 x 80	Overall width, approx.	cm	235
wheelbase, approx. mm 4750 Wheelbase, approx. mm 4750 Wheelbase, approx. mm 4750 Wheelbase, approx. mm 215 x 150 Bed dimension alcove, L x W, approx. mm 255 x 130 / 210 x 130 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 160 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 100 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x 200 - 100 / 200 Bed dimension: Central / middle bed, L x W, approx. mm 210 x	Overall height, approx.	cm	345 ¹⁾
Wheelbase, approx. mm 4750 Bed dimension alcove, L x W, approx. cm 215 x 150 Bed dimension: Central / middle bed, L x W, approx. cm 195 x 130 / 210 x 130 Bed dimension: Rear bed, L x W, approx. cm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. cm 210 x 200 - 160 / 200 Bed dimension: Rear bed, L x W, approx. 6 3.0 LJTD Bed addimension: Rear bed, L x W, approx. 6 3.0 LJTD Bed addimension: Rear bed, L x W, approx. 6 3.0 LJTD Bed addimension: Rear bed, L x W, approx. 6 3.0 LJTD Bed addimension: Rear bed, L x W, approx. 6 3.0 LJTD Bed addimension: Rear bed, L x W, approx. 6 3.0 LJTD Bed addimension: Rear bed, L x W, approx. 1 267 4.6 Close Bed addimension: Rear bed, L x W, approx. 1 36 (23) / 177 (35) O 4.6 Close Bed addimension: Rear bed, L x W, approx. 1 36 (23) / 177 (35) O 4.6 Close Bed addimension: Rear bed, L x W, approx. 1 36 (23) / 177 (35) O 4.6 Close Bed addimension: Rear bed, L x W, approx. 1 36 (23) / 177 (35) O	Headroom in living area, approx.	cm	211
sed dimension alcove, L x W, approx. and dimension: Central / middle bed, L X W, approx. and dimension: Rear bed, L x	Towable load braked/unbraked	kg	3500 / 750
sed dimension: Central / middle bed, L x W, approx. cm 210 x 200 - 160 / 200 80 / 195 x 80 / 80 / 195 x 80 /	Wheelbase, approx.	mm	4750
Seed dimension: Rear bed, L x W, approx. Comparison: Rear bed, L x W,	Bed dimension alcove, L x W, approx.	cm	215 x 150
seed dimension: Rear bed, Ex W, approx. Seeping berths standard / max. Seeping berths standard / max. Seeping berths standard / max. Standard engine W(bhp) Mass in running order (+/-5%)* Manufacturer-specified mass for optional equipment* Manufacturer-specified mass for optional equipment	Bed dimension: Central / middle bed, L X W, approx.	cm	
Standard engine 3,0 l JTD 154 (210) Wass in running order (+/-5%)* Manufacturer-specified mass for optional equipment* Macturer-specified mass for optional equipment* Manufacturer-speci	Bed dimension: Rear bed, L x W, approx.	cm	210 x 200 - 160 / 200 x 80 / 195 x 80
tw (bhp) Mass in running order (+/-5%)* Manufacturer-specified mass for optional equipment* Mag 6700 Permitted number of seats (including driver)* 4 - 6 O Refrigerator volume (thereof freezer), approx. I 336 (23) / 177 (35) O Waste water tank, approx. I 222 Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 230 / 20 Measurement storage opening left (W x H) Measurement storage opening right (W x H) Measurement storage opening right (W x H) Cm 105 x 120	Sleeping berths standard / max.		6
Manufacturer-specified mass for optional equipment* Mag 1267 Permitted number of seats (including driver)* Master defrigerator volume (thereof freezer), approx. Master water tank, approx. Master water tank capacity, total/ Fresh water tank capacity at driving filling Measurement storage opening left (W x H) Measurement storage opening right (W x H) Measurement storage opening right (W x H) Measurement storage opening right (W x H) Cm 105 x 120	Standard engine		3,0 l JTD
Manufacturer-specified mass for optional equipment* kg 1267 rechnically permissible maximum laden mass* kg 6700 Permitted number of seats (including driver)* 4 - 6 O Refrigerator volume (thereof freezer), approx. I 136 (23) / 177 (35) O Waste water tank, approx. I 222 Fresh water tank capacity, total/ Fresh water tank capacity at driving filling Measurement storage opening left (W x H) Measurement storage opening right (W x H) Cm 105 x 120	kW (bhp)		154 (210)
rechnically permissible maximum laden mass* kg 6700 Permitted number of seats (including driver)* 4 - 6 O Refrigerator volume (thereof freezer), approx. I 136 (23) / 177 (35) O Waste water tank, approx. I 222 Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 230 / 20 Weasurement storage opening left (W x H) cm 105 x 120 Measurement storage opening right (W x H) cm 105 x 120	Mass in running order (+/-5%)*	kg	5080 (4826 to 5334)*
Permitted number of seats (including driver)* 4 - 6 O Refrigerator volume (thereof freezer), approx. I 136 (23) / 177 (35) O Waste water tank, approx. I 222 Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 230 / 20 Measurement storage opening left (W x H) Cm 105 x 120 Measurement storage opening right (W x H)	Manufacturer-specified mass for optional equipment*	kg	1267
Refrigerator volume (thereof freezer), approx. Waste water tank, approx. I 136 (23) / 177 (35) O Waste water tank, approx. I 222 Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 230 / 20 Measurement storage opening left (W x H) Cm 105 x 120 Measurement storage opening right (W x H)	Technically permissible maximum laden mass*	kg	6700
Waste water tank, approx. I 222 Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 230 / 20 Measurement storage opening left (W x H) Cm 105 x 120 Measurement storage opening right (W x H) Cm 105 x 120	Permitted number of seats (including driver)*		4 - 6 🔿
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling Measurement storage opening left (W x H) Cm 105 x 120 Measurement storage opening right (W x H) Cm 105 x 120	Refrigerator volume (thereof freezer), approx.	1	136 (23) / 177 (35) O
Measurement storage opening left (W x H) cm 105 x 120 Measurement storage opening right (W x H) cm 105 x 120	Waste water tank, approx.	1	222
Measurement storage opening right (W x H) cm 105 x 120	Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	230 / 20
	Measurement storage opening left (W x H)	cm	105 x 120
Clear dimensions of rear garage door/flap (W x H) cm 105 x 75 O	Measurement storage opening right (W x H)	cm	105 x 120
	Clear dimensions of rear garage door/flap (W x H)	cm	105 x 75 O

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

6° steel aim with 225/75 Rto Au-S VECO Daily Bidder frame (6,700 kg) a.0 I/TO (154 kW / 210 hg), torque converter automatic transmission veco chastis features displative cruise control incl. Active lane Keeping Assist and Active Brake Assist with City Imergency Braking function is suspension for diffying axie (original Iveco) literationalize 220 AH treakdown kit ab entrance step central dash tray (At format) with 2 x USB and aux-in traver control differential lock for driving axie truice and play a step for a driving axie differential lock for driving axie does not make the play a steel and adjusted electrically go plights with steel play a steel and adjusted electrically go plights with steel play a steel and adjusted electrically go plights with steel play a steel and adjusted electrically go plights with steel play a steel and adjusted electrically go plights with steel play a steel and a steel play a ste	veco chassis	
Auditive Cruise Control incl. Active Lane Keeping Assist and Active Brake Assist with City Emergency Braking function its suppression of driving adve (reginal Neveo) Its creator 220 Ah its appearance of a virture and a second of the Control of	5" steel rim with 225/75 R16 M+S	
daptive Cruise Control Incl. Active Lane Keeping Assist and Active Brake Assist with City Emergency Braking function its asspension for driving ade (original Iveco) Identation 220 AM Identation 220 AM Identation 230 AM Identation 240 AM Identition 240 AM Identation 240 AM Identation 240 AM Identition 240 AM	/ECO Daily ladder frame (6,700 kg) 3.0 l JTD (154 kW / 210 hp), torque converter automatic transmission	
Literator 20 Ah Tecnadown kit ab entrance step Ferritad dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 2 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration in traveration with 5 x U58 and aux in Traveration of traveration in traveration with 5 x U58 and aux in Traveration of traverati	veco chassis features	
Literator 20 Ah Tecnadown kit ab entrance step Ferritad dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration dash tray (A4 format) with 2 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 2 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration with 4 x U58 and aux in Traveration of traveration in traveration with 5 x U58 and aux in Traveration of traveration in traveration with 5 x U58 and aux in Traveration of traverati	dantive Cruise Control incl. Active Lane Keening Assist and Active Brake Assist with City Emergency Braking function	
Alternator 220 Ah is recicled with list ab entrance step central dash tray (Ar format) with 2 x USB and aux-in cassassind Assist ruses control differential lock for driving ade inviter and passage atthings where and passage atthings are also AVC (automatic) Feb. ASR, ASB with EBD, Hill Holder and Hydraulic Brake Assist leteric handbrake tectric mirrors that can be heated and adjusted electrically og jubits with actaic comering lights used lank 901 plus 201 AdBlue ligh Beam Assist ull bos-cent Control ED headdights incl. integrated daytime running lights uxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethieffs logo full filteration light and let the seat wheed drive with the trivers are also assisted to the seat wheed drive with the trivers are also assisted to the seat wheed drive with thin tyres pane wheel located under the wehicle rear yee pressure sensors **xetioric features** 0 on wide habitation door with window and blind elethorm window right and let! entiral locking for the dives cash, habitation and garage door looted for storage, some of which can be loaded across almost the entire vehicle width loughed foot storage, some of which can be loaded across almost the entire vehicle width loughed for the habitation door APP roof loote thickness, 43 mm, side wall thickness. 44mm and roof thickness, 45 mm lykereen habitation door APP roof loote thickness, 41 mm, side wall thickness. 44mm and roof thickness, 45 mm lykereen habitation door with confortable, yide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology; ro-free superstructure with no wood inserts, XPS insulation with GRP cladding		
treakdown kit ab entrance step entral dash tray (At format) with 2 x USB and aux-in rosswind Assist rivues control ifferential lock for diving asde prives and pAS (C quitomatic) SP, ASR, ARS with ERD, Hill Holder and Hydraulic Brake Assist lectric handbrake sterior mirrors that can be heated and adjusted electrically og lights with static comering lights usel tank 201 plus 201 Additive gligh Beam Assist liff Descent Control ED headilights incl. integrated daytime running lights usury front seath with heated seats, two padded armests, 3-way adjustable, hydraulic, luxury headrests with Dethielfs logo Authfunctional leather steering wheel tans sensor incl. driving light assistant tear wheel drive with twin tyres pare wheel located under the vehicle rear yee pressure sensors **Xerior Feature** **O om wide habitation door with window and blind teerior for storage, some of which can be loaded across almost the entire vehicle width bouble-glared flush-fitting windows with blackout 6 mosquito net (Privary Black) lectric diosing aid for habitation door loot thickness- 43 mm, side wall thickness- 44mm and roof thickness- 45 mm lyszeren habitation acress with comfortable; uside, electric step light characteristic Dethielfs Exclusive rear light carrier with Shapetine LED fallights and 3rd brake light integrated in rear spoiler lifetime Plus construction tenhology; not free superstructure with no wood inserts, XPS insulation with GRP cladding on the understung and roof penning window in overcab left lighting and pende on with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 v socket, GRP mit sligh flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylighed Av A 40 cm above the seating lounge **xetored bedging**		
abe intrance step entral dash tray (Af format) with 2 x USB and aux-in forested has tray (Af format) with 2 x USB and aux-in forested has tray (Af format) with 2 x USB and aux-in forested has tray (Af format) with 2 x USB and aux-in forested has tray (Afformat) inferential lock for driving ade inferential lock for driving lights foreign for a season of the state of the season of the state of the season of the state of the season of th		
entral dash tray (A4 format) with 2 x USB and aux-in rosswind Assist rosswind (Guldomatic) SP, ASR, ASB with BBQ, Hill Holder and Hydraulic Brake Assist leactic handbrake rate for mirrors that can be heated and adjusted electrically go julpits with static comering lights use tank 90 plus 201 Adaliue let hank 90 plus 201 Adaliue let h		
rosswind Assist unise control (ifferential lock for driving axle rivers and passenger airbags rivers and passenger airbags rivers and passenger airbags rivers and passenger airbags rivers and by XC (automatic) SP, ASR, ASB with Bob, Hill Holder and Hydraulic Brake Assist learner handbrake Learn	•	
inferential lock for driving axle inferential lock for driving light axis interests inferential lock for driving light axis interest interests inferential lock for driving light axis interests inferential lock for light li		
wiver and passenger airbags vivers cab A/C (automatic) SP, ASR, ASR with BED, Hill Holder and Hydraulic Brake Assist lectric handbrake xterior mirrors that can be heated and adjusted electrically og lights with static connering lights use tank 901 plus 201 Additus ligh Bearn Assist ligh Descent Control ED headlights incl. integrated daytime running lights usury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo touting the seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo touting light assistant tear wheel drive with twin tyres pare wheel drive with twin tyres pare wheel drive with twin tyres pare wheel located under the vehicle rear yee pressure sensors xterior features 0 on wide habitation door with window and blind tedroom window right and left entral locking for the drive's cab, habitation and garage door touble floor storage, some of which can be loaded across almost the entire vehicle width touble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation access with comfortable, wide, electric step light characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler rifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof penning window in overcab left penning window in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
rivers and passenger airbags rivers acb AVE (automatic) S. ASR, ASR with EBD, Hill Holder and Hydraulic Brake Assist lectric handbrake sterior mirrors that can be heated and adjusted electrically og lights with static connering lights used tank 90i plus 201 AdBlue ligh Bearn Assist iill Descent Control ED headlights incl. integrated daytime running lights usury front sears with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo tuttifunctional leather steering wheel ain sensor incl. driving light assistant was wheel drive with twin tyres pare wheel drive with twin tyres pare wheel drive with twin tyres pare wheel drive with twin through and blind edroom window right and left entral locking for the drive's cab, habitation and garage door touble floor storage, some of which can be loaded across almost the entire vehicle width ouble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness- 43 mm, side wall thickness- 44mm and roof thickness- 45 mm lyscreen habitation door River for the drive's cab, bring windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness- 43 mm, side wall thickness- 44mm and roof thickness- 45 mm lyscreen habitation door River for the drive's cab, bring windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness- 45 mm, side wall thickness- 44mm and roof thickness- 45 mm lyscreen habitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler lettime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab left pening window in overcab left pening window in overcab left legening window in overcab left legening window in sovercab left legening		
SP, ASR, ASB with EDD, Hill Holder and Hydraulic Brake Assist Letric handbrake Atterior mirrors that can be heated and adjusted electrically go lights with static comering lights uet tank 901 plus 201 AdBlue ligh Bearn Assist till Descent Control ED headlights incl. integrated daytime running lights uzury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo Autifunctional leather steering wheel tain sensor incl. driving light assistant tear wheel drive with twin tyres pare wheel located under the vehicle rear yee pressure sensors **********************************	·	
SP, ASR, ABS with EBD, Hill Holder and Hydraulic Brake Assist lectric handbrake textic mirrors that can be heated and adjusted electrically og lights with static cornering lights uel tank 90 plus 201 AdBlue ight Beam Assist iil Descent Control ED headlights incl. integrated daytime running lights uxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethieffs logo tutifirenticinal leather steering wheel ain sensor incl. driving light assistant ear wheel located under the vehicle rear yee pressure sensors **********************************		
lectric handbrake Iterior imirors that can be heated and adjusted electrically og lights with static cornering lights uel tank 90 plus 20l Additue ligh Beam Assist iill Descent Control ED headlights incl. Integrated daytime running lights uxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo tultifunctional leather steering wheel ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yer pressure sensors **********************************		
sterior mirrors that can be heated and adjusted electrically gig lights with static cornering lights uet tank 90 plus 201 AdBilue ligh Bearn Assist lill Descent Control Eb headlights incl. integrated daytime running lights uzury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo fullifunctional leather steering wheel tain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors ***Xetion features** ***D orm wide habitation door with window and blind edroom window right and left entral locking for the drive's cab, habitation and garage door louble filor storage, some of which can be loaded across almost the entire vehicle width louble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door IRP roof labitation access with comfortable coupe entrance labitation access with comfortable coupe entrance labitation access with comfortable coupe entrance labitation access with comfortable with, electric step ligh characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof lopening window in overcab left pening window in overcab left pening window in overcab right tear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and crea panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge **xetorior design**	·	
uel tank 90l plus 20l Adëlue ligh Beam Assist lill Descent Control ED headlights incl. integrated daytime running lights uxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo tultifunctional leather steering wheel ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel drive with twin tyres pare wheel drive with twin tyres pare wheel located under the vehicle rear tyre pressure sensors xterior features 0 cm wide habitation door with window and blind edroom window right and left entral locking for the drive's cab, habitation and garage door louble floor storage, some of which can be loaded across almost the entire vehicle width louble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door RP roof labitation access with comfortable coupe entrance labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof lepening window in overcab left lepening window in overcab left lepening window in overcab left lepening window in sovercab left lepening window in sovercab left or the prening window in sovercab left lepening window in sovercab inght lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring aid fleece cove ide panels and crear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge		
usel tank 90l plus 20l Ad8liue ligh Beam Assist ligh Beam Assist ligh Descent Control ED headlights incl. integrated daytime running lights uxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo utulifunctional leather steering wheel lain sensor incl. driving light assistant lear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors **********************************	·	
igh Beam Assist ill Descent Control ED headlights incl. integrated daytime running lights usury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo tultifunctional leather steering wheel ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yee pressure sensors **********************************		
ED headlights incl. integrated daytime running lights uxury front seats with heated seats, two padded armests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo utultifunctional leather steering wheel ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors ***xetrior features** O orn wide habitation door with window and blind edroom window right and left entral locking for the drive's cab, habitation and garage door ouble floor storage, some of which can be loaded across almost the entire vehicle width ouble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door RP roof abitation access with comfortable coupe entrance labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler fletime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab light ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP notification flooring and fleece cove die panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge **xetrior design**		
usury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo Authtinctional leather steering wheel ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors **********************************	•	
usury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo Authtinctional leather steering wheel ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors **********************************	ED headlights incl. integrated daytime running lights	
ain sensor incl. driving light assistant ear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors xterior features 0 cm wide habitation door with window and blind edroom window right and left entral locking for the drive's cab, habitation and garage door ouble floor storage, some of which can be loaded across almost the entire vehicle width ouble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door RP roof abitation access with comfortable coupe entrance abitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler (leftime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab left pening window in overcab right ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP enti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design	uxury front seats with heated seats, two padded armrests, 3-way adjustable, hydraulic, luxury headrests with Dethleffs logo	
ear wheel drive with twin tyres pare wheel located under the vehicle rear yre pressure sensors xterior features 0 cm wide habitation door with window and blind edroom window right and left entral locking for the drive's cab, habitation and garage door outble floor storage, some of which can be loaded across almost the entire vehicle width outble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door RP roof aabitation access with comfortable coupe entrance abitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with Shapetine LED taillights and 3rd brake light integrated in rear spoiler ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof ppening window in overcab left pening window in overcab left pening window in overcab right ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP ntf-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design	Iultifunctional leather steering wheel	
pare wheel located under the vehicle rear yre pressure sensors xterior features 0 cm wide habitation door with window and blind tedroom window right and left entral locking for the drive's cab, habitation and garage door pouble floor storage, some of which can be loaded across almost the entire vehicle width pouble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof lopening window in overcab left lepening grange: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nnti-slip flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design	ain sensor incl. driving light assistant	
ryre pressure sensors xterior features 0 cm wide habitation door with window and blind edroom window right and left entral locking for the drive's cab, habitation and garage door ouble floor storage, some of which can be loaded across almost the entire vehicle width ouble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door RP roof abitation access with comfortable coupe entrance abitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler fetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab left pening window in overcab right ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design	ear wheel drive with twin tyres	
xterior features 0 cm wide habitation door with window and blind ledroom window right and left learners locking for the drive's cab, habitation and garage door loouble floor storage, some of which can be loaded across almost the entire vehicle width loouble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door labitation access with comfortable coupe entrance labitation access with comfortable wide, electric step light characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof spening window in overcab left lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge exterior design	pare wheel located under the vehicle rear	
Or mide habitation door with window and blind sedroom window right and left sedroom window with blackout & mosquito net (Privacy Black) sedroom window with blackout & mosquito net (Privacy Black) sedroom window with blackout & mosquito net (Privacy Black) sedroom window with blackout & mosquito net (Privacy Black) sedroom window with sedroom wi	yre pressure sensors	
edroom window right and left entral locking for the drive's cab, habitation and garage door louble floor storage, some of which can be loaded across almost the entire vehicle width louble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door IRP roof labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof lipening window in overcab left lipening window in overcab right lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP lit-slip flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge **Exterior design**	xterior features	
entral locking for the drive's cab, habitation and garage door couble floor storage, some of which can be loaded across almost the entire vehicle width couble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door lake roof labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof upening window in overcab left upening window in overcab right lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge **Xterior design**	0 cm wide habitation door with window and blind	
entral locking for the drive's cab, habitation and garage door couble floor storage, some of which can be loaded across almost the entire vehicle width couble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door lake roof labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof upening window in overcab left upening window in overcab right lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge **Xterior design**	edroom window right and left	
touble floor storage, some of which can be loaded across almost the entire vehicle width souble-glazed flush-fitting windows with blackout & mosquito net (Privacy Black) lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door IRP roof labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab left lipening window in overcab left lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP inti-slip flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door likP roof labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step light characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof lipening window in overcab left lipening window in overcab left lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP liti-slip flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
lectric closing aid for habitation door loor thickness: 43 mm, side wall thickness: 44mm and roof thickness: 45 mm lyscreen habitation door iRP roof labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof lepening window in overcab left lepening window in overcab right leear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
lyscreen habitation door IRP roof Iabitation access with comfortable coupe entrance Iabitation access with comfortable, wide, electric step Iigh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler Ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof Opening window in overcab left Opening window in overcab right Itear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP Initiality flooring and fleece cove Ide panels and rear panel in smooth aluminium sheets Iteklight 40 x 40 cm above the seating lounge		
displayed by the seating lounge in the seati		
Abbitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left lifetime Plus construction technology: rot-f		
labitation access with comfortable coupe entrance labitation access with comfortable, wide, electric step ligh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler lifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left left light window in overcab right lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove lide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge	,	
abitation access with comfortable, wide, electric step igh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab left pening window in overcab right ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
igh characteristic Dethleffs Exclusive rear light carrier with ShapeLine LED taillights and 3rd brake light integrated in rear spoiler ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof pening window in overcab left pening window in overcab right ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge		
ifetime Plus construction technology: rot-free superstructure with no wood inserts, XPS insulation with GRP cladding on the underslung and roof opening window in overcab left opening window in overcab right lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge		
ppening window in overcab left ppening window in overcab right lear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
pening window in overcab right ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge xterior design		
ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V socket, GRP nti-slip flooring and fleece cove ide panels and rear panel in smooth aluminium sheets kylight 40 x 40 cm above the seating lounge		
kylight 40 x 40 cm above the seating lounge xterior design	ear garage: two garage door with one-hand operation, rear lowering (250 kg), heated, lashing rails, LED lights across the entire width, 230 V soc	ket, GRP
xterior design	de panels and rear panel in smooth aluminium sheets	
xterior design		
	kylight 40 x 40 cm above the seating lounge	

	\forall
Upholstery Samir	•
Wood décor Amberes Oak	•
Textile equipment	
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	
Furniture layouts	
AirPlus overhead locker rear ventilation to avoid condensation	•
Bed convert for seating lounge transverse	•
Floor-to-ceiling wooden sliding door to the bedroom	
Fold-away overcab bed	
High-level single beds incl. comfortable access via steps	
Large face-to-face seating area with mountable and extendible table incl. two integrated 3-point seatbelts	•
No steps in living room	
Option to convert single beds to double bed	•
Overhead lockers in the rear area	
Storage bench enlargement, fold-away with storage space	•
Wardrobe floor-to-ceiling with convenient linen drawers in upper area	•
Kitchen	
Extractor fan (extracted air) with draught stopper	
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (136 l)	•
Gourmet kitchen: three-ring hob, large drawers with soft-close function, cutting board, apothecary drawers, waste bin and central locking	
Kitchen overhead locker with illuminated roof lining	•
Bathroom	
Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head	•
Large bathroom with separate shower and toilet with locking door to the lounge	
Shower grate	•
Shower panel and bathroom accessories in black	
Window in bathroom	•
Multimedia	
DAB+ radio antenna mounted on the roof	•
Flat-screen TV bracket	
Preparation for radio system incl. sound package in the driver's cabin	•
Heating	
Heat exchanger for hot-water heating	•
Hot-water heating with boiler, automatic drain valve and shut-off valve for the sleeping area and digital control panel	
Electrical installation	
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	
Awning light 12 V	
Dethleffs connect - System Control Unit	
Electric block with integrated overvoltage protection and separate ground fault circuit breaker	•
LED lighting throughout the vehicle	
Leisure battery AGM, 95 Ah	•
Number of sockets 1x 12V, 7x 230V, 3x USB	
Premium on-board control panel with touchscreen	•
Two-tone sockets and switches	
Water supply	
Fresh water and waste water tanks installed in double floor (insulated area)	
Pressurized water pump system	•
Switch for water pump	•
Gas supply	
Storage space for 2 gas bottles with a filling weight of 11 kg each, with simplified access	
J J J J J J J J J J	

PACKAGES GLOBETROTTER XXL COACH BUILT

Package	Dual Battery System Package 1 (7488)	Dual Battery System Package 2 (7489)
Victron PowerAssist and PowerControl	Х	Х
Electric block EBL 102	X	X
Victron control panel above the habitation door	Х	Х
Victron Energy MultiPlus charging/inverter combination 1600W/70A	Х	
168 Ah lithium battery	Х	
Victron Energy MultiPlus charging/inverter combination 3000W/120A		Х
336 Ah lithium battery		X
Additional weight (kg)*	63	113

XXL Travel Package (14841)

Carpet, loose

Light Moments: Indirect ambient lighting above the overhead lockers

Roof A/C

Panoramic skylight 75x105 cm in the lounge

Rear corner steadies supports (2 pcs.) for rear mounting

Integrated single-lens rear view camera

Additional weight (kg)* 89.7

Light Moments (14837)

Light Moments: Indirect dimmable wall surface ambient lighting, indirect lighting in the bathroom with illuminated shower console, canopy in the alcove and seating group area with indirect lighting and plinth lighting in the kitchen

Additional weight (kg)* \triangle

Pre-wiring kit (11350)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Pre-wiring for first rear view camera

Pre-wiring for second rear view camera

Additional weight (kg)* 7.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	A 9000-2 EB
Weight upgrade				
Weight upgrade 7,200 kg (for trailer operation, check permissible gross towing weight of 10.2 t) ²⁶⁾	_	0	1636	0
Iveco chassis features				
Rear corner steadies supports (2 pcs.) for rear mounting	_	13.5	390	0
Safety Package II: 2 x 3-point seatbelt for seat facing away from driving direction ⁹⁾	_	17.5	561	0
Tow bar (Iveco) ²⁶⁾	_	30	273	0
Exterior features				
Double floor in rear garage	_	18	1890	0
Omnistor cassette awning 6.0 m (electric)	_	70	519	0
Omnistor cassette awning 6.0 m (manual)	_	64	560	0
Panoramic skylight 75x105 cm incl. illuminated roof lining in the bedroom	_	17.5	442	0
Roof vent with fan	_	1.5	7507	0
Storage access in the rear	_	10	1732	0
Exterior design				
Side panels in metallic titanium silver	-	0	511	0
Interior design				
Real leather individual ¹⁷⁾	_	0	9785	0
Real leather upholstery Colin	_	0	11952	0
Upholstery Melia	_	0	11950	0
Textile equipment				
Carpet, loose	-	8.7	851	0
Furniture layouts				
ISOFIX child seat bracket for third and fourth seat facing direction of travel	_	4	8125	0
U-shaped seating (free-standing, rigid table base with surrounding seating and backrest cushions)	_	7	1870	0
Kitchen				
Fridge (177 l), can be opened on both sides, with integrated oven	_	18.5	290	0
Winter cover for refrigerator vents	_	0.3	282	0
Bathroom				
Ceramic toilet ¹⁸⁾	_	9.1	7243	0
Macerator toilet with waste-holding tank	_	52	1625	0
Toilet ventilation via the roof ¹⁸⁾	_	0.8	1681	0
Multimedia				
32" TV (incl. bracket) incl. soundboard	_	9	9127	0
Additional 22' flat screen incl. flat screen bracket	_	5.5	7490+1809	0
Automatic satellite system 85 Twin	_	16	1637	0
Dethleffs Naviceiver incl. DAB+, truck navigation, wireless Apple CarPlay and Android Auto	_	3.65	9582	0
Second rear view camera in rear moulding	_	1	11541	0
Sound Package Plus	_	15.5	8082	0
Top View 360° HD camera ²⁰⁾	-	4.5	7173	0
Heating				
Electrically heated overcab bed	-	16.5	1740	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Optional equipment*	Included in package	Additional weight (kg)*	Code	A 9000-2 EB
Air Conditioning				
Roof A/C	-	38.5	609	0
Electrical installation				
Solar power system 100 watt	_	12.6	922	0
Water supply				
Outdoor shower installed in rear garage (hot/cold water)	_	2.4	1574	0
Gas supply				
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	_	2.5	1577	0
Outdoor gas socket gas pressure 30 mbar	_	1.3	878	0
Safety				
2 kg fire extinguisher	_	4	1878	0
Alarm system (for door with central locking)	_	0.5	322	0
Smoke detector	_	0.2	1891	0
Packages				
Dual Battery System Package 1	_	63	7488	0
Dual Battery System Package 2	_	113	7489	0
Light Moments	_	Δ	14837	0
Pre-wiring kit	_	7.6	11350	0
XXL Travel Package		89.7	14841	0
Miscellaneous				
Registration documents (CoC papers)	_	0	15152	•

O Optional equipment — Not possible Standard equipment lack Mandatory Δ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment. Individual components of packages can also be ordered separately. Please note that this does not entitle you to the price advantage and may also extend the delivery time. Please contact your retail partner for more information.

FOOTNOTES

- 1) Please note that the total height may increase due to additional roof structures and optional equipment..
- 2) The maximum trailer load increases to 2500 kg in combination with the "Ford automatic transmission" option.
- 3) Only possible in combination with the option "Active Package".
- 4) Only possible in combination with option 11258 "Automatic HD SAT system 65 Twin"
- 5) Only possible in combination with the "Flat screen 22' or 32' TV' option.
- 6) Only possible in combination with the option "Preparation for radio system incl. sound package in the driver's cab" (Code 659).
- 7) The standard 25 A charge booster is replaced by a 45 A charge booster.
- 8) Not possible in combination with the option "Active Package"
- 9) An optional seat must be considered as a regular seat when calculating the minimum payload and the mass of the passengers. In order to obtain an optional seat, it must be ensured that the minimum payload is still maintained and that all other legal mass values are complied with. Please contact our trade partners for detailed information.
- 10) Only possible in combination with the option "Seat group with belt bench incl. two 3-point belts" (Code 1951).
- 11) Only possible in combination with the option "Comfort Package T".
- 12) The "70x50 cm panoramic skylight in the living area" is replaced by a "40x40 cm panoramic skylight" in combination with the "electric drop-down bed above the seating group" option (code 13738).
- 13) Only possible in combination with option 761 "warm water heating"
- 14) Not possible in combination with option 761 "Hot water heating"
- 15) Only possible in combination with option 7505 "captain's chair with air suspension from SKA"
- 16) Only possible in combination with option "real leather upholstery"
- 17) Your local trade partner will be happy to help you design and define the "Individual genuine leather".
- 18) Not possible in combination with the option "Macerator ceramic toilet with waste-holding tank" (Code 1625).
- 19) Only possible in combination with the option "Dethleffs Naviceiver" (Code 9582).
- 20) The "Top View 360° HD camera" option replaces the standard rear view cameras (1642 and 11541).
- 21) The "Cassette awning Omnistor 6.0 m (electric)" option replaces the standard "Cassette awning Omnistor 6.0 m (manual)".
- 22) Only possible in combination with the option "Bed construction seating group transverse" (code 1944).
- 23) Please note that with the option "Extra seat incl. side couch instead of sideboard" (code 435) the flat screen holder or the optional 32" flat screen (code 9807) is mounted on the entrance module.
- 24) Only possible in combination with the option "Additional seat incl. side couch" (code 435).
- 25) Option 7636 "rear view camera" and 11541 "second rear view camera" only possible in combination
- 26) In combination with the option "Weight upgrade 7,200 kg", the maximum trailer load is reduced to 3,300 kg (taking into account the maximum gross towing weight).

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications;) and an aluminium gas cylinder filled to
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is \pm 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore 3 * 75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of $\pm~5~\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg ≥ 10 * (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
 - 3*75 kg mass of the passengers
 - 100 kg minimum pay-mass

= 43 kg

= 325 kg maximum permissible mass of **optional equipment**

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3.500 kg
 - 2.907 kg
 real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
 - 3*75 kg
 mass of the passengers
 - 325 kg
 optional equipment (maximum permissible value)

actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running or-

der of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg technically permissible maximum laden mass

2.907 kg $\,$ real weighed mass in running order (+ 2 % compared to the

stated value of 2,850 kg) 3*75 kg mass of the passengers

150 kg **optional equipment** ordered for the specific vehicle

= 218 kg sactual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle. We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. These Technical Information is valid from August 1st, 2024.

Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes. With the publication of this Technical Information, all previous technical documents lose their validity.

Different Euro prices may apply throughout Europe. This is due to different country-specific standard equipment and different VAT and luxury tax rates.

Dethleffs GmbH & Co.KG Arist-Dethleffs-Straße 12 · 88316 Isny im Allgäu www.dethleffs.com · info@dethleffs.com

